

```
import javax.swing.JOptionPane;

public class tarea13_ejrc2_cuadrotexto {
    public static void main(String[] args) {
        double r = Double.parseDouble(JOptionPane.showInputDialog("Introduce el radio de un círculo:"));
        double area = Math.PI * Math.pow(r, 2);
        JOptionPane.showMessageDialog(null, "El área es: " + area);
    }
}
```

```
import javax.swing.JOptionPane;

public class tarea13_ejrc3_cuadrotexto {
    public static void main(String[] args) {
        double r = Double.parseDouble(JOptionPane.showInputDialog("Introduce el radio:"));
        double L = 2 * Math.PI * r;
        JOptionPane.showMessageDialog(null, "La longitud es: " + L);
    }
}
```

```
import javax.swing.JOptionPane;

public class tarea13_ejrc4_cuadrotexto {
    public static void main(String[] args) {
        int n1 = Integer.parseInt(JOptionPane.showInputDialog("Introduce un número:"));
        int n2 = Integer.parseInt(JOptionPane.showInputDialog("Introduce otro número:"));
        if (n1 == n2) {
            JOptionPane.showMessageDialog(null, "Son iguales");
        } else {
            JOptionPane.showMessageDialog(null, "No son iguales");
        }
    }
}
```

```
import javax.swing.JOptionPane;

public class tarea13_ejrc5_cuadrotexto {
    public static void main(String[] args) {
        int num = Integer.parseInt(JOptionPane.showInputDialog("Introduce un número:"));
        if (num >= 0) {
            JOptionPane.showMessageDialog(null, "Positivo");
        } else {
            JOptionPane.showMessageDialog(null, "Negativo");
        }
    }
}
```

```
import javax.swing.JOptionPane;

public class tarea13_ejrc6_cuadrotexto {
    public static void main(String[] args) {
        int n1 = Integer.parseInt(JOptionPane.showInputDialog("Introduce n1:"));
        int n2 = Integer.parseInt(JOptionPane.showInputDialog("Introduce n2:"));
        if (n1 % n2 == 0) {
            JOptionPane.showMessageDialog(null, "Son múltiplos");
        } else {
            JOptionPane.showMessageDialog(null, "No son múltiplos");
        }
    }
}
```

```
import javax.swing.JOptionPane;

public class tarea13_ejrc7_cuadrotexto {
    public static void main(String[] args) {
        int n1 = Integer.parseInt(JOptionPane.showInputDialog("N1:"));
        int n2 = Integer.parseInt(JOptionPane.showInputDialog("N2:"));
        if (n1 > n2) {
            JOptionPane.showMessageDialog(null, n1 + " es mayor");
        } else {
            JOptionPane.showMessageDialog(null, n2 + " es mayor");
        }
    }
}
```

```
import javax.swing.JOptionPane;

public class tarea13_ejrc8_cuadrotexto {
    public static void main(String[] args) {
        int n1 = Integer.parseInt(JOptionPane.showInputDialog("N1:"));
        int n2 = Integer.parseInt(JOptionPane.showInputDialog("N2:"));
        if (n1 == n2) {
            JOptionPane.showMessageDialog(null, "Son iguales");
        } else {
            if (n1 > n2) {
                JOptionPane.showMessageDialog(null, n1 + " es mayor");
            } else {
                JOptionPane.showMessageDialog(null, n2 + " es mayor");
            }
        }
    }
}
```

```
import javax.swing.JOptionPane;

public class tarea13_ejrc9_cuadrotexto {
    public static void main(String[] args) {
        int n1 = Integer.parseInt(JOptionPane.showInputDialog("N1:"));
        int n2 = Integer.parseInt(JOptionPane.showInputDialog("N2:"));
        if (n1 > n2) {
            JOptionPane.showMessageDialog(null, n1 + " , " + n2);
        } else {
            JOptionPane.showMessageDialog(null, n2 + " , " + n1);
        }
    }
}
```

```

import javax.swing.JOptionPane;

public class tarea13_ejrc10_cuadrotexto {
    public static void main(String[] args) {
        int a = Integer.parseInt(JOptionPane.showInputDialog("a:"));
        int b = Integer.parseInt(JOptionPane.showInputDialog("b:"));
        int c = Integer.parseInt(JOptionPane.showInputDialog("c:"));

        String res = "";
        if (a > b && b > c) res = a + ", " + b + ", " + c;
        if (a > c && c > b) res = a + ", " + c + ", " + b;
        if (b > a && a > c) res = b + ", " + a + ", " + c;
        if (b > c && c > a) res = b + ", " + c + ", " + a;
        if (c > a && a > b) res = c + ", " + a + ", " + b;
        if (c > b && b > a) res = c + ", " + b + ", " + a;

        JOptionPane.showMessageDialog(null, res);
    }
}

```

```

import javax.swing.JOptionPane;

public class tarea13_ejrc11_cuadrotexto {
    public static void main(String[] args) {
        int num = Integer.parseInt(JOptionPane.showInputDialog("Introduce número:"));
        if (num < 10) JOptionPane.showMessageDialog(null, "1 cifra");
        else if (num < 100) JOptionPane.showMessageDialog(null, "2 cifras");
        else if (num < 1000) JOptionPane.showMessageDialog(null, "3 cifras");
        else if (num < 10000) JOptionPane.showMessageDialog(null, "4 cifras");
        else JOptionPane.showMessageDialog(null, "5 cifras");
    }
}

```

```

import javax.swing.JOptionPane;

public class tarea13_ejrc12_cuadrotexto {
    public static void main(String[] args) {
        int num = Integer.parseInt(JOptionPane.showInputDialog("Introduce número:"));
        String res = "";
        while (num > 0) {
            res = res + (num % 10) + " ";
            num = num / 10;
        }
        JOptionPane.showMessageDialog(null, res);
    }
}

```

```

import javax.swing.JOptionPane;

public class tarea13_ejrc13_cuadrotexto {
    public static void main(String[] args) {
        int num = Integer.parseInt(JOptionPane.showInputDialog("Introduce número:"));
        int original = num;
        int rev = 0;
        while (num > 0) {
            rev = (rev * 10) + (num % 10);
            num = num / 10;
        }
        if (original == rev) JOptionPane.showMessageDialog(null, "Es capicúa");
        else JOptionPane.showMessageDialog(null, "No lo es");
    }
}

```

```
import javax.swing.JOptionPane;

public class tarea13_ejrc14_cuadrotexto {
    public static void main(String[] args) {
        int nota = Integer.parseInt(JOptionPane.showInputDialog("Nota:"));
        switch (nota) {
            case 0: case 1: case 2: case 3: case 4:
                JOptionPane.showMessageDialog(null, "Insuficiente"); break;
            case 5: JOptionPane.showMessageDialog(null, "Suficiente"); break;
            case 6: JOptionPane.showMessageDialog(null, "Bien"); break;
            case 7: case 8: JOptionPane.showMessageDialog(null, "Notable"); break;
            case 9: case 10: JOptionPane.showMessageDialog(null, "Sobresaliente"); break;
        }
    }
}
```

```
import javax.swing.JOptionPane;

public class tarea13_ejrc15_cuadrotexto {
    public static void main(String[] args) {
        int dia = Integer.parseInt(JOptionPane.showInputDialog("Día (1-7):"));
        switch (dia) {
            case 1: JOptionPane.showMessageDialog(null, "Lunes"); break;
            case 2: JOptionPane.showMessageDialog(null, "Martes"); break;
            case 3: JOptionPane.showMessageDialog(null, "Miércoles"); break;
            case 4: JOptionPane.showMessageDialog(null, "Jueves"); break;
            case 5: JOptionPane.showMessageDialog(null, "Viernes"); break;
            case 6: JOptionPane.showMessageDialog(null, "Sábado"); break;
            case 7: JOptionPane.showMessageDialog(null, "Domingo"); break;
        }
    }
}
```

```
import javax.swing.JOptionPane;

public class tarea13_ejrc16_cuadrotexto {
    public static void main(String[] args) {
        int mes = Integer.parseInt(JOptionPane.showInputDialog("Mes:"));
        switch (mes) {
            case 1: case 3: case 5: case 7: case 8: case 10: case 12:
                JOptionPane.showMessageDialog(null, "31 días"); break;
            case 4: case 6: case 9: case 11:
                JOptionPane.showMessageDialog(null, "30 días"); break;
            case 2:
                JOptionPane.showMessageDialog(null, "28 días"); break;
        }
    }
}
```

```
import javax.swing.JOptionPane;

public class tarea13_ejrc17_cuadrotexto {
    public static void main(String[] args) {
        int d = Integer.parseInt(JOptionPane.showInputDialog("Día:"));
        int m = Integer.parseInt(JOptionPane.showInputDialog("Mes:"));
        if ((d >= 1 && d <= 30) && (m >= 1 && m <= 12)) {
            JOptionPane.showMessageDialog(null, "Correcta");
        } else {
            JOptionPane.showMessageDialog(null, "Incorrecta");
        }
    }
}
```

```
import javax.swing.JOptionPane;

public class tarea13_ejrc18_cuadrotexto {
    public static void main(String[] args) {
        int d = Integer.parseInt(JOptionPane.showInputDialog("Día:"));
        int m = Integer.parseInt(JOptionPane.showInputDialog("Mes:"));
        int a = Integer.parseInt(JOptionPane.showInputDialog("Año:"));
        if (a == 0) {
            JOptionPane.showMessageDialog(null, "Invalida");
        } else {
            if (m == 2 && (d >= 1 && d <= 28)) JOptionPane.showMessageDialog(null, "OK");
            else if ((m == 4 || m == 6 || m == 9 || m == 11) && (d >= 1 && d <= 30)) JOptionPane.showMessageDialog(null, "OK");
            else if ((m == 1 || m == 3 || m == 5 || m == 7 || m == 8 || m == 10 || m == 12) && (d >= 1 && d <= 31)) JOptionPane.showMessageDialog(null, "OK");
            else JOptionPane.showMessageDialog(null, "Invalida");
        }
    }
}
```

```
import javax.swing.JOptionPane;

public class tarea13_ejrc19_cuadrotexto {
    public static void main(String[] args) {
        int d = Integer.parseInt(JOptionPane.showInputDialog("Día:"));
        int m = Integer.parseInt(JOptionPane.showInputDialog("Mes:"));
        int a = Integer.parseInt(JOptionPane.showInputDialog("Año:"));
        d = d + 1;
        if (d > 30) {
            d = 1;
            m = m + 1;
            if (m > 12) {
                m = 1;
                a = a + 1;
            }
        }
        JOptionPane.showMessageDialog(null, d + "/" + m + "/" + a);
    }
}
```

```
import javax.swing.JOptionPane;

public class tarea13_ejrc20_cuadrotexto {
    public static void main(String[] args) {
        int d1 = Integer.parseInt(JOptionPane.showInputDialog("Día 1:"));
        int m1 = Integer.parseInt(JOptionPane.showInputDialog("Mes 1:"));
        int a1 = Integer.parseInt(JOptionPane.showInputDialog("Año 1:"));
        int d2 = Integer.parseInt(JOptionPane.showInputDialog("Día 2:"));
        int m2 = Integer.parseInt(JOptionPane.showInputDialog("Mes 2:"));
        int a2 = Integer.parseInt(JOptionPane.showInputDialog("Año 2:"));
        int total = (d2 - d1) + 30 * (m2 - m1) + 360 * (a2 - a1);
        JOptionPane.showMessageDialog(null, "Diferencia: " + total + " días");
    }
}
```

```

import javax.swing.JOptionPane;

public class tarea13_ejrc21_cuadrotexto {
    public static void main(String[] args) {
        int h = Integer.parseInt(JOptionPane.showInputDialog("H:"));
        int m = Integer.parseInt(JOptionPane.showInputDialog("M:"));
        int s = Integer.parseInt(JOptionPane.showInputDialog("S:"));
        s = s + 1;
        if (s >= 60) {
            s = 0; m = m + 1;
            if (m >= 60) {
                m = 0; h = h + 1;
                if (h >= 24) h = 0;
            }
        }
        JOptionPane.showMessageDialog(null, h + ":" + m + ":" + s);
    }
}

```

```

import javax.swing.JOptionPane;

public class tarea13_ejrc22_cuadrotexto {
    public static void main(String[] args) {
        int num = Integer.parseInt(JOptionPane.showInputDialog("Número (0-99):"));
        int dec = num / 10;
        int uni = num % 10;
        String res = "";

        if (dec != 0) {
            switch (dec) {
                case 1: res = "Diez"; break;
                case 2: res = "Veinte"; break;
                case 3: res = "Treinta"; break;
                case 4: res = "Cuarenta"; break;
                case 5: res = "Cincuenta"; break;
                case 6: res = "Sesenta"; break;
                case 7: res = "Setenta"; break;
                case 8: res = "Ochenta"; break;
                case 9: res = "Noventa"; break;
            }
            if (uni != 0) res = res + " y ";
        }

        switch (uni) {
            case 0: if (dec == 0) res = "Cero"; break;
            case 1: res += "uno"; break;
            case 2: res += "dos"; break;
            case 3: res += "tres"; break;
            case 4: res += "cuatro"; break;
            case 5: res += "cinco"; break;
            case 6: res += "seis"; break;
            case 7: res += "siete"; break;
            case 8: res += "ocho"; break;
            case 9: res += "nueve"; break;
        }
        JOptionPane.showMessageDialog(null, res);
    }
}

```

```
import javax.swing.JOptionPane;

public class tarea13_ejrc1_cuadrotexto {
    public static void main(String[] args) {
        double a = Double.parseDouble(JOptionPane.showInputDialog("Introduzca primer coeficiente (a):"));
        double b = Double.parseDouble(JOptionPane.showInputDialog("Introduzca segundo coeficiente (b):"));
        double c = Double.parseDouble(JOptionPane.showInputDialog("Introduzca tercer coeficiente (c):"));
        double d = (b * b) - (4 * a * c);
        if (d < 0) {
            JOptionPane.showMessageDialog(null, "No existen soluciones reales");
        } else {
            double x1 = (-b + Math.sqrt(d)) / (2 * a);
            double x2 = (-b - Math.sqrt(d)) / (2 * a);
            JOptionPane.showMessageDialog(null, "Solución 1: " + x1 + "\nSolución 2: " + x2);
        }
    }
}
```