


# Real-Coded Genetic Algorithm

## Lecture 24



ME EN 575  
Andrew Ning  
[aning@byu.edu](mailto:aning@byu.edu)

## Outline

---

Real-Coded GA

Examples

# Real-Coded GA

What are some advantages and disadvantages of using real numbers instead of binary?

Advantages:

- Arbitrary machine (up to machine precision)
- Avoids Hamming cliffs: 0111 (7) to 1000 (8)
- Avoids coding/decoding
- Usually more efficient than binary coded

Disadvantages:

- Not suitable for integer or discrete variables
- Crossover and mutation are less natural

# Initial Population

---

$$x_i = x_{li} + r(x_{ui} - x_{li})$$

Again, Latin Hypercube Sampling provides a more effective way.

# Selection

---

Unchanged. Can still use tournament, roulette wheel, or other methods.

# Reproduction

---

Can use a single or multi-point crossover:

Parents:

4.2	6.4	5.3		5.2	1.3
1.2	4.5	4.6		6.8	7.5

Offspring:

4.2	6.4	5.3		6.8	7.5
1.2	4.5	4.6		5.2	1.3

Other options exist like a linear combination of the parents:

$$x_c = w_1 x_{p_1} + w_2 x_{p_2}$$

# Mutation

---

Perturb each variable with some small probability  
(e.g.,  $p < 0.02$ )

Can perturb using a uniform probability  
distribution:

$$x_{newi} = x_i + (r_i - 0.5)\Delta_i$$

Or a Gaussian probability distribution.

$$x_{newi} = x_i + \mathcal{N}(0, \sigma_i)$$

## Examples

