

Trident Vault Recovery Kit

00

Vault Information

Vault Owner	Reese Russell
Descriptor ID	xcryhfp28392r6yg
Vault Name	Signed Vaults Test
Wallet Creation Date	08-17-2026
Vault Creation Block Height	318029

What is this document?

This document can be used to load your Trident Vault's balance and transaction history into a compatible wallet should you ever need to control bitcoin in the vault while Trident is unavailable.

Trident Vault leverages Output descriptors, which are a format allowing for the ability to view vault data across different software stacks. This document also allows you to independently verify your Trident Vault, using a Bitcoin Node.

The recovery can be performed on a Miniscript compatible wallet like Bitcoin Core.

By leveraging your own Bitcoin Node, you can verify the contents of your vault yourself, running no AnchorWatch related code. This document will guide you through the steps to do so on your own.

Privacy Notice

This document does not contain vault private keys and cannot be used to control bitcoin without the vault's private keys. However, this document includes information that can allow someone to view previous and future transactions involved with this vault.

Keep this document private.

Recovery instructions

The purpose of this document is to provide all the information and instructions needed for you to recover this Vault independently of Anchorwatch. This is possible because the technology securing your bitcoin follows open standards, allowing you to recreate your wallet using different software in the bitcoin ecosystem.

Step 01:

Download & install Bitcoin Core: <https://bitcoin.org/en/download> for your operating system

Step 02:

Upon booting up Bitcoin Core, click File > Create Wallet, name your wallet and select "Disable Private Keys".


Step 03:

Navigate to Bitcoin Console and paste in the recovery script below:

```
importdescriptors '[{"active":true,"timestamp":1786924800,"range":[0,100],"internal":false,"desc":"wsh(andor(multi(2,[00000000/0/0/0/0]
tpubDDxm2GDBtg4RZjoYVWZoutdtbZ2BFGsTv9ha7i9CrPLKDHE2QVg3fECq1nU2VyDoVozavH4NjpTVKTyoUuLqWZ3bauwcFTvpBwHhiv7EFZjy/0/
*,[00000001/0/0/0/0]
tpubDDz2auawERTfkjFoHm9Dk3m4NnDrw1Xb792tAssf4SWDVVwbHoE59rBKzSU8psFR9u9C7avbRRgS2XCfvk2Cc7WQ9Ndf6JU1qSv3JSSyoUy
/0/*,[00000002/0/0/0/0]
tpubDEgdrUGzqmmTUXsuef8YBCWuWa4MfKiLGCTciipnaHmAynnUhic8o9UgWV9mqrGMktDURBFbCNdaZdkiRwPBbkTDgFmCL4qoevsVqELSuT
m/0/*),or_d(pk([85a08f85/48"/1"/0"/2"/])
tpubDEVfXE9sbG6EJeSariXJdqxzAso6NHQjbAs1vze7jo8hFda9Av8q4vX3kLzYY1pywayiBJxA1qZ6VSLJbqkzqVymr1yF28C3kjjA95kxnLr/0/*),and_
v(v:pk([00000003/0/0/0/0]
tpubDExA63tLHPf94cmb2EhLTW6FvoQz5RADEkJSGRpmXBEC62MjcbrWrh8DcJ6BZsb2tLBS3FxFvFgXPLbW7f9xPAX2fRsGefBxKu8ux1HHYb/
0/*),after(1819756800))),and_v(v:pkh([85a08f85/48"/1"/0"/2"/])
tpubDEVfXE9sbG6EJeSariXJdqxzAso6NHQjbAs1vze7jo8hFda9Av8q4vX3kLzYY1pywayiBJxA1qZ6VSLJbqkzqVymr1yF28C3kjjA95kxnLr/2/*),after
(1815868800)))#p2hdex78"}, {"active":true,"timestamp":1786924800,"range":[0,100],"internal":true,"desc":"wsh(andor(multi(2,[00000000/0/0/0/0]
tpubDDxm2GDBtg4RZjoYVWZoutdtbZ2BFGsTv9ha7i9CrPLKDHE2QVg3fECq1nU2VyDoVozavH4NjpTVKTyoUuLqWZ3bauwcFTvpBwHhiv7EFZjy/1/
*,[00000001/0/0/0/0]
tpubDDz2auawERTfkjFoHm9Dk3m4NnDrw1Xb792tAssf4SWDVVwbHoE59rBKzSU8psFR9u9C7avbRRgS2XCfvk2Cc7WQ9Ndf6JU1qSv3JSSyoUy
/1/*,[00000002/0/0/0/0]
tpubDEgdrUGzqmmTUXsuef8YBCWuWa4MfKiLGCTciipnaHmAynnUhic8o9UgWV9mqrGMktDURBFbCNdaZdkiRwPBbkTDgFmCL4qoevsVqELSuT
m/1/*),or_d(pk([85a08f85/48"/1"/0"/2"/])
tpubDEVfXE9sbG6EJeSariXJdqxzAso6NHQjbAs1vze7jo8hFda9Av8q4vX3kLzYY1pywayiBJxA1qZ6VSLJbqkzqVymr1yF28C3kjjA95kxnLr/1/*),and_
v(v:pk([00000003/0/0/0/0]
tpubDExA63tLHPf94cmb2EhLTW6FvoQz5RADEkJSGRpmXBEC62MjcbrWrh8DcJ6BZsb2tLBS3FxFvFgXPLbW7f9xPAX2fRsGefBxKu8ux1HHYb/
1/*),after(1819756800))),and_v(v:pkh([85a08f85/48"/1"/0"/2"/])
tpubDEVfXE9sbG6EJeSariXJdqxzAso6NHQjbAs1vze7jo8hFda9Av8q4vX3kLzYY1pywayiBJxA1qZ6VSLJbqkzqVymr1yF28C3kjjA95kxnLr/3/*),after
(1815868800)))#yywy6hda"]]
```

Vault configuration

This Trident Vault contains the following time locked security layers. When the Sovereign Recovery layer has opened, it remains open and functions as a self-custodial vault.





Name: 213aaa

Finger Print: 85a08f85

Derivation Path: m/48'/1'/0'/2'

XPUB: tpubDEVfXE9sbG6EJeSariXJdq

xzAso6NHQjbAs1vze7jo8hFda9Av8q

4vX3kLzYY1pywayiBJxA1qZ6VSLJbqk

zqVymr1yF28C3kjjA95kxnLr



Signing Information

This signing information allows you to easily sign PSBTs (Partially Signed Bitcoin Transactions) without needing to re-register your devices. Copy and use this data when signing transactions with your hardware wallet or signing software.

Signing Data

```
{ "walletName": "Signed Vaults Test", "descriptorTemplate": "wsh(andor(multi(2,@1/<0;1>/*,@2/<0;1>/*,@3/<0;1>/*),or_d(pk(@0/<0;1>/*),and_v(v:pk(@4/<0;1>/*),after(1819756800))),and_v(v:pkh(@0/<2;3>/*),after(1815868800))))", "signingKeys": [{"hmacBuffer": null, "formattedKey": "[85a08f85/48'/1'/0'/2']tpubDEVfXE9sbG6EJeSariXJdqxzAso6NHQjbAs1vze7jo8hFda9Av8q4vX3kLzYY1pywayiBJxA1qZ6VSLJbqkzqVymr1yF28C3kjjA95kxnLr", "descriptionTemplatePosition": 0}, {"hmacBuffer": null, "formattedKey": "[00000000/0/0/0/0]tpubDDxm2GDBtg4RZjoYWZoutdtbZ2BFGsTv9ha7i9CrPLKDHE2QVg3fECq1nU2VyDoVozavH4NjpTVKTyUuLqWZ3bauwcFTvpBwHhiv7EFZjy", "descriptionTemplatePosition": 1}, {"hmacBuffer": null, "formattedKey": "[00000001/0/0/0/0]tpubDDz2auawERTfkjFoHm9Dk3m4NnDrw1Xb792tAssf4SWDVVwbHoE59rBKzSU8psFR9u9C7avbRRgS2XCfvk2Cc7WQ9Ndf6JU1qSv3JSSyoUy", "descriptionTemplatePosition": 2}, {"hmacBuffer": null, "formattedKey": "[00000002/0/0/0/0]tpubDEgdruGzqmmTUXsuef8YBCWuWa4MfKiLGCTciipnaHmAynnUhic8o9UgWV9mqrGMktDUrBFbCNdaZdkiRwPBbkTDgFmCL4qoevsVqELSuTm", "descriptionTemplatePosition": 3}, {"hmacBuffer": null, "formattedKey": "[00000003/0/0/0/0]tpubDExA63tLHPf94cmb2EhLTW6FvoQz5RADEkJSGRpmXBEC62MjcbrWrh8DcJ6BZsb2tLBS3FxVruFgxPLbW7f9xPAX2fRsGefBxKu8ux1HHYb", "descriptionTemplatePosition": 4}] }
```