Fiche de Trace : Analyse de Trafic Mobile (Labo)

1. Périmètre

- **Cible :** http://example.com (Site de test non sécurisé).
- **Environnement :** Émulateur Android (Pixel 6 Pro / Android 10) contrôlé par Burp Suite.
- **Objectif :** Valider l'interception du trafic HTTP via un Proxy "Homme du Milieu" (Man-in-the-Middle).

2. Configuration du Labo

- **Outil :** Burp Suite Community.
- **Adresse Proxy (Hôte) :** 192.168.0.22
- **Port d'écoute :** 8080.



3. Preuves (Evidence)

- **Capture de l'historique :** Le trafic vers example.com a été capturé avec succès (Code statut 200).
- **Détails de la requête (Raw) :**
  - Méthode : GET / HTTP/1.1
  - Host : example.com
  - User-Agent identifié : Dalvik/2.1.0 (Linux; U; Android 10; Pixel 6 Pro...)

#	Host	Method	URL	Params	Edited	Status code	Length	MIME type	Extension	Title	Notes	TLS	IP	Cookies	Time	Listener port	Start respo...
1	http://edgedl.me.gvt1.com	GET	/edgedl/release2/chrome_compon...			200	181838	app	crx3				34.104.35.123		02:03:07 19 ...	8080	293
2	http://dl.google.com	GET	/release2/chrome_component/acy6...			200	181701	app	crx3				142.250.178.174		02:03:10 19 ...	8080	105
3	http://www.google.com	GET	/dl/release2/chrome_component/a...			200	181701	app	crx3				142.251.153.119		02:03:12 19 ...	8080	93
4	http://update.googleapis.com	POST	/service/update2/json	✓		200	807	JSON					172.217.17.3		02:03:13 19 ...	8080	309
6	http://edgedl.me.gvt1.com	GET	/edgedl/release2/chrome_compon...			200	470098	app	crx3				34.104.35.123		02:03:19 19 ...	8080	102
7	http://dl.google.com	GET	/release2/chrome_component/ad7...			200	469961	app	crx3				142.250.178.174		02:03:20 19 ...	8080	102
8	http://www.google.com	GET	/dl/release2/chrome_component/a...			200	469937	app	crx3				142.251.153.119		02:03:22 19 ...	8080	97
9	http://update.googleapis.com	POST	/service/update2/json	✓		200	807	JSON					172.217.17.3		02:03:24 19 ...	8080	130
10	http://example.com	GET	/			200	825	HTML		Example Domain			104.18.26.120		02:03:32 19 ...	8080	106
12	http://edgedl.me.gvt1.com	GET	/edgedl/release2/chrome_compon...			200	12964	app	crx3				34.104.35.123		02:03:34 19 ...	8080	299
13	http://dl.google.com	GET	/release2/chrome_component/acp...			200	12827	app	crx3				142.250.178.174		02:03:34 19 ...	8080	185
14	http://update.googleapis.com	POST	/service/update2/json	✓		200	759	JSON					172.217.17.3		02:03:35 19 ...	8080	104

Request

Pretty Raw Hex

```
1 GET / HTTP/1.1
2 Host: example.com
3 Upgrade-Insecure-Requests: 1
4 User-Agent: Mozilla/5.0 (Linux; Android 10; K) AppleWebKit/537.36 (KHTML, like
  Gecko) Chrome/124.0.0.0 Mobile Safari/537.36
5 Accept:
  text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,im
  age/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7
6 Accept-Encoding: gzip, deflate, br
7 Accept-Language: en-US,en;q=0.9
8 Connection: keep-alive
9
10
```

Response

Pretty Raw Hex Render

```
1 HTTP/1.1 200 OK
2 Date: Thu, 19 Feb 2026 02:03:32 GMT
3 Content-Type: text/html
4 Connection: keep-alive
5 Last-Modified: Wed, 18 Feb 2026 05:34:44 GMT
6 Allow: GET, HEAD
7 Age: 12391
8 cf-cache-status: HIT
9 Vary: Accept-Encoding
10 Server: cloudflare
11 CF-RAY: 9d0230350b211ba7-MAD
12 Content-Length: 528
13
14 <!doctype html><html lang="en">
   <head>
     <title>
       Example Domain
     </title>
     <meta name="viewport" content="width=device-width, initial-scale=1">
     <style>
       body{
```

Inspector

Request attributes	2
Request headers	7
Response headers	11

Inspector Notes

Intercept HTTP history WebSockets history Match and replace Proxy settings

Intercept on → Forward Drop

Request to http://example.com:80 [104.18.27.120] Open browser

Time	Type	Direction	Method	URL	Status code	Length
02:09:09 19 Fe...	HTTP	→ Request	GET	http://example.com/		

Request

Pretty Raw Hex

```
1 GET / HTTP/1.1
2 Host: example.com
3 Cache-Control: max-age=0
4 Upgrade-Insecure-Requests: 1
5 User-Agent: Mozilla/5.0 (Linux; Android 10; K) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/124.0.0.0 Mobile Safari/537.36
6 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7
7 Accept-Encoding: gzip, deflate, br
8 Accept-Language: en-US,en;q=0.9
9 If-Modified-Since: Wed, 18 Feb 2026 05:34:44 GMT
10 Connection: keep-alive
11
12
```

Search 0 highlights

Inspector

Request attributes	2
Request query parameters	0
Request body parameters	0
Request cookies	0
Request headers	9

Inspector Notes

Event log (20) All issues Memory: 156.2MB of 7.91GB Disabled

4. Analyse Technique

- **Données observées :**
  - Le trafic circule en clair (HTTP). Aucune couche de chiffrement TLS n'est présente.
  - L'en-tête User-Agent révèle au serveur le modèle exact du téléphone (Pixel 6 Pro) et la version d'Android (10).
- **Risques identifiés :**
  - **Interception :** Comme démontré par ce labo, n'importe quel intermédiaire sur le réseau (Wi-Fi public, administrateur réseau) peut lire et modifier le contenu de la page puisqu'il n'y a pas de HTTPS.
  - **Confidentialité :** Les informations techniques du téléphone fuitent vers le serveur.

5. Recommandations Défensives

- **Pour le développeur :** Forcer l'utilisation du **HTTPS** (HSTS) pour empêcher toute communication en clair.
- **Pour l'utilisateur :** Éviter de saisir des données sensibles sur des sites signalés comme "Non sécurisés" par le navigateur.