GS Commander

User's Guide



For the Apple IIgs

GS Commander User's Guide

Version 1.0

© 2026 Walter Tengler. GS Commander is free, open-source software. You may copy this guide and give it away, whole and unchanged.

GS Commander is an independent program. It is not made, sold or endorsed by Apple Inc. Apple, Apple IIgs, GS/OS, ProDOS and Macintosh are trademarks of Apple Inc. ShrinkIt is a trademark of its owners. Other names are trademarks of their owners.

The kinds of files GS Commander knows come from CiderPress II's file type table (Apache License 2.0, © faddenSoft) and the a2infinitum apple2-filetypes list (MIT). Its picture loaders come from MegaconvertGS.

This guide is set in Apple Garamond, as Apple's own guides of the time were. The screen pictures were taken from GS Commander running on an Apple IIgs in the MAME emulator.

The homepage: portwally.github.io/GSCommander

Contents

Preface	**About This Guide**	**6**
	What you should know	6
	Conventions in this guide	6
Chapter 1	**Getting Started**	**8**
	What you need	8
	Getting the program disk	8
	Starting GS Commander	9
	The screen	9
	Getting help	10
	Quitting	11
Chapter 2	**Moving Around**	**12**
	The two panes	12
	Moving the bar	12
	Opening folders	13
	Volumes	13
	The Panes menu	14
	Big folders	15
Chapter 3	**Working With Files**	**16**
	One item or many	16
	Tagging	16
	Copying	17
	Moving and renaming	18
	Making a new folder	19

Duplicating 19
Deleting 20
Comparing two folders 20
Folder sizes 21

Chapter 4 **Looking Inside Files** 22

Quick Look 22
The viewer 23

Chapter 5 **Pictures** 25

Looking at a picture 25
The formats 25
Fonts and icons 27

Chapter 6 **Sounds and Songs** 28

Playing a sound 28
Playing a song 29

Chapter 7 **Documents and Programs** 31

Documents 31
Programs 32
Resource forks 32

Chapter 8 **Disk Images and Archives** 33

Opening one like a folder 33
Taking files out 34

Chapter 9 **Finding Files** 36

Finding by name 36
Working with what you found 37

Chapter 10 **The Info Pane** 39

Everything about a file 39
Changing the type 40
Finding a kind 40

Chapter 11 Using the Mouse 42
Clicking 42
Dragging 42
The menus 43
Appendix A Keyboard Reference 44
Appendix B Files GS Commander Can Show 47
Appendix C Hints and Limits 49
Index 50



Preface

About This Guide

GS Commander is a file manager for the Apple IIgs. It shows two folders side by side and lets you copy, move, rename and delete files with a single key. It can also look inside nearly any file before you open it: pictures, sounds, songs, BASIC programs, word processor documents, disk images and archives.

This guide shows you how. Chapter 1 gets GS Commander running. Chapters 2 and 3 cover the everyday work of moving around and handling files; read those first. The chapters after them each take one thing GS Commander can do, so you can read them as you need them. The appendixes list every key and every kind of file GS Commander can show.

What you should know

You should know how to use your Apple IIgs: how to start it with System 6, how to use the mouse, choose from a menu and click a button in a dialog box. If you don't, see the guides that came with your computer.

Conventions in this guide

Keys you press are shown like this: Return, Tab, Space. The numbers in the key bar are the number keys on your keyboard: 5 means the 5 key. When two keys are joined by a hyphen, as in Apple-F, hold down the first while you press the second. The Apple key is the one marked with the Apple symbol and ⌘, beside the Space bar.

Menu commands are named with their menu: “choose Find from the File menu.”

By the way

Important

Notes like this one, in the margin, tell you something useful that you can do without.

Text marked like this tells you something you should know to get the result you want.

Warning

Text marked like this warns you of something that can lose your work.



Chapter 1

Getting Started

In This Chapter

What you need	8
Getting the program disk	8
Starting GS Commander	9
The screen	9
Getting help	10
Quitting	11

What you need

- An Apple IIgs with 1.25 megabytes (MB) of memory or more
- System 6 (GS/OS) on a startup disk: a 3.5-inch disk or a hard disk

GS Commander also runs in an Apple IIgs emulator such as MAME. Everything in this guide works the same there.

Getting the program disk

GS Commander comes as *GSCommander.po*, an image of an 800K 3.5-inch disk. Download it from the GS Commander homepage. To use it on a real Apple IIgs, write it to a 3.5-inch disk with a disk-copying program, or copy the file onto your hard disk and open it there with a disk-image utility. In an emulator, put the image in the emulator's 3.5-inch drive.

The disk holds three things: the program *GSCommander*, a *ReadMe* file with a short list of its keys, and an *Icons* folder, which gives the program its icon in the Finder.

By the way

To keep GS Commander on your hard disk, copy the program and the Icons folder into a folder there.

Starting GS Commander

1. Start your Apple IIgs with System 6.
2. In the Finder, open the disk or the folder that holds GS Commander.
3. Double-click the GSCommander icon.

The GS Commander screen appears, with your startup disk in both panes.

The screen




Figure 1-1 The GS Commander screen: two folders, the key bar along the bottom

Across the top is the menu bar, with the Apple, File, Edit and Panes menus. Below it are the two **panes**. Each shows one folder:

- At the top of each pane is its **path**: the volume and the folders you opened to get there. The path of the **active** pane, the one you are working in, is shown in cyan.
- Below the path are four columns: each item's name, its type, its size and the date it was last changed. Folders show *<DIR>* for their type.
- One item in the active pane is highlighted by the **bar**. Most commands act on the item under the bar.
- At the bottom of each pane is its **info line**: how many items the folder holds, how many of them are tagged, and how much room is free on the disk.

Along the very bottom of the screen is the **key bar**. It names what each of the ten number keys does: 1 Help, 2 Tag, 3 View, 4 Look, 5 Copy, 6 Move, 7 Folder, 8 Delete, 9 Volumes and 0 Quit. You can press the key or click its name.

Getting help

Press 1, or choose Keys and Help from the Apple menu, for a short list of the keys. Click OK or press Return to put it away.




Figure 1-2 Help: the keys at a glance

Quitting

Press 0, or choose Quit from the File menu (Apple-Q). You return to the Finder.

Chapter 2

Moving Around

In This Chapter

The two panes	12
Moving the bar	12
Opening folders	13
Volumes	13
The Panes menu	14
Big folders	15

The two panes

Each pane shows one folder. You work in the **active** pane, the one whose path is cyan; the other pane is where things go when you copy or move them. So before you copy, set up the two panes: the files in one, the folder they should go to in the other.

Press Tab to make the other pane the active one. Clicking in a pane makes it active too.

Moving the bar

↑ ↓	Move the bar up or down one item.
Apple-↑ Apple-↓	Move the bar to the first or the last item.
← →	Move a page up or a page down.

A letter	Move to the next item whose name starts with that letter. Press it again for the one after.

By the way

Typing a letter is the fastest way through a big folder: press S a few times to step through all the names that start with S.

Opening folders

Move the bar to a folder and press Return to open it in the pane. To go back to the folder that holds it, the **enclosing folder**, press Delete. When you are at the top of a disk, Delete takes you to the list of volumes.

Volumes

Press 9, or choose Volumes from the Panes menu (Apple-L), to see every disk that is connected: 3.5-inch disks, hard disks, RAM disks. Move the bar to one and press Return to open it.

The Panes menu




Figure 2-1 The Panes menu

Other Pane	Makes the other pane active, like Tab.
Volumes	Shows the list of volumes, like 9.
Enclosing Folder	Goes up one folder, like Delete.
Same Folder in Both Panes	Opens the active pane's folder in the other pane too (Apple-E).
Compare Panes	Tags the files that differ between the two panes (Apple -P). See Chapter 3.
Swap Panes	Exchanges the two panes' folders (Apple-W).
Refresh	Reads both folders again, to show changes made elsewhere (Apple-R).
Show Invisible Files	Shows the files that are marked invisible, or hides them again.

Big folders

A pane shows up to 744 items. If a folder holds more, the info line says so; the items after the 744th are not shown.



Chapter 3

Working With Files

In This Chapter

One item or many	16
Tagging	16
Copying	17
Moving and renaming	18
Making a new folder	19
Duplicating	19
Deleting	20
Comparing two folders	20
Folder sizes	21

One item or many

Copy, Move and Delete work on the **tagged** items in the active pane. When nothing is tagged, they work on the item under the bar. So to copy one file, just move the bar to it; to copy several, tag them first.

Tagging

Press 2 to tag the item under the bar. A check mark appears beside it, and the bar moves on to the next item, so you can tag a row of files by pressing 2 again and again. Press 2 on a tagged item to untag it. The info line counts the tagged items.

2	Tag or untag the item under the bar.

Apple-A	Tag all the items (Tag All).
Apple-U	Untag all the items (Untag All).
+	Tag the files whose names match a pattern.
-	Untag the files whose names match a pattern.
*	Invert the tags: tagged files become untagged and the others tagged.

Tagging by name

Press + and type a **pattern**. In a pattern, * stands for any characters and ? for any one character. **.TXT* tags every name that ends in .TXT; *CH?* tags CH1 and CH2 but not CH10. Capitals and small letters are the same.




Figure 3-1 Tag Matching asks for a pattern

Copying

1. Open the folder you want to copy *to* in one pane.
2. Press Tab and open the folder with the files in the other pane.
3. Tag the files, or move the bar to the one file.

4. Press 5, then click Copy or press Return.




Figure 3-2 Copy asks before it starts

A folder is copied with everything in it. Every file keeps its file type, aux type, dates and resource fork. A box shows how far the copy has got.

By the way

Press Escape to stop a long copy. GS Commander finishes the file it is copying and stops before the next.

Moving and renaming

Press 6. GS Commander offers the place in the other pane; you can change it to a new name or a path:

- Type a plain name to **rename** the item in its own folder.
- Type a path that starts with a colon, such as *:Work:Letters*, to **move** it there.




Figure 3-3 Move or Rename offers the other pane's folder

On one disk, items are moved at once. To another disk, they are copied and then deleted from where they were.

Making a new folder

Press 7, type the folder's name and press Return. The new folder appears in the active pane.

Duplicating

Choose Duplicate from the File menu (Apple-K) to make a copy in the same folder. For one item GS Commander asks for the copy's name and offers *NAME.COPY*; for tagged items each copy is named *NAME.COPY*, or *NAME.COPY2* and on when that name is taken.

Deleting

Press 8, then click Delete. A folder is deleted with everything in it.




Figure 3-4 Delete asks first

Warning

Deleting can't be undone. GS Commander has no Trash: what you delete is gone from the disk.

Comparing two folders

Open two folders, one in each pane, and choose Compare Panes from the Panes menu (Apple-P). GS Commander tags the files that are only in one of the panes, and the files that are in both but with another size or date. To bring a backup up to date, compare it with the original, then copy the tagged files across.

Folder sizes

The Size column shows nothing for folders, because counting everything in a big folder takes time. To see how much a folder holds, move the bar to it, or tag several, and choose Folder Sizes from the File menu (Apple-J). The size appears in the Size column. Quick Look shows a folder's total too.



Chapter 4

Looking Inside Files

In This Chapter

Quick Look 22

The viewer 23

Quick Look

Move the bar to any item and press Space. A window opens with what the item is, its kind, size, dates and access, and below that what is in it: the text of a document, the listing of a program, the names in a folder, or a picture, a sound or a song.




Figure 4-1 Quick Look on an Applesoft BASIC program

With Quick Look open, press ↑ or ↓ to move on to the item above or below; the window follows. That way you can leaf through a whole disk of files you don't know. Press Return to open the item, and Space or Escape to close the window.

GS Commander knows 448 kinds of files by their file type and aux type, so Quick Look can tell you what a file is even when it can't show what is in it. Files it can't read as text are shown in hexadecimal.

The viewer

Press 3 to see a file on the whole screen, a page at a time.




Figure 4-2 The viewer shows the same text on the whole screen

Space or ↓	The next page.
↑	The page before.
T	Back to the top.
H	Switch between text and hexadecimal.
Escape	Close the viewer.

By the way

H shows any file's bytes in hexadecimal, even one GS Commander can read as text.

What Quick Look and the viewer can show is described in the next three chapters: pictures, sounds and songs, and documents and programs.

Chapter 5

Pictures

In This Chapter

Looking at a picture 25
The formats 25
Fonts and icons 27

Looking at a picture

Press Space or 3 on a picture and it fills the screen. Press any key to go back to the panes. In Quick Look, ↑ and ↓ go on to the next picture in the folder, like a slide show.



Figure 5-1 Super Hi-Res pictures on the whole screen

The formats

GS Commander shows every picture format MegaconvertGS can load:

- **Apple II:** HiRes, Double HiRes and LoRes pictures.
- **Apple IIgs:** Super Hi-Res screens, packed pictures, Apple Preferred format, PaintWorks, DreamGrafix and 3200-color pictures.
- **Other computers:** Atari ST, Amiga IFF, Commodore 64, MacPaint and PICT, PC BMP, PCX and IMG, TIFF, PNG, GIF, JPEG and more.

Pictures from other computers with more colors than the screen can show are reduced to 16 colors and fitted to the screen.

3200-color pictures

A "3200 color" picture has a color table of its own for every line of the screen. GS Commander shows it with the 16 tables the screen has, each made from the colors its lines use most: up to 256 colors at once.



Figure 5-2 A 3200-color picture, shown with 256 colors

! Important

Big pictures take a while. A MacPaint page or a large JPEG can need half a minute on an Apple IIgs at normal speed.

Fonts and icons

Quick Look draws some files instead of reading them: IIgs fonts show sample lines in the font, Finder icon files show each icon with its name, and Apple II HiRes fonts show their characters.



Chapter 6

Sounds and Songs

In This Chapter

Playing a sound 28

Playing a song 29

Playing a sound

Press Space on a sound file. It plays at once, on the Apple IIgs's own Ensoniq sound chip, while Quick Look shows its sample rate, its length and its waveform. Press any key to stop it. A file can hold several sounds; press ← and → to go to the others.




Figure 6-1 A sound plays, and its waveform is drawn

GS Commander plays these sampled sounds:

- Sound files ($D8), and sounds in resource forks (rSoundSample resources)
- HyperStudio and Sound Shop sounds
- ASIF instruments
- Audio IFF and AIFF-C files, 8 or 16 bits (the first channel)

A big sound starts at once and loads while it plays. A sound bigger than the free memory plays its beginning.

Playing a song

SoundSmith songs, and the songs NoiseTracker GS writes, play the way SoundSmith itself plays them: fourteen tracks, with their arpeggio, volume and tempo effects. A song plays round and round until you press a key.




Figure 6-2 A SoundSmith song, with its instruments

A song needs its instruments. GS Commander looks for them in the song's wave bank, the file beside the song named like it (*NAME.W*, *NAME.D* or *NAME.DOC*), or else in the ASIF instrument files the song names, in its folder. Quick Look lists the instruments and says which it could not find.



Chapter 7

Documents and Programs

In This Chapter

Documents 31

Programs 32

Resource forks 32

Documents

Quick Look and the viewer show the text of these documents, without their styles or pictures. Long paragraphs are wrapped to fit the window.

- AppleWorks word processor, data base and spreadsheet files
- AppleWorks GS word processor documents, Teach documents and other IIgs text
- MultiScribe and BeagleWrite documents, and their GS versions
- GraphicWriter 1.x and GraphicWriter III documents
- Plain text and random-access text files




Figure 7-1 The text of a GraphicWriter III document

Programs

- **BASIC:** Applesoft, Integer and Business BASIC programs are listed as BASIC lists them.
- **Assembler source:** Merlin and S-C Assembler files are shown in columns.
- **Pascal:** Apple Pascal text and code files.
- **IIgs programs:** S16 and EXE applications, desk accessories, tools and drivers are shown as their segments, with the code disassembled as 65816. Calls to the Toolbox, GS/OS and ProDOS are named.
- **Apple II programs:** BIN, SYS and CMD files are disassembled as 6502 code, with the known addresses named.

Resource forks

For a file with a resource fork, Quick Look also lists the resources in it, by type and ID.



Chapter 8

Disk Images and Archives

In This Chapter

Opening one like a folder 33

Taking files out 34

Opening one like a folder

Move the bar to a disk image or an archive and press Return. You are inside it, as if it were a folder; folders in it open the same way. Press Delete to step back out. GS Commander recognizes these files by what is in them, not by their names.




Figure 8-1 Inside a ShrinkIt archive

- **Disk images:** .PO, .HDV, .2MG, and .DSK and .DO images with a ProDOS volume in them.
- **DOS 3.3 disks:** .DSK and .DO images (and .PO and .2MG ones). Their files come out as ProDOS files: Applesoft, Integer BASIC, binary files with their address, and text.
- **ShrinkIt archives:** .SHK, and .BXY (ShrinkIt in Binary II), compressed or not, with folders and resource forks. A disk in a ShrinkIt archive (.SDK) comes out as a .PO disk image, which you can open in turn.
- **Binary II archives:** .BNY.
- **ZIP archives.** ZIP files have no ProDOS file types, so GS Commander gives each file one by its name's extension: .TXT is text, .SHK a ShrinkIt archive, and so on. Files it can't place become BIN files.

Taking files out

Disk images and archives are read-only: you can't change what is in them. To take files out, tag them and press 5; they are copied to the other pane's folder with

their file types, dates and resource forks. Quick Look and the viewer work inside too.

Some names are not allowed on a ProDOS disk, such as names with spaces from a DOS 3.3 disk or long names from a Macintosh. GS Commander makes them legal on the way out: *MY LETTER, PART 2!* becomes *MY.LETTER..PART.*

By the way

GS Commander unpacks files through a folder named *GSC.Temp* on your startup disk.

Important

A file in a ZIP archive is unpacked in memory, so a file bigger than the free memory can't be copied out. Unpacking is slow on the Apple IIgs: a big compressed file can take a minute.

Chapter 9

Finding Files

In This Chapter

Finding by name 36

Working with what you found 37

Finding by name

1. Open the folder to search in the active pane. To search a whole disk, open its top folder.
2. Choose Find from the File menu (Apple-F).
3. Type a pattern and press Return. As in Tag Matching, * stands for any characters and ? for one.




Figure 9-1 Find asks for a pattern

GS Commander looks through the folder and every folder in it. Press Escape to stop a long search.

Working with what you found

The files and folders found appear in the pane, each with its path from the folder you searched, such as *LETTERS:1986:JUNE*.




Figure 9-2 Every *.3200 file on the disk

You can work with them as with any folder's items: Quick Look, View, Copy, Move, Delete, tags and the Info pane all work. Press Return to go to an item in its own folder, with the bar on it (on a folder, you go into it). Press Delete to return to the folder you searched.



Chapter 10

The Info Pane

In This Chapter

Everything about a file 39

Changing the type 40

Finding a kind 40

Everything about a file

Choose Info Pane from the File menu (Apple-I). The other pane shows everything about the item under the bar, and follows the bar as you move it:

- what kind of file it is, from its file type and aux type
- its file type and aux type
- the sizes of its data fork and resource fork, and the blocks it takes on the disk
- how it is stored, and its creation and modification dates
- its access: whether it can be read, written, renamed or deleted




Figure 10-1 The Info pane on a Super Hi-Res picture

Changing the type

Press Tab, or click in the Info pane, to change the file type or aux type, or to lock the file or make it invisible. Press Apple-I again to see the folder in the pane once more.

Finding a kind

You don't need to know the numbers. In the Get Info box, press Tab until the bar is on *Find a kind*, and type:

- a word from the kind's name, such as *song*, *picture* or *sound*;
- a type's three letters, such as *MUS* or *TXT*;
- or *$* and its number, such as *$D5*.

The kinds that match are listed below, with their file type, aux type and name. Press ↑ and ↓ to choose one and Return to fill in its type and aux type, or click it. Then press Return again, or click OK, to save.




Figure 10-2 "MUS" finds the music types

By the way
Warning
A kind whose aux type can be anything leaves the Aux type field as it is.

A program may not be able to open a file whose type you changed. Write down the old type and aux type first, so you can put them back.

Chapter 11

Using the Mouse

In This Chapter

Clicking 42
Dragging 42
The menus 43

Clicking

Click	Puts the bar on an item, and makes its pane active.
Double-click	Opens the item, like Return.
Apple-click	Tags the item, or untags it.
Shift-click	Tags every item from the bar to the one you click. Items you tagged before stay tagged.
Click in the key bar	Does what the key does.

Dragging

Press the mouse button on an item and move the mouse: an outline follows the pointer. If the item is tagged, all the tagged items go with it.

- Let go on the other pane to copy the items into that pane's folder.
- Let go on a folder or a volume in either pane to copy them into it. The folder is highlighted while the pointer is over it.
- Hold down Option to **move** them instead. GS Commander asks first.

A drag copies at once, without asking. Out of a disk image or archive, items are always copied.

The menus

Every command is also in a menu, with its key or Apple-key shortcut beside it.




Figure 11-1 The File menu

Appendix A

Keyboard Reference

In the panes

Tab	The other pane
↑ ↓	Move the bar
Apple-↑ Apple-↓	To the first or last item
← →	A page up, a page down
Return	Open a folder, volume, disk image or archive; view a file
Delete	The enclosing folder
A letter	The next name starting with it
Space	Quick Look
Escape	Stop a copy, a delete or a search

The number keys

1	Help
2	Tag or untag
3	View

4	Quick Look
5	Copy
6	Move or rename
7	New folder
8	Delete
9	Volumes
0	Quit
+ - *	Tag matching, untag matching, invert tags

Apple-key commands

Apple-A	Tag All	Apple-N	New Folder
Apple-D	Delete	Apple-O	Open
Apple-E	Same Folder in Both Panes	Apple-P	Compare Panes
Apple-F	Find	Apple-Q	Quit
Apple-I	Info Pane	Apple-R	Refresh
Apple-J	Folder Sizes	Apple-T	Tag or Untag
Apple-K	Duplicate	Apple-U	Untag All
Apple-L	Volumes	Apple-W	Swap Panes
Apple-M	Move or Rename	Apple-Y	Quick Look

In Quick Look and the viewer

↑ ↓	Quick Look: the item above or below. The viewer: a page up or down.
Space	Quick Look: close. The viewer: the next page.
T	The viewer: the top

H	Text or hexadecimal
← →	Sounds: the other sounds in a file
Escape	Close



Appendix B

Files GS Commander Can Show

Kind	Shown as
Super Hi-Res, packed, Apple Preferred, PaintWorks, DreamGrafix, 3200-color pictures	The picture
HiRes, Double HiRes and LoRes pictures	The picture
Atari ST, Amiga IFF, Commodore 64, MacPaint, PICT, BMP, PCX, IMG, TIFF, PNG, GIF, JPEG and more	The picture, in 16 colors
IIgs fonts, Finder icons, HiRes fonts	Drawn
Sampled sounds, rSoundSample resources, HyperStudio and Sound Shop sounds, ASIF instruments, Audio IFF, AIFF-C	Played, with the waveform
SoundSmith and NoiseTracker GS songs	Played, with the instruments
Applesoft, Integer and Business BASIC	A listing
Merlin and S-C Assembler source	Text in columns
AppleWorks word processor, data base, spreadsheet	Text
AppleWorks GS, Teach, MultiScribe, BeagleWrite, GraphicWriter	Text
Apple Pascal text and code	Text
S16, EXE, NDA, CDA, tools, drivers	Segments, 65816 code

BIN, SYS, CMD	6502 code
Resource forks	A list of the resources
Disk images, DOS 3.3 disks, ShrinkIt, Binary II, ZIP	Opened like folders
Anything else	Text or hexadecimal

Appendix C

Hints and Limits

If something doesn't work

A picture takes a long time	Big pictures from other computers need time to decode and reduce. Wait, or press a key to go back.
A song plays without some instruments	Put the song's wave bank or instrument files in the same folder as the song. Quick Look lists the ones it could not find.
A ZIP file won't copy out	It is too big to unpack in the free memory. Close desk accessories, or unpack it on another computer.
A folder seems to be missing files	Choose Refresh from the Panes menu. If the folder holds more than 744 items, the rest are not shown. Invisible files show only with Show Invisible Files.
A name changed when it was copied out	The name was not allowed on a ProDOS disk, so GS Commander made it legal.

Limits

- A pane shows up to 744 items.
- Disk images and archives can be read, but not changed.
- Documents are shown as text, without their styles and pictures.
- 3200-color pictures are shown with up to 256 colors.

Index

#

3200-color pictures, 26, 47, 49

A

active pane, 10, 12, 14, 16, 19, 36
AIFF sounds, 29, 47
Apple key, 6, 43, 45
AppleWorks files, 31, 47
archives, 6, 33, 34, 35, 43, 44, 49
ASIF instruments, 29, 30, 47
assembler source, 32, 47

B

bar, the, 10, 12, 13, 16, 17, 21, 22, 33
BASIC programs, 6, 23, 32, 34, 47
BeagleWrite documents, 31, 47
Binary II archives, 34, 48

C

Compare Panes, 14, 20, 45
copying, 6, 8, 9, 10, 12, 16, 17, 18

D

deleting, 6, 10, 13, 14, 16, 19, 20, 33
disassembly, 32
disk images, 6, 33, 34, 43, 44
DOS 3.3 disks, 34, 35, 48
dragging, 42, 43
Duplicate, 19, 45

E

enclosing folder, 13, 14, 44
Escape key, 18, 23, 24, 37, 44, 46

F

file types, 18, 23, 34, 35, 39, 40
Find, 7, 9, 11, 27, 36, 37, 38, 39
Finder icons, 9, 25, 27, 47
Folder Sizes, 21, 45
fonts, 27, 47

G

GraphicWriter documents, 31, 32, 47
GSC.Temp folder, 35

H

Help, 10, 11, 44
hexadecimal, 23, 24, 46, 48
HyperStudio sounds, 29, 47

I

info line, 10, 15, 16
Info pane, 38, 39, 40, 41, 45
installing, 8, 9, 13
invisible files, 14, 40, 49

K

key bar, 9, 10, 42
kinds, finding, 40

L

letter keys, 13, 17, 40, 44

M

menus, 6, 7, 10, 11, 12, 13, 14, 19
mouse, 6, 42
moving files, 6, 10, 12, 13, 16, 17, 18, 19
MultiScribe documents, 31, 47

N

names made legal, 35, 49
new folder, 16, 19, 45
NoiseTracker GS, 29, 47

O

Option key, 42

P

panes, 9, 10, 12, 13, 14, 15, 16, 17
patterns, 17, 36, 37
pictures, 6, 22, 24, 25, 26, 31, 40, 47
programs, 6, 8, 9, 22, 23, 24, 32, 41

Q

Quick Look, 21, 22, 23, 24, 25, 27, 28, 30
quitting, 8, 10, 11, 45

R

Refresh, 14, 45, 49
renaming, 6, 18, 19, 39, 45
resource forks, 18, 29, 32, 34, 35, 39

S

Same Folder in Both Panes, 14, 45
ShrinkIt archives, 34, 48
sounds, 6, 22, 24, 28, 29, 40, 46, 47
SoundSmith songs, 29, 30, 47
starting GS Commander, 9
Swap Panes, 14, 45
system requirements, 8

T

tagging, 10, 14, 16, 17, 19, 20, 21, 34
Teach documents, 31, 47

V

viewer, the, 22, 23, 24, 31, 35, 45
volumes, 10, 13, 14, 29, 34, 42, 44

W

wave bank, 49

Z

ZIP archives, 34, 35, 48, 49