



Router
configure VLAN on ports
configure LAN on VLAN

DrayTek Vigor2832 Series

LAN >> VLAN Configuration

VLAN Configuration

☒ Enable

	LAN				Wireless LAN				Subnet	VLAN Tag		
	P1	P2	P3	P4	SSID1	SSID2	SSID3	SSID4		Enable	VID	Priority
VLAN0	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	LAN 1	<input type="checkbox"/>	0	0
VLAN1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	LAN 2	<input checked="" type="checkbox"/>	2	0
VLAN2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	LAN 3	<input checked="" type="checkbox"/>	3	0
VLAN3	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	LAN 4	<input checked="" type="checkbox"/>	4	0
VLAN4	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	LAN 1	<input type="checkbox"/>	0	0
VLAN5	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	LAN 1	<input type="checkbox"/>	0	0
VLAN6	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	LAN 1	<input type="checkbox"/>	0	0
VLAN7	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	LAN 1	<input type="checkbox"/>	0	0

☒ Permit untagged device in P1 to access router

- For each VLAN row, if enable is checked for the VLAN Tag then the corresponding VID will be applied to wired LAN traffic.
- Wireless LAN traffic is always untagged, but will still be a member of the VLAN group selected.
- Each VID must be unique.

OK Clear Cancel

Admin mode
Status: Ready

Router

configure DHCP on LAN

test/vlan at master · pos1... x router_vigor2832_config... x vlan dhcp2.drawio - draw... x DrayTek Vigor2832 Series x

eu.draytek.com:12832

DrayTek Vigor2832 Series

Auto Logout **IPv6**

Dashboard
Wizards
Online Status

Search menu

WAN
LAN
General Setup
VLAN
Bind IP to MAC
LAN Port Mirror
Wired 802.1X
Hotspot Web Portal
Routing
NAT
Hardware Acceleration
Firewall
User Management
Objects Setting
CSM
Bandwidth Management
Applications
VPN and Remote Access
Certificate Management
Wireless LAN
SSL VPN
USB Application
System Maintenance
Diagnostics

Central Management
External Devices

Admin mode
Status: Ready

LAN >> General Setup

General Setup

Index	Enable	DHCP	IP Address		
LAN 1	V	V	192.168.1.1	Details Page	IPv6
LAN 2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	192.168.2.1	Details Page	IPv6
LAN 3	<input type="checkbox"/>	<input checked="" type="checkbox"/>	192.168.3.1	Details Page	IPv6
LAN 4	<input type="checkbox"/>	<input checked="" type="checkbox"/>	192.168.4.1	Details Page	IPv6
IP Routed Subnet	<input type="checkbox"/>	<input checked="" type="checkbox"/>	192.168.0.1	Details Page	

DHCP Server Option

Note:
Please enable LAN 2 - 4 on [LAN >> VLAN](#) page before configure them.
Enable DMZ port will make the LAN Port 1 be deselected in setting on VLAN page, LAN Port 1 will become the DMZ Port.

☐ Force router to use "DNS server IP address" settings specified in LAN1

Inter-LAN Routing

Subnet	LAN 1	LAN 2	LAN 3	LAN 4
LAN 1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
LAN 2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
LAN 3	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
LAN 4	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

OK

Router

configure DHCP

test/vlan at master · pos1... x router_vigor2832_config... x vlan dhcp2.drawio - draw... x DrayTek Vigor2832 Series x

eu.draytek.com:12832

DrayTek Vigor2832 Series

Auto Logout **IPv6**

Dashboard
Wizards
Online Status

Search menu

WAN
LAN
General Setup
VLAN
Bind IP to MAC
LAN Port Mirror
Wired 802.1X
Hotspot Web Portal
Routing
NAT
Hardware Acceleration
Firewall
User Management
Objects Setting
CSM
Bandwidth Management
Applications
VPN and Remote Access
Certificate Management
Wireless LAN
SSL VPN
USB Application
System Maintenance
Diagnostics

Central Management
External Devices

Admin mode
Status: Ready

LAN >> General Setup

LAN 1 Ethernet TCP / IP and DHCP Setup

Network Configuration
For NAT Usage

IP Address: 192.168.1.1

Subnet Mask: 255.255.255.0 / 24

RIP Protocol Control: Disable

LAN 1 IPv6 Setup

DHCP Server Configuration

☐ Disable ☒ Enable Server ☐ Enable Relay Agent

Start IP Address: 192.168.1.10

IP Pool Counts: 200 (max. 1021)

Gateway IP Address: 192.168.1.1

Lease Time: 86400 (s)

☒ Clear DHCP lease for inactive clients periodically

DNS Server IP Address

Primary IP Address:

Secondary IP Address:

OK

Switch

create vlan

Create VLAN

test/vlan at master · pos1... x router_vigor2832_config... x vlan dhcp2.drawio - draw... x VigorSwitch G1085 x +

eu.draytek.com:21085

DrayTek VigorSwitch G1085

Auto Logout : 3 min Admin 14:15:34

Dashboard

Status

Switch LAN

General Setup

Port Setting

Mirror

Link Aggregation

VLAN Management

Create Vlan

Interface Settings

Voice VLAN

MAC VLAN

Serveillance VLAN

EEE

Multicast

Jumbo Frame

Switch LAN > VLAN Management > Create Vlan > Create VLAN

Create VLAN

Action: ☒ Add ☐ Delete

VLAN ID: 10 or 10,20 or 10-20

VLAN Name:

Apply

VLAN ID	VLAN Name	VLAN Type	Modify
1	default	Default	
15	VLAN0015	Static	
16	VLAN0016	Static	
17	VLAN0017	Static	
18	VLAN0018	Static	

Switch
config VLAN on ports

test/vlan at master · pos1... x router_vigor2832_config... x vlan dhcp2.drawio - draw... x VigorSwitch G1085 x +

eu.draytek.com:21085

DrayTek VigorSwitch G1085

Auto Logout : 3 min

Dashboard

Status

Switch LAN

General Setup

Port Setting

Mirror

Link Aggregation

VLAN Management

Create Vlan

Interface Settings

Voice VLAN

MAC VLAN

Serveillance VLAN

EEE

Multicast

Jumbo Frame

Interface Settings

Port Select: Nothing selected

Interface VLAN Mode: ☒ Hybrid ☐ Access ☐ Trunk

PVID: 1 (1 - 4094)

Accepted Type: ☒ All ☐ Tag Only ☐ Untag Only

Ingress Filtering: ☒ Enable ☐ Disable

Tagged VLAN: Nothing selected

Untagged VLAN: Nothing selected

Forbidden VLAN: Nothing selected

Apply

Port	Interface VLA...	PVID	Tagged VLAN	Untagged VL...	Forbidden VL...	Accept Fram...	Ingress
GE1	Trunk	1	---	1	---	ALL	Enabled
GE2	Trunk	1	---	1	---	ALL	Enabled
GE3	Trunk	1	---	1	---	ALL	Enabled