

# What did we do?

Tenniel Miao, Spencer Robinson, Richard Wohlbold

May 21 2018

# Problem description (1)

- ▶ **Input:** Terrain matrix
- ▶ **Intermediate:** Interpolated terrain matrix
- ▶ **Problem:** Navigating the terrain with a robot
- ▶ Different tiles:
  - ▶ Normal terrain
  - ▶ Fog (hides the tile under it)
  - ▶ Pit (impassable; not interpolated)
  - ▶ Mountains (impassable; get interpolated)

## Problem description (2)

1	1	0	1	1	1	1	1	0
0	1	4	1	2	4	1	1	1
1	1	1	2	1	1	4	1	1
1	2	2	4	1	1	1	1	2
1	1	1	1	3	1	1	1	2
0	1	1	1	1	1	3	1	1
0	1	3	1	1	2	1	1	1
1	0	2	0	1	2	1	1	1

## Problem description (3)

1	1	0	1	1	1	1	1	0
0	1	4	4	4	4	4	1	1
1	1	4	4	4	4	4	1	1
1	2	2	4	4	4	1	1	2
1	1	1	3	3	3	1	1	2
0	1	3	3	3	3	3	1	1
0	1	3	3	3	2	1	1	1
1	0	2	0	1	2	1	1	1

# Creating the terrain

- ▶ Different ideas, pretty complicated in practice
  1. Finding the convex hull of the points
  2. Drawing the lines
  3. Filling all the tiles in the polygon
- ▶ Right now: Using `scipy.ConvexHull`, currently working on our own working solution

# Searching for the goal

- ▶ Different search algorithms:
  1. Depth-First Search
  2. Follow-Side (Left or Right)
  3. Different random algorithms
- ▶ Breadth-First Search not applicable
- ▶ Code is very modular → easy to add new search algorithms

# Output

- ▶ Different output options:
  1. Plain or colored output
  2. With or without ncurses
  3. Rudimentary GUI output
  4. No output
- ▶ Code is very modular → easy to add new output methods

# Demo

- ▶ (Live demo)
- ▶ Code under <https://github.com/poshut/rst>