

A way to see and edit two files side by side	The shortcut to send R code to the Console	Another way to open the Command Palette	A way to open a specific file by its name	Data Explorer: the number of cars where cyl is 4
A terminal, i.e. "a shell"	The shortcut to insert "<-"	The button that opens your console history	The button that saves a plot	A way to open a new Positron window
How to change the IDE theme	The "Find and Replace" dialog box	FREE	An RStudio pane that isn't in Positron	How to change the IDE zoom level
Where Git information and actions live	The setting that enables RStudio shortcuts	The button to restart the R Console	A way to open a new R script file	A prompt to "Open a folder"
The version of R running in the Console	The current working directory of the Console	A way to start another Console	The version of Positron you're running	The shortcut for "Help: Show help at cursor"

An action you can take on a folder once it is open	The shortcut to insert "<-"	Data Explorer: the car with the highest mpg	The setting that enables RStudio shortcuts	How to change the IDE zoom level
A way to navigate to a specific symbol, e.g. function	Where to configure settings	The shortcut to send R code to the Console	A string, but only in a specific (sub)folder	A string, but only in .R files
A way to open a specific file by its name	The shortcut for "Toggle Line Comment"	FREE	The button that saves a plot	Where Git information and actions live
Data Explorer: the number of cars where cyl is 4	A way to see and edit two files side by side	An RStudio pane that isn't in Positron	Where help, e.g. ?mean, displays	The button that opens your console history
Dark mode	A button to toggle the primary side bar panel	A way to start another Console	The shortcut to insert the pipe, e.g.  >	The currently installed extensions

The shortcut to insert the pipe, e.g.  >	Where to configure settings	An action you can take on a folder once it is open	The version of Positron you're running	Variables you've defined in the Console
The purpose of an icon you've never seen before	The "Find and Replace" dialog box	The shortcut to send R code to the Console	Data Explorer: the car with the highest mpg	An RStudio pane that isn't in Positron
The version of R running in the Console	Where Git information and actions live	FREE	A prompt to "Open a folder"	Another way to open the Command Palette
A string, but only in a specific (sub)folder	The currently installed extensions	A way to open a specific file by its name	A way to start another Console	A way to open a new R script file
A button to toggle the primary side bar panel	A way to navigate to a specific symbol, e.g. function	A way to see and edit two files side by side	The current working directory of the Console	The shortcut for "Toggle Line Comment"

A terminal, i.e. "a shell"	The current working directory of the Console	A string, but only in .R files	The "Find and Replace" dialog box	A way to see and edit two files side by side
A way to open a new Positron window	The currently installed extensions	The version of Positron you're running	Where Git information and actions live	A way to start another Console
The shortcut to insert the pipe, e.g.  >	Variables you've defined in the Console	FREE	How to change the IDE theme	A string, but only in a specific (sub)folder
Where to configure settings	The button to customize your layout	A way to open a specific file by its name	The button to restart the R Console	A way to open a new R script file
Another way to open the Command Palette	The purpose of an icon you've never seen before	The shortcut to send R code to the Console	Data Explorer: the number of cars where cyl is 4	How to change the IDE zoom level

A way to start another Console	A prompt to "Open a folder"	Where help, e.g. ?mean, displays	The "Find and Replace" dialog box	The current working directory of the Console
The currently installed extensions	A terminal, i.e. "a shell"	The shortcut to insert the pipe, e.g.  >	An RStudio pane that isn't in Positron	The version of R running in the Console
Where Git information and actions live	Dark mode	FREE	The purpose of an icon you've never seen before	A way to open a specific file by its name
The button that opens your console history	The shortcut to send R code to the Console	A way to see and edit two files side by side	How to change the IDE zoom level	A way to navigate to a specific symbol, e.g. function
The shortcut for "Help: Show help at cursor"	The shortcut to insert "<-"	A way to open a new Positron window	Variables you've defined in the Console	Data Explorer: the number of cars where cyl is 4

The current working directory of the Console	Dark mode	The shortcut to insert " <code>&lt;-</code> "	The version of Positron you're running	The purpose of an icon you've never seen before
The button to customize your layout	The shortcut to insert the pipe, e.g. <code> &gt;</code>	A way to start another Console	The shortcut to send R code to the Console	The "Find and Replace" dialog box
The shortcut for "Toggle Line Comment"	Where to configure settings	FREE	The button that saves a plot	Where help, e.g. <code>?mean</code> , displays
An action you can take on a folder once it is open	The version of R running in the Console	A string, but only in <code>.R</code> files	How to change the IDE zoom level	A way to open a new Positron window
A string, but only in a specific (sub)folder	The shortcut for "Help: Show help at cursor"	How to change the IDE theme	The button that opens your console history	The currently installed extensions

The shortcut to send R code to the Console	The "Find and Replace" dialog box	The button to restart the R Console	A way to see and edit two files side by side	The button that opens your console history
The version of R running in the Console	A way to open a new R script file	The shortcut for "Toggle Line Comment"	The currently installed extensions	The shortcut to insert "<-"
A way to navigate to a specific symbol, e.g. function	Where Git information and actions live	FREE	A prompt to "Open a folder"	Data Explorer: the number of cars where cyl is 4
A way to open a specific file by its name	The shortcut to insert the pipe, e.g.  >	A button to toggle the primary side bar panel	A string, but only in .R files	Dark mode
The version of Positron you're running	A way to start another Console	The button that saves a plot	Variables you've defined in the Console	Where help, e.g. ?mean, displays

An action you can take on a folder once it is open	Data Explorer: the car with the highest mpg	A way to open a new R script file	A string, but only in .R files	How to change the IDE zoom level
A string, but only in a specific (sub)folder	Variables you've defined in the Console	The shortcut for "Toggle Line Comment"	The current working directory of the Console	A way to start another Console
The shortcut to insert the pipe, e.g.  >	A way to navigate to a specific symbol, e.g. function	FREE	The version of Positron you're running	The currently installed extensions
A prompt to "Open a folder"	The button to customize your layout	The setting that enables RStudio shortcuts	Dark mode	The "Find and Replace" dialog box
Another way to open the Command Palette	Where Git information and actions live	Where to configure settings	The button to restart the R Console	The shortcut to send R code to the Console



A way to start another Console	The purpose of an icon you've never seen before	Where help, e.g. ?mean, displays	How to change the IDE zoom level	A button to toggle the primary side bar panel
A way to open a new Positron window	The version of R running in the Console	A way to open a new R script file	The button that saves a plot	The currently installed extensions
A terminal, i.e. "a shell"	A string, but only in .R files	FREE	How to change the IDE theme	The button to customize your layout
The shortcut to insert the pipe, e.g.  >	An RStudio pane that isn't in Positron	A way to see and edit two files side by side	Dark mode	The version of Positron you're running
A way to navigate to a specific symbol, e.g. function	A string, but only in a specific (sub)folder	Another way to open the Command Palette	The button that opens your console history	A way to open a specific file by its name

A string, but only in .R files	The shortcut for "Help: Show help at cursor"	The shortcut to send R code to the Console	The purpose of an icon you've never seen before	The button to customize your layout
Where Git information and actions live	The shortcut for "Toggle Line Comment"	A way to open a new Positron window	A prompt to "Open a folder"	A way to start another Console
Where to configure settings	A string, but only in a specific (sub)folder	FREE	The shortcut to insert "<-"	How to change the IDE zoom level
The button that saves a plot	A way to navigate to a specific symbol, e.g. function	A way to see and edit two files side by side	A button to toggle the primary side bar panel	The shortcut to insert the pipe, e.g.  >
The setting that enables RStudio shortcuts	An RStudio pane that isn't in Positron	A way to open a specific file by its name	An action you can take on a folder once it is open	The version of Positron you're running

The setting that enables RStudio shortcuts	A string, but only in a specific (sub)folder	Where to configure settings	The "Find and Replace" dialog box	A terminal, i.e. "a shell"
A button to toggle the primary side bar panel	Data Explorer: the number of cars where cyl is 4	Variables you've defined in the Console	A way to navigate to a specific symbol, e.g. function	The button to restart the R Console
How to change the IDE zoom level	Another way to open the Command Palette	FREE	A way to open a new Positron window	The version of R running in the Console
Where Git information and actions live	A way to open a new R script file	An action you can take on a folder once it is open	The shortcut to send R code to the Console	The currently installed extensions
A prompt to "Open a folder"	The button that saves a plot	The shortcut for "Help: Show help at cursor"	Where help, e.g. ?mean, displays	The purpose of an icon you've never seen before

The button that saves a plot	A terminal, i.e. "a shell"	A way to open a new Positron window	The shortcut to insert the pipe, e.g.  >	A way to navigate to a specific symbol, e.g. function
The version of R running in the Console	The setting that enables RStudio shortcuts	Data Explorer: the car with the highest mpg	A string, but only in .R files	The shortcut for "Help: Show help at cursor"
The version of Positron you're running	Where help, e.g. ?mean, displays	FREE	The button that opens your console history	A way to start another Console
How to change the IDE zoom level	An action you can take on a folder once it is open	An RStudio pane that isn't in Positron	Data Explorer: the number of cars where cyl is 4	A way to open a specific file by its name
A string, but only in a specific (sub)folder	The shortcut for "Toggle Line Comment"	The "Find and Replace" dialog box	The button to customize your layout	A button to toggle the primary side bar panel

The shortcut to send R code to the Console	A way to navigate to a specific symbol, e.g. function	The setting that enables RStudio shortcuts	The version of R running in the Console	A way to open a specific file by its name
The shortcut for "Help: Show help at cursor"	A way to start another Console	The button to customize your layout	How to change the IDE zoom level	A terminal, i.e. "a shell"
Another way to open the Command Palette	Variables you've defined in the Console	FREE	The button to restart the R Console	Data Explorer: the number of cars where cyl is 4
A button to toggle the primary side bar panel	The version of Positron you're running	Where Git information and actions live	Dark mode	A string, but only in .R files
A string, but only in a specific (sub)folder	A prompt to "Open a folder"	Data Explorer: the car with the highest mpg	The current working directory of the Console	Where help, e.g. ?mean, displays

The purpose of an icon you've never seen before	The shortcut for "Toggle Line Comment"	How to change the IDE theme	Another way to open the Command Palette	A prompt to "Open a folder"
The version of Positron you're running	A string, but only in a specific (sub)folder	The shortcut for "Help: Show help at cursor"	Where help, e.g. ?mean, displays	How to change the IDE zoom level
An RStudio pane that isn't in Positron	The button that opens your console history	FREE	The shortcut to insert "<-"	A way to open a new R script file
A terminal, i.e. "a shell"	A way to see and edit two files side by side	Dark mode	The button to restart the R Console	A button to toggle the primary side bar panel
The "Find and Replace" dialog box	Data Explorer: the car with the highest mpg	The button that saves a plot	A way to navigate to a specific symbol, e.g. function	The version of R running in the Console

The currently installed extensions	The shortcut to send R code to the Console	A string, but only in .R files	The shortcut for "Toggle Line Comment"	Another way to open the Command Palette
A way to open a specific file by its name	A prompt to "Open a folder"	A button to toggle the primary side bar panel	Data Explorer: the number of cars where cyl is 4	The current working directory of the Console
A way to start another Console	How to change the IDE theme	FREE	A way to open a new R script file	Dark mode
Data Explorer: the car with the highest mpg	A way to see and edit two files side by side	The "Find and Replace" dialog box	The shortcut to insert the pipe, e.g.  >	A way to open a new Positron window
The version of Positron you're running	Variables you've defined in the Console	How to change the IDE zoom level	A way to navigate to a specific symbol, e.g. function	An action you can take on a folder once it is open

Where to configure settings	The current working directory of the Console	The button to restart the R Console	Variables you've defined in the Console	An RStudio pane that isn't in Positron
Dark mode	How to change the IDE theme	The shortcut for "Toggle Line Comment"	A way to open a new R script file	Data Explorer: the car with the highest mpg
The button to customize your layout	The shortcut to send R code to the Console	FREE	A way to start another Console	The purpose of an icon you've never seen before
A way to open a specific file by its name	Where Git information and actions live	A way to open a new Positron window	The version of R running in the Console	The shortcut to insert the pipe, e.g.  >
Data Explorer: the number of cars where cyl is 4	Where help, e.g. ?mean, displays	Another way to open the Command Palette	The "Find and Replace" dialog box	The button that saves a plot



An action you can take on a folder once it is open	A prompt to "Open a folder"	The current working directory of the Console	The setting that enables RStudio shortcuts	Another way to open the Command Palette
An RStudio pane that isn't in Positron	A string, but only in .R files	The shortcut to send R code to the Console	A way to open a specific file by its name	The version of Positron you're running
The button that opens your console history	The shortcut for "Help: Show help at cursor"	FREE	A button to toggle the primary side bar panel	The shortcut to insert the pipe, e.g.  >
Data Explorer: the number of cars where cyl is 4	Where to configure settings	How to change the IDE zoom level	The "Find and Replace" dialog box	The shortcut to insert "<-"
A terminal, i.e. "a shell"	A string, but only in a specific (sub)folder	How to change the IDE theme	Data Explorer: the car with the highest mpg	The button to customize your layout

The shortcut to send R code to the Console	The shortcut to insert "<-"	The button that opens your console history	A way to open a new Positron window	The setting that enables RStudio shortcuts
The button to restart the R Console	Dark mode	The version of Positron you're running	Where help, e.g. ?mean, displays	A button to toggle the primary side bar panel
The purpose of an icon you've never seen before	An RStudio pane that isn't in Positron	FREE	The button to customize your layout	The current working directory of the Console
A way to see and edit two files side by side	A string, but only in a specific (sub)folder	The shortcut for "Help: Show help at cursor"	The button that saves a plot	A way to start another Console
The "Find and Replace" dialog box	A way to open a new R script file	How to change the IDE theme	A terminal, i.e. "a shell"	Data Explorer: the car with the highest mpg

A way to start another Console	The setting that enables RStudio shortcuts	An action you can take on a folder once it is open	A button to toggle the primary side bar panel	Variables you've defined in the Console
The button that opens your console history	A way to open a new Positron window	The version of R running in the Console	Another way to open the Command Palette	The shortcut to insert "<-"
A way to see and edit two files side by side	The shortcut for "Help: Show help at cursor"	FREE	A string, but only in .R files	How to change the IDE theme
A terminal, i.e. "a shell"	Data Explorer: the number of cars where cyl is 4	A prompt to "Open a folder"	The shortcut to insert the pipe, e.g.  >	A way to open a new R script file
Where Git information and actions live	Data Explorer: the car with the highest mpg	The currently installed extensions	The current working directory of the Console	The purpose of an icon you've never seen before

The currently installed extensions	How to change the IDE zoom level	The shortcut to send R code to the Console	Data Explorer: the number of cars where cyl is 4	The version of Positron you're running
A way to see and edit two files side by side	Dark mode	An action you can take on a folder once it is open	A string, but only in .R files	Another way to open the Command Palette
The purpose of an icon you've never seen before	A string, but only in a specific (sub)folder	FREE	A way to open a new Positron window	The button to restart the R Console
The shortcut to insert the pipe, e.g.  >	The version of R running in the Console	A button to toggle the primary side bar panel	A way to open a specific file by its name	A way to start another Console
An RStudio pane that isn't in Positron	The setting that enables RStudio shortcuts	The shortcut for "Help: Show help at cursor"	The "Find and Replace" dialog box	The button that saves a plot

The version of R running in the Console	The purpose of an icon you've never seen before	A string, but only in a specific (sub)folder	The shortcut for "Toggle Line Comment"	The currently installed extensions
Data Explorer: the car with the highest mpg	The shortcut for "Help: Show help at cursor"	An RStudio pane that isn't in Positron	A prompt to "Open a folder"	The setting that enables RStudio shortcuts
The version of Positron you're running	Where Git information and actions live	FREE	An action you can take on a folder once it is open	The shortcut to insert the pipe, e.g.  >
The shortcut to send R code to the Console	How to change the IDE theme	Where help, e.g. ?mean, displays	Where to configure settings	The "Find and Replace" dialog box
The button to customize your layout	A button to toggle the primary side bar panel	A way to navigate to a specific symbol, e.g. function	A way to open a specific file by its name	A way to open a new Positron window

How to change the IDE zoom level	How to change the IDE theme	The shortcut for "Help: Show help at cursor"	A way to open a new Positron window	A terminal, i.e. "a shell"
The shortcut to send R code to the Console	The button that saves a plot	The "Find and Replace" dialog box	The version of R running in the Console	The purpose of an icon you've never seen before
A way to navigate to a specific symbol, e.g. function	A way to see and edit two files side by side	FREE	Where to configure settings	A string, but only in .R files
Data Explorer: the car with the highest mpg	The current working directory of the Console	The shortcut to insert "<-"	A way to start another Console	Where Git information and actions live
An RStudio pane that isn't in Positron	A way to open a new R script file	Variables you've defined in the Console	Where help, e.g. ?mean, displays	An action you can take on a folder once it is open

The setting that enables RStudio shortcuts	A terminal, i.e. "a shell"	An RStudio pane that isn't in Positron	The button that opens your console history	The current working directory of the Console
A prompt to "Open a folder"	The shortcut to send R code to the Console	A string, but only in .R files	A string, but only in a specific (sub)folder	How to change the IDE theme
Where help, e.g. ?mean, displays	The button that saves a plot	FREE	Where Git information and actions live	The "Find and Replace" dialog box
The shortcut to insert the pipe, e.g.  >	Another way to open the Command Palette	Data Explorer: the car with the highest mpg	The shortcut for "Toggle Line Comment"	A way to start another Console
The button to restart the R Console	A way to navigate to a specific symbol, e.g. function	Variables you've defined in the Console	A way to open a new Positron window	The currently installed extensions

How to change the IDE theme	The currently installed extensions	Another way to open the Command Palette	A string, but only in .R files	The current working directory of the Console
A way to open a new R script file	A way to see and edit two files side by side	A way to start another Console	Data Explorer: the car with the highest mpg	A string, but only in a specific (sub)folder
The purpose of an icon you've never seen before	A way to open a specific file by its name	FREE	Data Explorer: the number of cars where cyl is 4	The shortcut for "Toggle Line Comment"
The shortcut for "Help: Show help at cursor"	The "Find and Replace" dialog box	An action you can take on a folder once it is open	Dark mode	The button to restart the R Console
The version of Positron you're running	Where help, e.g. ?mean, displays	A way to open a new Positron window	Where to configure settings	A way to navigate to a specific symbol, e.g. function



The purpose of an icon you've never seen before	The "Find and Replace" dialog box	A way to open a new R script file	A prompt to "Open a folder"	The current working directory of the Console
An action you can take on a folder once it is open	The version of Positron you're running	An RStudio pane that isn't in Positron	The version of R running in the Console	A way to start another Console
A way to open a specific file by its name	A terminal, i.e. "a shell"	FREE	Another way to open the Command Palette	A way to navigate to a specific symbol, e.g. function
Data Explorer: the number of cars where cyl is 4	The shortcut for "Help: Show help at cursor"	The button that saves a plot	The shortcut to insert the pipe, e.g.  >	The shortcut to insert "<-"
Where Git information and actions live	A button to toggle the primary side bar panel	How to change the IDE zoom level	Dark mode	How to change the IDE theme

The shortcut to insert "<-"	The button to customize your layout	How to change the IDE zoom level	A way to open a new Positron window	The current working directory of the Console
The shortcut for "Toggle Line Comment"	A prompt to "Open a folder"	The currently installed extensions	The version of Positron you're running	The setting that enables RStudio shortcuts
The button that opens your console history	The purpose of an icon you've never seen before	FREE	A way to open a specific file by its name	A way to start another Console
An action you can take on a folder once it is open	The shortcut for "Help: Show help at cursor"	Where help, e.g. ?mean, displays	The button that saves a plot	The version of R running in the Console
How to change the IDE theme	A string, but only in a specific (sub)folder	A way to see and edit two files side by side	A button to toggle the primary side bar panel	A terminal, i.e. "a shell"

How to change the IDE zoom level	The purpose of an icon you've never seen before	A terminal, i.e. "a shell"	A prompt to "Open a folder"	Data Explorer: the car with the highest mpg
The currently installed extensions	A string, but only in a specific (sub)folder	The version of Positron you're running	Dark mode	Variables you've defined in the Console
The shortcut for "Toggle Line Comment"	The "Find and Replace" dialog box	FREE	How to change the IDE theme	A way to see and edit two files side by side
Another way to open the Command Palette	The shortcut for "Help: Show help at cursor"	The shortcut to insert the pipe, e.g.  >	A string, but only in .R files	The version of R running in the Console
A way to navigate to a specific symbol, e.g. function	An action you can take on a folder once it is open	The shortcut to insert "<-"	The button that saves a plot	The shortcut to send R code to the Console

The setting that enables RStudio shortcuts	A prompt to "Open a folder"	The shortcut for "Help: Show help at cursor"	A terminal, i.e. "a shell"	The current working directory of the Console
A way to open a new Positron window	The currently installed extensions	A way to see and edit two files side by side	The version of Positron you're running	A string, but only in a specific (sub)folder
Where Git information and actions live	How to change the IDE theme	FREE	Variables you've defined in the Console	A way to open a new R script file
The shortcut to send R code to the Console	A way to navigate to a specific symbol, e.g. function	Where to configure settings	Where help, e.g. ?mean, displays	The button to customize your layout
Data Explorer: the car with the highest mpg	An action you can take on a folder once it is open	The button to restart the R Console	Dark mode	The shortcut to insert the pipe, e.g.  >

A way to navigate to a specific symbol, e.g. function	A way to open a new Positron window	The version of Positron you're running	Where help, e.g. ?mean, displays	How to change the IDE theme
The current working directory of the Console	A button to toggle the primary side bar panel	A way to see and edit two files side by side	The button that opens your console history	The shortcut for "Help: Show help at cursor"
Data Explorer: the car with the highest mpg	Where to configure settings	FREE	A way to open a new R script file	The button to restart the R Console
The setting that enables RStudio shortcuts	The shortcut for "Toggle Line Comment"	The button to customize your layout	Where Git information and actions live	The shortcut to insert "<--"
The shortcut to insert the pipe, e.g.  >	The "Find and Replace" dialog box	A string, but only in a specific (sub)folder	The shortcut to send R code to the Console	Variables you've defined in the Console

A terminal, i.e. "a shell"	A way to open a new R script file	An action you can take on a folder once it is open	The shortcut to insert "<-"	The button to restart the R Console
A prompt to "Open a folder"	Where to configure settings	The setting that enables RStudio shortcuts	A way to see and edit two files side by side	The button to customize your layout
The purpose of an icon you've never seen before	Another way to open the Command Palette	FREE	The version of R running in the Console	A string, but only in .R files
A way to open a specific file by its name	The currently installed extensions	The button that opens your console history	An RStudio pane that isn't in Positron	How to change the IDE theme
How to change the IDE zoom level	Data Explorer: the car with the highest mpg	The version of Positron you're running	The "Find and Replace" dialog box	The button that saves a plot

An RStudio pane that isn't in Positron	The current working directory of the Console	How to change the IDE theme	The currently installed extensions	Another way to open the Command Palette
A way to open a specific file by its name	Where Git information and actions live	A way to open a new Positron window	A way to open a new R script file	The version of R running in the Console
A prompt to "Open a folder"	The button that saves a plot	FREE	A button to toggle the primary side bar panel	The button to customize your layout
Where to configure settings	The shortcut to send R code to the Console	A way to navigate to a specific symbol, e.g. function	The shortcut to insert "<-"	Dark mode
The setting that enables RStudio shortcuts	The shortcut to insert the pipe, e.g.  >	The button to restart the R Console	An action you can take on a folder once it is open	Variables you've defined in the Console

The version of Positron you're running	A way to navigate to a specific symbol, e.g. function	The purpose of an icon you've never seen before	Variables you've defined in the Console	Where help, e.g. ?mean, displays
A string, but only in a specific (sub)folder	Another way to open the Command Palette	A way to open a new Positron window	The button that opens your console history	The currently installed extensions
A terminal, i.e. "a shell"	The shortcut to send R code to the Console	FREE	The shortcut for "Help: Show help at cursor"	The setting that enables RStudio shortcuts
The shortcut to insert "<--"	Data Explorer: the number of cars where cyl is 4	A way to start another Console	Dark mode	A button to toggle the primary side bar panel
An RStudio pane that isn't in Positron	Where to configure settings	The "Find and Replace" dialog box	Where Git information and actions live	The button that saves a plot



The setting that enables RStudio shortcuts	An action you can take on a folder once it is open	The version of Positron you're running	An RStudio pane that isn't in Positron	The shortcut for "Help: Show help at cursor"
A string, but only in a specific (sub)folder	The button to customize your layout	Variables you've defined in the Console	A button to toggle the primary side bar panel	A way to navigate to a specific symbol, e.g. function
The "Find and Replace" dialog box	The shortcut for "Toggle Line Comment"	FREE	Dark mode	A string, but only in .R files
How to change the IDE zoom level	The button that saves a plot	A way to start another Console	Where Git information and actions live	The currently installed extensions
How to change the IDE theme	Another way to open the Command Palette	Where help, e.g. ?mean, displays	The button that opens your console history	The button to restart the R Console

A terminal, i.e. "a shell"	How to change the IDE zoom level	The shortcut to insert "<-"	Another way to open the Command Palette	Where to configure settings
The shortcut for "Help: Show help at cursor"	A button to toggle the primary side bar panel	The button to customize your layout	The currently installed extensions	Dark mode
Variables you've defined in the Console	How to change the IDE theme	FREE	Where help, e.g. ?mean, displays	Where Git information and actions live
The shortcut for "Toggle Line Comment"	A prompt to "Open a folder"	A way to navigate to a specific symbol, e.g. function	A string, but only in a specific (sub)folder	The button to restart the R Console
A string, but only in .R files	The button that saves a plot	A way to start another Console	The setting that enables RStudio shortcuts	The shortcut to send R code to the Console

The version of Positron you're running	How to change the IDE theme	A way to navigate to a specific symbol, e.g. function	Data Explorer: the number of cars where cyl is 4	A way to open a new Positron window
Where Git information and actions live	The shortcut to insert the pipe, e.g.  >	A terminal, i.e. "a shell"	The shortcut to send R code to the Console	A way to see and edit two files side by side
An RStudio pane that isn't in Positron	Another way to open the Command Palette	FREE	The shortcut for "Help: Show help at cursor"	The button to restart the R Console
The button that opens your console history	A button to toggle the primary side bar panel	The shortcut to insert "<-"	The button to customize your layout	A way to open a specific file by its name
A string, but only in .R files	A string, but only in a specific (sub)folder	The button that saves a plot	The currently installed extensions	The shortcut for "Toggle Line Comment"

A way to navigate to a specific symbol, e.g. function	The button to customize your layout	A string, but only in .R files	The version of Positron you're running	Data Explorer: the number of cars where cyl is 4
The currently installed extensions	A string, but only in a specific (sub)folder	A way to open a new Positron window	A way to open a new R script file	A terminal, i.e. "a shell"
The shortcut to insert "<-"	The "Find and Replace" dialog box	FREE	Data Explorer: the car with the highest mpg	A button to toggle the primary side bar panel
The shortcut to send R code to the Console	A prompt to "Open a folder"	The purpose of an icon you've never seen before	How to change the IDE theme	The button that opens your console history
The button that saves a plot	The shortcut to insert the pipe, e.g.  >	The current working directory of the Console	Variables you've defined in the Console	Where to configure settings

Where help, e.g. ?mean, displays	Where to configure settings	The button that opens your console history	An action you can take on a folder once it is open	The shortcut to insert the pipe, e.g.  >
The shortcut for "Help: Show help at cursor"	A way to open a new R script file	The "Find and Replace" dialog box	A way to open a specific file by its name	An RStudio pane that isn't in Positron
The shortcut for "Toggle Line Comment"	The button that saves a plot	FREE	The current working directory of the Console	A prompt to "Open a folder"
Data Explorer: the car with the highest mpg	How to change the IDE zoom level	The version of Positron you're running	The currently installed extensions	The version of R running in the Console
A way to see and edit two files side by side	Another way to open the Command Palette	Variables you've defined in the Console	The shortcut to insert "<-"	A way to start another Console

Where to configure settings	How to change the IDE theme	The shortcut to send R code to the Console	An action you can take on a folder once it is open	Data Explorer: the number of cars where cyl is 4
The version of Positron you're running	Where Git information and actions live	A string, but only in .R files	The current working directory of the Console	A way to open a specific file by its name
The currently installed extensions	The version of R running in the Console	FREE	Dark mode	The button to restart the R Console
Where help, e.g. ?mean, displays	How to change the IDE zoom level	The shortcut for "Toggle Line Comment"	A way to open a new R script file	Another way to open the Command Palette
The "Find and Replace" dialog box	The shortcut to insert "<-"	An RStudio pane that isn't in Positron	A string, but only in a specific (sub)folder	A prompt to "Open a folder"

The shortcut to insert "<-"	A way to open a new R script file	Variables you've defined in the Console	The shortcut to send R code to the Console	Data Explorer: the car with the highest mpg
A way to see and edit two files side by side	The purpose of an icon you've never seen before	The button that opens your console history	The shortcut for "Help: Show help at cursor"	The currently installed extensions
How to change the IDE zoom level	A way to open a new Positron window	FREE	The shortcut to insert the pipe, e.g.  >	A prompt to "Open a folder"
Where Git information and actions live	Dark mode	How to change the IDE theme	The current working directory of the Console	Where to configure settings
A string, but only in a specific (sub)folder	The button to restart the R Console	Where help, e.g. ?mean, displays	The button to customize your layout	A string, but only in .R files

The button to restart the R Console	The shortcut to insert the pipe, e.g.  >	The button to customize your layout	A way to see and edit two files side by side	A prompt to "Open a folder"
Where help, e.g. ?mean, displays	An RStudio pane that isn't in Positron	The shortcut to insert "<--"	A way to start another Console	The shortcut for "Help: Show help at cursor"
Data Explorer: the number of cars where cyl is 4	The setting that enables RStudio shortcuts	FREE	The "Find and Replace" dialog box	The purpose of an icon you've never seen before
A terminal, i.e. "a shell"	The version of Positron you're running	The button that opens your console history	A way to open a new Positron window	Variables you've defined in the Console
Where to configure settings	A way to open a new R script file	The shortcut to send R code to the Console	Another way to open the Command Palette	Dark mode