

VIP Validation Report

Deployment: CI Connect 2026.09.0 + WB 2026.09.0+174.pro3 + PM 2026.09.0
Generated: 2026-10-07 20:04:28 UTC

Products Under Test

Product	URL	Version	Results
Connect	http://localhost:3939	2026.09.0	7 passed, 2 skipped (9 tests)
Workbench	http://localhost:8787	2026.09.0+174.pro3	2 passed (2 tests)
Package Manager	http://localhost:4242	2026.09.0	3 passed, 2 skipped (5 tests)

Summary

Total	25
Passed	20
Failed	1
Skipped	4
Status	FAIL

Provenance

VIP version	2026.10.0
Run duration	62.0s
Python	3.14.8
Platform	Linux-6.17.0-1022-azure-x86_64-with-glibc2.39
Mode	full
Exit status	1 (tests were collected and run, but some failed)

Failures & Skips

Every check that did not pass, in full. Passing checks are counted above, and every check appears in Detailed Results below.

Failed (1)

FAIL

test_intentional_failure

Prerequisites

src/vip_tests/prerequisites/test_expected_failure.py::test_intentional_failure 0.00s

test_intentional_failure: This failure is intentional: it exists only to show how a failed check renders in this example report.
No product configuration will resolve it.
assert 'fail (by design)' == 'pass'
- pass
+ fail (by design)

```
fixturefunc = <function check_fails_by_design at 0x7ffa5ecfa4b0>  
request = <FixtureRequest for <Function test_intentional_failure>>  
kwargs = {'demo_outcome': {'expected': 'pass', 'actual': 'fail (by design)'}}  
  
def call_fixture_func(
```

```

    fixturefunc: _FixtureFunc[FixtureValue], request: FixtureRequest, kwargs
) -> FixtureValue:
    if inspect.isgeneratorfunction(fixturefunc):
        fixturefunc = cast(Callable[..., Generator[FixtureValue]], fixturefunc)
        generator = fixturefunc(**kwargs)
        try:
            fixture_result = next(generator)
        except StopIteration:
            raise ValueError(f"{request.fixturename} did not yield a value") from None
        finalizer = functools.partial(_teardown_yield_fixture, fixturefunc, generator)
        request.addfinalizer(finalizer)
    else:
        fixturefunc = cast(Callable[..., FixtureValue], fixturefunc)
    > fixture_result = fixturefunc(**kwargs)
        ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^

.venv/lib/python3.14/site-packages/_pytest/fixtures.py:1005:
-----

demo_outcome = {'expected': 'pass', 'actual': 'fail (by design)'}

    @then("it fails by design, not because anything is actually broken")
    def check_fails_by_design(demo_outcome):
    >     assert demo_outcome["actual"] == demo_outcome["expected"], (
        "This failure is intentional: it exists only to show how a failed check "
        "renders in this example report. No product configuration will resolve it."
    )
E       AssertionError: This failure is intentional: it exists only to show how a failed check
renders in this example report. No product configuration will resolve it.
E       assert 'fail (by design)' == 'pass'
E
E       - pass
E       + fail (by design)

src/vip_tests/prerequisites/test_expected_failure.py:49: AssertionError

```

Skipped (4)

SKIP test_r_versions **Connect**

No expected R versions specified in vip.toml [runtimes]

src/vip_tests/connect/test_runtime_versions.py::test_r_versions 0.14s

SKIP test_python_versions **Connect**

No expected Python versions specified in vip.toml [runtimes]

src/vip_tests/connect/test_runtime_versions.py::test_python_versions 0.14s

SKIP test_bioconductor_mirror **Package Manager**

No Bioconductor repository configured in Package Manager

src/vip_tests/package_manager/test_repos.py::test_bioconductor_mirror 0.04s

SKIP test_opensvx_mirror **Package Manager**

No OpenVSX repository configured in Package Manager

src/vip_tests/package_manager/test_repos.py::test_opensvx_mirror 0.05s

Detailed Results

Connect

9 tests — 7 passed, 2 skipped

PASS test_connect_login_ui **Connect**
src/vip_tests/connect/test_auth.py::test_connect_login_ui 1.72s

PASS test_connect_login_api **Connect**
src/vip_tests/connect/test_auth.py::test_connect_login_api 0.28s

PASS test_admin_user **Connect**
src/vip_tests/connect/test_users.py::test_admin_user 0.28s

PASS test_list_users **Connect**
src/vip_tests/connect/test_users.py::test_list_users 0.28s

PASS test_list_groups **Connect**
src/vip_tests/connect/test_users.py::test_list_groups 0.28s

SKIP test_r_versions **Connect**
No expected R versions specified in vip.toml [runtimes]
src/vip_tests/connect/test_runtime_versions.py::test_r_versions 0.14s

SKIP test_python_versions **Connect**
No expected Python versions specified in vip.toml [runtimes]
src/vip_tests/connect/test_runtime_versions.py::test_python_versions 0.14s

PASS test_quarto_versions **Connect**
src/vip_tests/connect/test_runtime_versions.py::test_quarto_versions 0.28s

PASS test_connect_system_checks **Connect**
src/vip_tests/connect/test_system_checks.py::test_connect_system_checks 9.99s

Package Manager

5 tests — 3 passed, 2 skipped

PASS test_cran_mirror **Package Manager**
src/vip_tests/package_manager/test_repos.py::test_cran_mirror 0.16s

PASS test_pypi_mirror **Package Manager**
src/vip_tests/package_manager/test_repos.py::test_pypi_mirror 0.05s

SKIP test_bioconductor_mirror **Package Manager**
No Bioconductor repository configured in Package Manager
src/vip_tests/package_manager/test_repos.py::test_bioconductor_mirror 0.04s

SKIP test_opensvx_mirror **Package Manager**
No OpenVSX repository configured in Package Manager
src/vip_tests/package_manager/test_repos.py::test_opensvx_mirror 0.05s

PASS test_repo_exists Package Manager

src/vip_tests/package_manager/test_repos.py::test_repo_exists 0.05s

Prerequisites

6 tests — 5 passed, 1 failed

PASS test_product_server_is_reachable[Connect] Prerequisites

src/vip_tests/prerequisites/test_components.py::test_product_server_is_reachable[Connect] 0.01s

PASS test_product_server_is_reachable[Package Manager] Prerequisites

src/vip_tests/prerequisites/test_components.py::test_product_server_is_reachable[Package Manager] 0.05s

FAIL test_intentional_failure Prerequisites

src/vip_tests/prerequisites/test_expected_failure.py::test_intentional_failure 0.00s

test_intentional_failure: This failure is intentional: it exists only to show how a failed check renders in this example report. No product configuration will resolve it.

assert 'fail (by design)' == 'pass'

- pass

+ fail (by design)

```
fixturefunc = <function check_fails_by_design at 0x7ffa5ecfa4b0>
request = <FixtureRequest for <Function test_intentional_failure>>
kwargs = {'demo_outcome': {'expected': 'pass', 'actual': 'fail (by design)'}}

def call_fixture_func(
    fixturefunc: _FixtureFunc[FixtureValue], request: FixtureRequest, kwargs
) -> FixtureValue:
    if inspect.isgeneratorfunction(fixturefunc):
        fixturefunc = cast(Callable[..., Generator[FixtureValue]], fixturefunc)
        generator = fixturefunc(**kwargs)
        try:
            fixture_result = next(generator)
        except StopIteration:
            raise ValueError(f"{request.fixturename} did not yield a value") from None
        finalizer = functools.partial(_teardown_yield_fixture, fixturefunc, generator)
        request.addfinalizer(finalizer)
    else:
        fixturefunc = cast(Callable[..., FixtureValue], fixturefunc)
    > fixture_result = fixturefunc(**kwargs)
      ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^

.venv/lib/python3.14/site-packages/_pytest/fixtures.py:1005:

demo_outcome = {'expected': 'pass', 'actual': 'fail (by design)'}
```

```
@then("it fails by design, not because anything is actually broken")
def check_fails_by_design(demo_outcome):
>     assert demo_outcome["actual"] == demo_outcome["expected"], (
        "This failure is intentional: it exists only to show how a failed check "
        "renders in this example report. No product configuration will resolve it."
    )
E       AssertionError: This failure is intentional: it exists only to show how a failed check
renders in this example report. No product configuration will resolve it.
E       assert 'fail (by design)' == 'pass'
E
E       - pass
E       + fail (by design)
```

src/vip_tests/prerequisites/test_expected_failure.py:49: AssertionError

PASS test_connect_version Prerequisites

src/vip_tests/prerequisites/test_versions.py::test_connect_version 0.16s

PASS test_package_manager_version Prerequisites

src/vip_tests/prerequisites/test_versions.py::test_package_manager_version 0.03s

PASS test_product_server_is_reachable[Workbench] Prerequisites

src/vip_tests/prerequisites/test_components.py::test_product_server_is_reachable[Workbench]
0.11s

Security

3 tests — 3 passed

PASS test_unauthenticated_api_request_returns_401 Security

src/vip_tests/security/test_error_handling.py::test_unauthenticated_api_request_returns_401
0.01s

PASS test_invalid_api_key_returns_401 Security

src/vip_tests/security/test_error_handling.py::test_invalid_api_key_returns_401 3.36s

PASS test_nonexistent_endpoint_returns_404 Security

src/vip_tests/security/test_error_handling.py::test_nonexistent_endpoint_returns_404 0.01s

Workbench

2 tests — 2 passed

PASS test_workbench_signout[chromium] Workbench

src/vip_tests/workbench/test_auth.py::test_workbench_signout[chromium] 0.66s

PASS test_workbench_login[chromium] Workbench

src/vip_tests/workbench/test_auth.py::test_workbench_login[chromium] 5.34s