# Generating Low-Depth, High Fidelity Quantum Variational Circuits for the Hydroxyl Cation



Jason Han, Jason Ludmir, Hamza Shili, Tirthak Patel



## Introduction

#### Background


- Quantum simulations can dramatically accelerate drug discovery
- Simulations can be inaccurate due to noise

#### **Problem**

- Calculate the ground state energy of the hydroxyl cation (-OH)
  - Hydroxyl cation plays a significant role in physiological processes

#### **Our Solution**

• Generate low-depth, high-fidelity ansatz for ground state energy estimation




**Approach.** We take a three-step approach: (1) generate the ansatz using UCCSD, (2) train the ansatz using the VQE algorithm, and (3) minimize the depth of the ansatz using BQSKit approximation synthesis.

## Methods

### Why UCCSD?

- High accuracy ansatz, stemming from coupled-cluster theory
- However, UCCSD ansatz tends to be deep and scales unfavorably.


#### Leveraging Fine-Grained Approximation Synthesis



**Circuit Synthesis.** First, the deep circuit (U) is partitioned into manageable-sized circuits. Then, each partition is synthesized into shallow circuits using layer-by-layer construction until the distance between the original and the constructed partitions' unitaries becomes sufficiently small. Finally, the new shallow circuit (U') is constructed by combining the synthesized partitions.

# Results and Analysis

Our approach helps us achieve an average ground state energy estimation accuracy of 98.07%, reducing the circuit to a depth of 1 in the best case.



**Accuracy Plot.** We plot the ground state energy estimation accuracy results to demonstrate the trend across the three noise models: Cairo consistently produces the highest accuracies and Montreal produces the lowest accuracies, with Kolkata always falling in between. Note the y-axis starts at 90%.

Circuit	Seed	Noise	<b>Energy Estimation</b>	Circuit	Number of
ID		Model	Accuracy (%)	Duration (dt)	Shots (#)
1	20	Cairo	98.61	320	1,799,612
2	20	Kolkata	98.05		
3	20	Montreal	97.62		
4	21	Cairo	98.61	320	
5	21	Kolkata	98.05		
6	21	Montreal	97.62		
7	30	Cairo	98.61	320	
8	30	Kolkata	98.05		
9	30	Montreal	97.61		
10	33	Cairo	98.61	320	
11	33	Kolkata	98.05		
12	33	Montreal	97.61		
13	36	Cairo	95.34	67,776	
14	36	Kolkata	94.87		
15	36	Montreal	94.03		
16	42	Cairo	98.61	320	
17	42	Kolkata	98.04		
18	42	Montreal	97.63		
19	43	Cairo	98.61	320	
20	43	Kolkata	98.04		
21	43	Montreal	97.62		
22	55	Cairo	98.61	320	
23	55	Kolkata	98.02		
24	55	Montreal	97.61		
25	67	Cairo	98.62	320	
26	67	Kolkata	98.03		
27	67	Montreal	97.61		
28	170	Cairo	98.51	320	
29	170	Kolkata	97.87		
30	170	Montreal	97.35		
		Average	97.74	7,065.6	1,799,612

#### Key Results\*

- 1. Average energy estimation accuracy of 98.07%\*
- 2. Ranked **6th** for resource consumption, with average circuit duration of **7,066 dt**
- 3. Average number of 20 SX gates and 5 CX gates

## Discussion

1. BQSKit optimization level of 3 has high iterations for circuit parameters, so shallow depth circuits are found

<sup>\*</sup> These results were on the provided set of 10 seeds. The score of 98.07% is from the set of hidden seeds used for evaluation.