



Deep Reinforcement Learning

Alexander Amini

MIT Introduction to Deep Learning

January 7, 2026




MIT Introduction to Deep Learning

 introtodeeplearning.com  [@MITDeepLearning](https://twitter.com/MITDeepLearning)



Learning in Dynamic Environments



Reinforcement Learning: Robots, Games, the World

Robotics



Game Play & Strategy



Language Modeling



Classes of Learning Problems

Supervised Learning

Data: (x, y)

x is data, y is label

Goal: Learn function to map

$$x \rightarrow y$$

Apple example:



This thing is an apple.

Classes of Learning Problems

Supervised Learning

Data: (x, y)

x is data, y is label

Goal: Learn function to map
 $x \rightarrow y$

Apple example:



This thing is an apple.


Unsupervised Learning

Data: x

x is data, no labels!

Goal: Learn underlying
structure

Apple example:



This thing is like
the other thing.

Classes of Learning Problems

Supervised Learning

Data: (x, y)

x is data, y is label

Goal: Learn function to map
 $x \rightarrow y$

Apple example:



This thing is an apple.

Unsupervised Learning

Data: x

x is data, no labels!

Goal: Learn underlying
structure

Apple example:



This thing is like
the other thing.

Reinforcement Learning

Data: state-action pairs

Goal: Maximize future rewards
over many time steps

Apple example:



Eat this thing because it
will keep you alive.

Classes of Learning Problems

Supervised Learning

Data: (x, y)
 x is data, y is label

Goal: Learn a function f mapping $x \rightarrow y$

Apple example:

This is an apple.

Unsupervised Learning

Data: x
 x is data, no labels!

Goal: Learn a function f mapping $x \rightarrow y$ underlying structure

Apple example:



This thing is like
the other thing.

Reinforcement Learning

Data: state-action pairs

Goal: Maximize future rewards over many time steps

Apple example:



Eat this thing because it
will keep you alive.

Reinforcement Learning (RL): Key Concepts



AGENT

Agent: takes actions.

Reinforcement Learning (RL): Key Concepts




AGENT



ENVIRONMENT

Environment: the world in which the agent exists and operates.

Reinforcement Learning (RL): Key Concepts



Action: a move the agent can make in the environment.

Action space A : the set of possible actions an agent can make in the environment

Reinforcement Learning (RL): Key Concepts



Observations: of the environment after taking actions.

Reinforcement Learning (RL): Key Concepts




State: a situation which the agent perceives.

Reinforcement Learning (RL): Key Concepts




Reward: feedback that measures the success or failure of the agent's action.


Reinforcement Learning (RL): Key Concepts




Reinforcement Learning (RL): Key Concepts



Reinforcement Learning (RL): Key Concepts



Reinforcement Learning (RL): Key Concepts



Defining the Q-function

$$R_t = r_t + \gamma r_{t+1} + \gamma^2 r_{t+2} + \dots$$

Total reward, R_t , is the discounted sum of all rewards obtained from time t

$$Q(s_t, a_t) = \mathbb{E}[R_t | s_t, a_t]$$

The Q-function captures the **expected total future reward** an agent in **state, s** , can receive by executing a certain **action, a**

How to take actions given a Q-function?

$$Q(\boxed{s_t}, \boxed{a_t}) = \mathbb{E}[R_t | s_t, a_t]$$

(state, action)

Ultimately, the agent needs a **policy** $\pi(s)$, to infer the **best action to take** at its state, s

Strategy: the policy should choose an action that maximizes future reward

$$\pi^*(\boxed{s}) = \operatorname{argmax}_{\boxed{a}} Q(\boxed{s}, \boxed{a})$$

Deep Reinforcement Learning Algorithms

Value Learning

Find $Q(s, a)$

$$a = \underset{a}{\operatorname{argmax}} Q(s, a)$$

Policy Learning

Find $\pi(s)$

Sample $a \sim \pi(s)$

Deep Reinforcement Learning Algorithms

Value Learning

Find $Q(s, a)$

$$a = \underset{a}{\operatorname{argmax}} Q(s, a)$$


Policy Learning

Find $\pi(s)$



Sample $a \sim \pi(s)$

Digging deeper into the Q-function

Example: Atari Breakout



It can be very difficult for humans to accurately estimate Q-values



Which (s, a) pair has a higher Q-value?





Digging deeper into the Q-function

Example: Atari Breakout - Middle



It can be very difficult for humans to accurately estimate Q-values



Which (s, a) pair has a higher Q-value?





Digging deeper into the Q-function

Example: Atari Breakout - Side



It can be very difficult for humans to accurately estimate Q-values




Which (s, a) pair has a higher Q-value?





Deep Q Networks (DQN)

How can we use deep neural networks to model Q-functions?





Deep Q Networks (DQN)

How can we use deep neural networks to model Q-functions?



Deep Q Networks (DQN): Training


How can we use deep neural networks to model Q-functions?



What happens if we take all the best actions?
Maximize target return \rightarrow train the agent

Deep Q Networks (DQN): Training

How can we use deep neural networks to model Q-functions?




$$\overbrace{\left(r + \gamma \max_{a'} Q(s', a') \right)}^{\text{target}}$$



Take all the best actions →
target return


Deep Q Networks (DQN): Training

How can we use deep neural networks to model Q-functions?



Deep Q Networks (DQN): Training


How can we use deep neural networks to model Q-functions?




$$\mathcal{L} = \mathbb{E} \left[\left\| \overbrace{\left(r + \gamma \max_{a'} Q(s', a') \right)}^{\text{target}} - \overbrace{Q(s, a)}^{\text{predicted}} \right\|^2 \right] \quad \text{Q-Loss}$$

Deep Q Network Summary


Use NN to learn Q-function and then use to infer the optimal policy, $\pi(s)$



DQN Atari Results



DQN Atari Results



Downsides of Q-learning

Complexity:

- Can model scenarios where the action space is discrete and small
- Cannot handle continuous action spaces

Flexibility:

- Policy is deterministically computed from the Q function by maximizing the reward → cannot learn stochastic policies

To address these, consider a new class of RL training algorithms:
Policy gradient methods

Deep Reinforcement Learning Algorithms

Value Learning

Find $Q(s, a)$

$$a = \underset{a}{\operatorname{argmax}} Q(s, a)$$


Policy Learning

Find $\pi(s)$

Sample $a \sim \pi(s)$

Deep Q Networks (DQN)


DQN: Approximate Q-function and use to infer the optimal policy, $\pi(s)$



Policy Gradient (PG): Key Idea

DQN: Approximate Q-function and use to infer the optimal policy, $\pi(s)$


Policy Gradient: Directly optimize the policy $\pi(s)$




What are some advantages of this formulation?

Discrete vs Continuous Action Spaces

Discrete action space: which direction should I move?



state, s




Discrete vs Continuous Action Spaces


Discrete action space: which direction should I move?



Continuous action space: how fast should I move?




state, s



Policy Gradient (PG): Key Idea

Policy Gradient: Enables modeling of continuous action space



Training Policy Gradients: Case Study

Reinforcement Learning Loop:



Case Study – Self-Driving Cars

Agent: vehicle

State: camera, lidar, etc


Action: steering wheel angle

Reward: distance traveled

Training Policy Gradients

Training Algorithm


1. Initialize the agent
2. Run a policy until termination
3. Record all states, actions, rewards
4. Decrease probability of actions that resulted in low reward
5. Increase probability of actions that resulted in high reward



Training Policy Gradients

Training Algorithm


1. Initialize the agent
2. Run a policy until termination
3. Record all states, actions, rewards
4. Decrease probability of actions that resulted in low reward
5. Increase probability of actions that resulted in high reward



Training Policy Gradients

Training Algorithm


1. Initialize the agent
2. Run a policy until termination
3. Record all states, actions, rewards
4. Decrease probability of actions that resulted in low reward
5. Increase probability of actions that resulted in high reward



Training Policy Gradients

Training Algorithm

1. Initialize the agent
2. Run a policy until termination
3. Record all states, actions, rewards
4. Decrease probability of actions that resulted in low reward
5. Increase probability of actions that resulted in high reward



Training Policy Gradients

Training Algorithm

1. Initialize the agent
2. Run a policy until termination
3. Record all states, actions, rewards
4. Decrease probability of actions that resulted in low reward
5. Increase probability of actions that resulted in high reward

log-likelihood of action

$$\text{loss} = -\log P(a_t | s_t) R_t$$

reward

Gradient descent update:

$$w' = w - \nabla \text{loss}$$

$$w' = w + \nabla \log P(a_t | s_t) R_t$$

Policy gradient!

Reinforcement Learning in Real Life

Training Algorithm

1. Initialize the agent
2. Run a policy until termination
3. Record all states, actions, rewards
4. Decrease probability of actions that resulted in low reward
5. Increase probability of actions that resulted in high reward




Data-driven Simulation for Autonomous Vehicles

VISTA: Photorealistic and high-fidelity simulator for training and testing self-driving cars



Deploying End-to-End RL for Autonomous Vehicles



Policy Gradient RL agent trained entirely within VISTA simulator




End-to-end agent directly deployed into the real-world



First full-scale autonomous vehicle trained using RL entirely in simulation and deployed in real life!


Deep Reinforcement Learning Applications

Reinforcement Learning and the Game of Go



The Game of Go


Aim: Get more board territory than your opponent.




Board Size $n \times n$	Positions 3^{n^2}	% Legal	Legal Positions
1×1	3	33.33%	1
2×2	81	70.37%	57
3×3	19,683	64.40%	12,675
4×4	43,046,721	56.49%	24,318,165
5×5	847,288,609,443	48.90%	414,295,148,741
9×9	$4.434264882 \times 10^{38}$	23.44%	$1.03919148791 \times 10^{38}$
13×13	$4.300233593 \times 10^{80}$	8.66%	$3.72497923077 \times 10^{79}$
19×19	$1.740896506 \times 10^{172}$	1.20%	$2.08168199382 \times 10^{170}$

Greater number of legal board positions than atoms in the universe.


AlphaGo Beats Top Human Player at Go




AlphaGo Beats Top Human Player at Go



AlphaGo Beats Top Human Player at Go



AlphaGo Beats Top Human Player at Go



Deep Reinforcement Learning: Summary

Foundations

- Agents acting in environment
- State-action pairs \rightarrow maximize future rewards
- Discounting



Q-Learning

- Q function: expected total reward given s, a
- Policy determined by selecting action that maximizes Q function



Policy Gradients

- Learn and optimize the policy directly
- Applicable to continuous action spaces



T-Shirts Coming Tomorrow!

SYLLABUS: bit.ly/6s191-syllabus



1. Project sign-ups due **TMRW 1/8 11:59pm ET**

2. Lab competitions and prizes!

EXTENDED DEADLINE: Friday 1/9 11:00am ET

3. **Project and lab submission links on syllabus!**

4. **RESUME DROP** to sponsoring companies!

introtodeeplearning.com/jobs.html