

# Package ‘substackR’

June 7, 2025

**Type** Package

**Title** Access Substack Data via API

**Version** 0.0.9

**Maintainer** Jason R. <info@posocap.com>

**Description** Fetch latest, top, search or single posts from a Substack publication.

**License** MIT + file LICENSE

**URL** <https://github.com/posocap/substackR>

**BugReports** <https://github.com/posocap/substackR/issues>

**Encoding** UTF-8

**Roxygen** list(markdown = TRUE)

**RoxygenNote** 7.3.2

**Config/testthat/edition** 3

**VignetteBuilder** knitr

**Imports** cli, http2, rlang

**Suggests** knitr, rmarkdown, testthat (>= 3.0.0)

**NeedsCompilation** no

**Author** Jason R. [aut, cre]

## Contents

get_substack_latest . . . . .	2
get_substack_post . . . . .	2
get_substack_search . . . . .	3
get_substack_top . . . . .	3
set_substack_key . . . . .	4
<b>Index</b>	<b>5</b>

---

get_substack_latest	<i>Latest Posts</i>
---------------------	---------------------

---

**Description**

Fetch the latest posts from a Substack publication.

**Usage**

```
get_substack_latest(publication_url, limit = 10L, offset = 0L)
```

**Arguments**

publication_url	Character, e.g. "example.substack.com".
limit	Integer [1–50], default 10.
offset	Integer >= 0, default 0.

**Value**

A `data.frame` (possibly zero-row) of post records.

---

get_substack_post	<i>Get Single Post</i>
-------------------	------------------------

---

**Description**

Fetch a single post by its slug. Returns a one-row `data.frame`, or zero-row if not found.

**Usage**

```
get_substack_post(publication_url, slug)
```

**Arguments**

publication_url	Character.
slug	Character. Post slug.

**Value**

A `data.frame` with one row (or zero rows if missing).

---

get_substack_search	<i>Search Posts</i>
---------------------	---------------------

---

**Description**

Search posts in a Substack publication. If zero results, returns an empty data.frame.

**Usage**

```
get_substack_search(publication_url, query, limit = 10L, offset = 0L)
```

**Arguments**

publication_url	Character, e.g. "example.substack.com".
query	Character. Search term.
limit	Integer [1-50], default 10.
offset	Integer >= 0, default 0.

**Value**

A data.frame (possibly zero-row).

---

get_substack_top	<i>Top Posts</i>
------------------	------------------

---

**Description**

Fetch the most popular posts from a Substack publication.

**Usage**

```
get_substack_top(publication_url, limit = 10L, offset = 0L)
```

**Arguments**

publication_url	Character, e.g. "example.substack.com".
limit	Integer [1-50], default 10.
offset	Integer >= 0, default 0.

**Value**

A data.frame (possibly zero-row) of post records.

---

set_substack_key	<i>Set your Substack API Key</i>
------------------	----------------------------------

---

**Description**

Store your key once per session. Subsequent calls to other functions will use this key automatically.

**Usage**

```
set_substack_key(key)
```

**Arguments**

key	A single string: your Substack API key.
-----	---

**Value**

Invisibly TRUE if successful.

# Index

`get_substack_latest`, [2](#)  
`get_substack_post`, [2](#)  
`get_substack_search`, [3](#)  
`get_substack_top`, [3](#)  
`set_substack_key`, [4](#)