НАЦІОНАЛЬНИЙ ТЕХНІЧНИЙ УНІВЕРСИТЕТ УКРАЇНИ «КИЇВСЬКИЙ ПОЛІТЕХНІЧНИЙ ІНСТИТУТ імені Ігоря Сікорського» ФАКУЛЬТЕТ ПРИКЛАДНОЇ МАТЕМАТИКИ

Кафедра системного програмування та спеціалізованих комп'ютерних систем

Лабораторна робота №1

з дисципліни

«Web-дизайн»

Тема: «Розробка статичного інтерфейсу Web-додатка»

Виконав: студент III курсу

ФПМ групи КВ-94

Гераймович Д. Ю.

Перевірив: доц. Петрашенко А. В.

Мета: ознайомитись із засобами мов HTML5 та CSS3 та навчитись застосовувати бібліотеки Twitter Bootstrap/Material UI щодо швидкої побудови Web-інтерфейсу користувача.

Загальне завдання: розробити статичні Web-сторінки додатку та перевірити коректне їх відображення на екранах різного розміру.

Інструменти розробки: мови HTML5, CSS3, фреймворки Twitter Bootstrap або Material UI

Деталізоване завдання: Запропонувати тематику Web-додатку (див. рекомендований список).

- 1. Ознайомившись з переліком обов'язкових сторінок, виконати їх кодування у вигляді HTML-сторінок:
 - а. Встановити середовище розробки (рекомендовано VS Code)
 - b. Підключити на вибір фреймворк Twitter Bootstrap або Material UI
 - с. Розробити та відлагодити файли HTML та CSS (за необхідності)
- 2. За бажанням студента доповнити сайт іншими сторінками.
- 3. Створити репозиторій та завантажити усі файли на github.com.
- 4. Перевірити сторінки сайту на адаптивність до відображення на різних розмірах екрану (скористатись панеллю відлагодження Google Chrome aбо Mozilla Firefox).

Перелік обов'язкових сторінок Web-додатку:

Статичний Web-сайт має містити наступні сторінки:

- реєстрація користувача (поля: ім'я, email, стать, дата народження)
- вхід до сайту (поля: email, пароль)
- профіль користувача (поля у табличному вигляді)
- про додаток (емблема додатку, короткий опис додатка)
- робоча сторінка додатка (розробляється самостійно студентом


відповідно до обраної тематики)

Контакт у телеграмі: @cyanide_and_4appiness


Обрана тематика додатка – музичний плеєр

Функціонал – додавання/видалення музичних треків, реєстрація, вхід у власний профіль, огляд профілю.


Схема переходів між сторінками




Копії екрана (screenshot) усіх сторінок статичного версії Webсайту для ПК










Копії екрана (screenshot) усіх сторінок статичного версії Webсайту для планшета













Koniï екрана (screenshot) усіх сторінок статичного версії Webсайту для смартфона









Вміст НТМІ-файлу робочих сторінок

index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="UTF-8">
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
 <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min
.js"
 integrity="sha384-
MrcW6ZMFYlzcLA8N1+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
  crossorigin="anonymous"></script>
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet"
 integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous">
 <title>Player</title>
 <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/5.13.0/css/all.min.css">
  <nav class="navbar navbar-expand-lg navbar-light" style=" background-</pre>
color:yellow;">
   <div class="container-fluid">
     <a class="navbar-brand" href="./index.html">Player</a>
      <button class="navbar-toggler" type="button" data-bs-toggle="collapse"</pre>
data-bs-target="#navbarSupportedContent" aria-
controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle
navigation">
       <span class="navbar-toggler-icon"></span>
     </button>
     <div class="collapse navbar-collapse" id="navbarSupportedContent">
       <a class="nav-link active" aria-current="page"</pre>
href="./index.html">Player</a>
         <a class="nav-link" href="./register.html">Register</a>
         <a class="nav-link" href="./login.html">Signin</a>
         class="nav-item">
           <a class="nav-link" href="./personal_page.html">Personal Page</a>
```

```
<button class="btn btn-info" onclick="AddTrack()"</pre>
type="submit">Add </button>
         </div>
   </div>
   </div>
  </nav>
  <style>
   body {
     background-color: lightgreen;
     /* Smoothly transition the background color */
     transition: background-color .5s;
    .player {
     height: 95vh;
     display: flex;
     align-items: center;
     flex-direction: column;
     justify-content: center;
    .details {
     display: flex;
     align-items: center;
     flex-direction: column;
     justify-content: center;
     margin-top: 25px;
    .track-art {
     margin: 25px;
     height: 250px;
     width: 250px;
     background-size: cover;
     border-radius: 15%;
    .now-playing {
     font-size: 1rem;
```

```
.track-name {
 font-size: 3rem;
.track-artist {
 font-size: 1.5rem;
.buttons {
 display: flex;
 flex-direction: row;
 align-items: center;
.playpause-track,
.prev-track,
.next-track {
 padding: 25px;
 opacity: 0.8;
 /* Smoothly transition the opacity */
 transition: opacity .2s;
.playpause-track:hover,
.prev-track:hover,
.next-track:hover {
 opacity: 1.0;
.slider_container {
 width: 75%;
 max-width: 400px;
 display: flex;
 justify-content: center;
 align-items: center;
/* Modify the appearance of the slider */
.seek slider,
.volume_slider {
 -webkit-appearance: none;
 -moz-appearance: none;
 appearance: none;
 height: 5px;
 background: black;
```

```
opacity: 0.7;
    -webkit-transition: .2s;
    transition: opacity .2s;
  /* Modify the appearance of the slider thumb */
  .seek_slider::-webkit-slider-thumb,
  .volume_slider::-webkit-slider-thumb {
    -webkit-appearance: none;
    -moz-appearance: none;
    appearance: none;
    width: 15px;
    height: 15px;
   background: white;
    cursor: pointer;
    border-radius: 50%;
  .seek_slider:hover,
  .volume_slider:hover {
    opacity: 1.0;
  .seek_slider {
   width: 60%;
  .volume_slider {
   width: 30%;
  .current-time,
  .total-duration {
    padding: 10px;
  i.fa-volume-down,
  i.fa-volume-up {
    padding: 10px;
  i.fa-play-circle,
  i.fa-pause-circle,
  i.fa-step-forward,
  i.fa-step-backward {
    cursor: pointer;
</style>
```

```
</head>
<body>
  <div class="player">
    <div class="details">
      <div class="now-playing">PLAYING x OF y</div>
      <div class="track-art"></div>
      <div class="track-name">Track Name</div>
      <div class="track-artist">Track Artist</div>
    </div>
    <div class="buttons">
      <div class="prev-track" onclick="prevTrack()"><i class="fa fa-step-</pre>
backward fa-2x"></i></div>
      <div class="playpause-track" onclick="playpauseTrack()"><i class="fa fa-</pre>
play-circle fa-5x"></i></div>
      <div class="next-track" onclick="nextTrack()"><i class="fa fa-step-</pre>
forward fa-2x"></i></div>
    </div>
    <div class="slider container">
      <div class="current-time">00:00</div>
      <input type="range" min="1" max="100" value="0" class="seek_slider"</pre>
onchange="seekTo()">
      <div class="total-duration">00:00</div>
    </div>
    <div class="slider container">
      <i class="fa fa-volume-down"></i></i>
      <input type="range" min="1" max="100" value="99" class="volume_slider"</pre>
onchange="setVolume()">
      <i class="fa fa-volume-up"></i></i>
    </div>
  </div>
  <!-- Main script for the player -->
  <script>
    let now playing = document.querySelector(".now-playing");
    let track_art = document.querySelector(".track-art");
    let track_name = document.querySelector(".track-name");
    let track_artist = document.querySelector(".track-artist");
    let playpause_btn = document.querySelector(".playpause-track");
    let next_btn = document.querySelector(".next-track");
    let prev btn = document.querySelector(".prev-track");
    let seek_slider = document.querySelector(".seek_slider");
    let volume slider = document.querySelector(".volume slider");
    let curr time = document.querySelector(".current-time");
    let total_duration = document.querySelector(".total-duration");
```

```
let track_index = 0;
    let isPlaying = false;
    let updateTimer;
    // Create new audio element
    let curr track = document.createElement('audio');
    // Define the tracks that have to be played
    let track_list = [
        name: "Spieluhr",
        artist: "Rammstein",
        image: "./img/spieluhr.png",
        path: "./music/spieluhr.mp3"
     },
    1;
    function AddTrack()
        let queue = [ {
        пате: "Зов Грибов",
        artist: "Закрите Суспільство",
        image: "./img/mushrooms_call.jpg",
        path: "./music/mushrooms_call.mp3"
        },
      track_list.push(queue.shift());
    function loadTrack(track_index) {
      clearInterval(updateTimer);
      resetValues();
      // Load a new track
      curr_track.src = track_list[track_index].path;
      curr_track.load();
      // Update details of the track
      track_art.style.backgroundImage = "url(" + track_list[track_index].image
+ ")";
      track_name.textContent = track_list[track_index].name;
      track_artist.textContent = track_list[track_index].artist;
      now_playing.textContent = "PLAYING " + (track_index + 1) + " OF " +
track_list.length;
      // Set an interval of 1000 milliseconds for updating the seek slider
      updateTimer = setInterval(seekUpdate, 1000);
```

```
// Move to the next track if the current one finishes playing
 curr_track.addEventListener("ended", nextTrack);
 // Apply a random background color
 random bg color();
function random_bg_color() {
 // Get a random number between 64 to 256 (for getting lighter colors)
 let red = Math.floor(Math.random() * 256) + 64;
 let green = Math.floor(Math.random() * 256) + 64;
 let blue = Math.floor(Math.random() * 256) + 64;
 // Construct a color withe the given values
 let bgColor = "rgb(" + red + "," + green + "," + blue + ")";
 // Set the background to that color
 document.body.style.background = bgColor;
function resetValues() {
 curr_time.textContent = "00:00";
 total duration.textContent = "00:00";
 seek_slider.value = 0;
function playpauseTrack() {
 if (!isPlaying) playTrack();
 else pauseTrack();
function playTrack() {
 curr_track.play();
 isPlaying = true;
 // Replace icon with the pause icon
 playpause_btn.innerHTML = '<i class="fa fa-pause-circle fa-5x"></i>';
function pauseTrack() {
 curr_track.pause();
 isPlaying = false;
 // Replace icon with the play icon
 playpause_btn.innerHTML = '<i class="fa fa-play-circle fa-5x"></i>';;
```

```
function nextTrack() {
      if (track index < track list.length - 1)</pre>
        track_index += 1;
      else track index = 0;
      loadTrack(track index);
      playTrack();
    function prevTrack() {
      if (track_index > 0)
        track index -= 1;
      else track_index = track_list.length;
      loadTrack(track_index);
      playTrack();
    function seekTo() {
      seekto = curr_track.duration * (seek_slider.value / 100);
      curr_track.currentTime = seekto;
    function setVolume() {
      curr_track.volume = volume_slider.value / 100;
    function seekUpdate() {
      let seekPosition = 0;
      // Check if the current track duration is a legible number
      if (!isNaN(curr_track.duration)) {
        seekPosition = curr_track.currentTime * (100 / curr_track.duration);
        seek_slider.value = seekPosition;
        // Calculate the time left and the total duration
        let currentMinutes = Math.floor(curr_track.currentTime / 60);
        let currentSeconds = Math.floor(curr_track.currentTime -
currentMinutes * 60);
        let durationMinutes = Math.floor(curr_track.duration / 60);
        let durationSeconds = Math.floor(curr_track.duration - durationMinutes
* 60);
        // Adding a zero to the single digit time values
        if (currentSeconds < 10) { currentSeconds = "0" + currentSeconds; }</pre>
        if (durationSeconds < 10) { durationSeconds = "0" + durationSeconds; }</pre>
        if (currentMinutes < 10) { currentMinutes = "0" + currentMinutes; }</pre>
        if (durationMinutes < 10) { durationMinutes = "0" + durationMinutes; }</pre>
```

```
curr_time.textContent = currentMinutes + ":" + currentSeconds;
    total_duration.textContent = durationMinutes + ":" + durationSeconds;
}

// Load the first track in the tracklist
  loadTrack(track_index);
  </script>
  </body>
</html>
```

register.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min
.is"
    integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
    crossorigin="anonymous"></script>
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet"
    integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous">
    <title>Register</title>
</head>
<body>
  <nav class="navbar navbar-expand-lg navbar-light" style=" background-</pre>
color:vellow;">
    <div class="container-fluid">
      <a class="navbar-brand" href="./index.html">Player</a>
      <button class="navbar-toggler" type="button" data-bs-toggle="collapse"</pre>
data-bs-target="#navbarSupportedContent" aria-
controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle
navigation">
        <span class="navbar-toggler-icon"></span>
      </button>
      <div class="collapse navbar-collapse" id="navbarSupportedContent">
```

```
<a class="nav-link active" aria-current="page"
href="./index.html">Player</a>
         <a class="nav-link" href="./register.html">Register</a>
         <a class="nav-link" href="./login.html">Signin</a>
         <a class="nav-link" href="./personal_page.html">Personal Page</a>
         </div>
   </div>
   </div>
  </nav>
   <div class="container">
     <div class="form-body">
       <div class="row">
           <div class="form-holder">
              <div class="form-content">
                  <div class="form-items">
                      <h3>Register Today</h3>
                      Fill in the data below.
                      <form class="requires-validation" novalidate>
                          <div class="col-md-12">
                            <input class="form-control" type="text"</pre>
name="name" placeholder="Full Name" required>
                            <div class="valid-feedback">Username field is
valid!</div>
                            <div class="invalid-feedback">Username field
cannot be blank!</div>
                         </div>
                         <div class="col-md-12">
                             <input class="form-control" type="email"</pre>
name="email" placeholder="E-mail Address" required>
                              <div class="valid-feedback">Email field is
valid!</div>
                              <div class="invalid-feedback">Email field
cannot be blank!</div>
                         </div>
                          <div class="col-md-12" style="padding: 10px ;">
                         </div>
```

```
<div class="col-md-12">
                             <label for="start">Date of birth:</label>
                            <input type="date" id="start" >
                            </div>
                            <div class="col-md-12">
                               <input class="form-control" type="password"</pre>
name="password" placeholder="Password" required>
                                <div class="valid-feedback">Password field is
valid!</div>
                                <div class="invalid-feedback">Password field
cannot be blank!</div>
                           </div>
                            <div class="col-md-12 mt-3">
                            <label class="mb-3 mr-1" for="sex">Sex: </label>
                             <input type="radio" class="btn-check" name="sex"</pre>
id="male" autocomplete="off" required>
                            <label class="btn btn-sm btn-outline-secondary"</pre>
for="male">Male</label>
                            <input type="radio" class="btn-check" name="sex"</pre>
id="female" autocomplete="off" required>
                            <label class="btn btn-sm btn-outline-secondary"</pre>
for="female">Female</label>
                              <div class="valid-feedback mv-up">You selected
a sex!</div>
                                <div class="invalid-feedback mv-up">Please
select a sex!</div>
                            </div>
                         <div class="form-check">
                           <input class="form-check-input" type="checkbox"</pre>
value="" id="invalidCheck" required>
                           <label class="form-check-label">I confirm that all
data are correct</label>
                         <div class="invalid-feedback">Please confirm that the
entered data are all correct!</div>
                        </div>
                            <div class="form-button mt-3">
```

```
<button id="submit" type="submit" class="btn</pre>
btn-primary">Register</button>
                             </div>
                        </form>
                    </div>
                </div>
            </div>
        </div>
    </div>
    </div>
   <style>
    @import
url('https://fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;700;900
&display=swap');
*, body {
    font-family: 'Poppins', sans-serif;
    font-weight: 400;
    -webkit-font-smoothing: antialiased;
    text-rendering: optimizeLegibility;
    -moz-osx-font-smoothing: grayscale;
html, body {
    height: 100%;
    background-color: #152733;
    overflow: hidden;
.form-holder {
      display: flex;
      flex-direction: column;
      justify-content: center;
      align-items: center;
      text-align: center;
      min-height: 100vh;
.form-holder .form-content {
    position: relative;
    text-align: center;
    display: -webkit-box;
    display: -moz-box;
    display: -ms-flexbox;
    display: -webkit-flex;
    display: flex;
    -webkit-justify-content: center;
```

```
justify-content: center;
    -webkit-align-items: center;
    align-items: center;
    padding: 60px;
.form-content .form-items {
   border: 3px solid #fff;
   padding: 40px;
   display: inline-block;
   width: 100%;
   min-width: 540px;
    -webkit-border-radius: 10px;
    -moz-border-radius: 10px;
   border-radius: 10px;
   text-align: left;
    -webkit-transition: all 0.4s ease;
   transition: all 0.4s ease;
.form-content h3 {
   color: #fff;
   text-align: left;
   font-size: 28px;
   font-weight: 600;
   margin-bottom: 5px;
.form-content h3.form-title {
   margin-bottom: 30px;
.form-content p {
   color: #fff;
   text-align: left;
   font-size: 17px;
   font-weight: 300;
   line-height: 20px;
   margin-bottom: 30px;
.form-content label, .was-validated .form-check-input:invalid~.form-check-
label, .was-validated .form-check-input:valid~.form-check-label{
   color: #fff;
.form-content input[type=text], .form-content input[type=password], .form-
content input[type=email], .form-content select {
```

```
width: 100%;
   padding: 9px 20px;
   text-align: left;
   border: 0;
   outline: 0;
   border-radius: 6px;
   background-color: #fff;
   font-size: 15px;
   font-weight: 300;
   color: #8D8D8D;
   -webkit-transition: all 0.3s ease;
   transition: all 0.3s ease;
   margin-top: 16px;
.btn-primary{
   background-color: #6C757D;
   outline: none;
   border: 0px;
    box-shadow: none;
.btn-primary:hover, .btn-primary:focus, .btn-primary:active{
   background-color: #495056;
   outline: none !important;
   border: none !important;
    box-shadow: none;
.form-content textarea {
   position: static !important;
   width: 100%;
   padding: 8px 20px;
   border-radius: 6px;
   text-align: left;
   background-color: #fff;
   border: 0;
   font-size: 15px;
   font-weight: 300;
   color: #8D8D8D;
   outline: none;
   resize: none;
   height: 120px;
   -webkit-transition: none;
   transition: none;
   margin-bottom: 14px;
```

```
.form-content textarea:hover, .form-content textarea:focus {
    border: 0;
    background-color: #ebeff8;
    color: #8D8D8D;
.mv-up{
    margin-top: -9px !important;
    margin-bottom: 8px !important;
.invalid-feedback{
    color: #ff606e;
.valid-feedback{
   color: #2acc80;
   </style>
   <script>
    (function () {
'use strict'
const forms = document.querySelectorAll('.requires-validation')
Array.from(forms)
  .forEach(function (form) {
    form.addEventListener('submit', function (event) {
      if (!form.checkValidity()) {
        event.preventDefault()
        event.stopPropagation()
      form.classList.add('was-validated')
    }, false)
 })
})()
   </script>
</body>
</html>
```

login.html

```
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min
       integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
       crossorigin="anonymous"></script>
   link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet"
       integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous">
   <title>Login</title>
</head>
<body>
  <nav class="navbar navbar-expand-lg navbar-light" style=" background-</pre>
color:yellow;">
   <div class="container-fluid">
     <a class="navbar-brand" href="./index.html">Player</a>
     <button class="navbar-toggler" type="button" data-bs-toggle="collapse"</pre>
data-bs-target="#navbarSupportedContent" aria-
controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle
navigation">
       <span class="navbar-toggler-icon"></span>
     </button>
     <div class="collapse navbar-collapse" id="navbarSupportedContent">
       <a class="nav-link active" aria-current="page"</pre>
href="./index.html">Player</a>
         <a class="nav-link" href="./register.html">Register</a>
         <a class="nav-link" href="./login.html">Signin</a>
         <a class="nav-link" href="./personal_page.html">Personal Page</a>
         </div>
   </div>
   </div>
  </nav>
  <div class="container">
   <div class="form-body">
```

```
<div class="row">
          <div class="form-holder">
              <div class="form-content">
                  <div class="form-items">
                      <h3>Sign In</h3>
                      Fill in the data below.
                      <form class="requires-validation" novalidate>
                          <div class="col-md-12">
                             <input class="form-control" type="text"</pre>
name="name" placeholder="Full Name" required>
                             <div class="valid-feedback">Username field is
valid!</div>
                             <div class="invalid-feedback">Username field
cannot be blank!</div>
                          </div>
                          <div class="col-md-12">
                               <input class="form-control" type="email"</pre>
name="email" placeholder="E-mail Address" required>
                               <div class="valid-feedback">Email field is
valid!</div>
                               <div class="invalid-feedback">Email field
cannot be blank!</div>
                          </div>
                          <div class="form-button mt-3">
                              <button id="submit" type="submit" class="btn</pre>
btn-primary">Sign in</button>
                          </div>
                      </form>
                  </div>
              </div>
          </div>
      </div>
  </div>
  <style>
   @import
url('https://fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;700;900
&display=swap');
*, body {
   font-family: 'Poppins', sans-serif;
    font-weight: 400;
    -webkit-font-smoothing: antialiased;
   text-rendering: optimizeLegibility;
```

```
-moz-osx-font-smoothing: grayscale;
html, body {
   height: 100%;
   background-color: #152733;
   overflow: hidden;
.form-holder {
     display: flex;
      flex-direction: column;
      justify-content: center;
     align-items: center;
      text-align: center;
      min-height: 100vh;
.form-holder .form-content {
   position: relative;
    text-align: center;
    display: -webkit-box;
    display: -moz-box;
    display: -ms-flexbox;
    display: -webkit-flex;
    display: flex;
    -webkit-justify-content: center;
    justify-content: center;
    -webkit-align-items: center;
    align-items: center;
    padding: 60px;
.form-content .form-items {
   border: 3px solid #fff;
    padding: 40px;
    display: inline-block;
   width: 100%;
   min-width: 540px;
    -webkit-border-radius: 10px;
    -moz-border-radius: 10px;
    border-radius: 10px;
    text-align: left;
    -webkit-transition: all 0.4s ease;
    transition: all 0.4s ease;
 form-content h3 {
```

```
color: #fff;
    text-align: left;
    font-size: 28px;
    font-weight: 600;
   margin-bottom: 5px;
.form-content h3.form-title {
   margin-bottom: 30px;
.form-content p {
   color: #fff;
    text-align: left;
    font-size: 17px;
    font-weight: 300;
    line-height: 20px;
   margin-bottom: 30px;
.form-content label, .was-validated .form-check-input:invalid~.form-check-
label, .was-validated .form-check-input:valid~.form-check-label{
    color: #fff;
.form-content input[type=text], .form-content input[type=password], .form-
content input[type=email], .form-content select {
   width: 100%;
    padding: 9px 20px;
    text-align: left;
    border: 0;
    outline: 0;
    border-radius: 6px;
    background-color: #fff;
    font-size: 15px;
    font-weight: 300;
    color: #8D8D8D;
    -webkit-transition: all 0.3s ease;
    transition: all 0.3s ease;
   margin-top: 16px;
.btn-primary{
    background-color: #6C757D;
    outline: none;
    border: 0px;
    box-shadow: none;
```

```
.btn-primary:hover, .btn-primary:focus, .btn-primary:active{
    background-color: #495056;
    outline: none !important;
    border: none !important;
    box-shadow: none;
.form-content textarea {
   position: static !important;
   width: 100%;
    padding: 8px 20px;
   border-radius: 6px;
    text-align: left;
   background-color: #fff;
   border: 0;
    font-size: 15px;
    font-weight: 300;
    color: #8D8D8D;
   outline: none;
   resize: none;
   height: 120px;
    -webkit-transition: none;
   transition: none;
   margin-bottom: 14px;
.form-content textarea:hover, .form-content textarea:focus {
    border: 0;
   background-color: #ebeff8;
   color: #8D8D8D;
.mv-up{
   margin-top: -9px !important;
   margin-bottom: 8px !important;
.invalid-feedback{
    color: #ff606e;
.valid-feedback{
  color: #2acc80;
  </style>
</body>
```

personal_page.html

```
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="UTF-8">
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min
.is"
   integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
   crossorigin="anonymous"></script>
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet"
   integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous">
   <link href="style.css" rel="stylesheet">
 <title>Main page</title>
 </head>
 <body>
   <nav class="navbar navbar-expand-lg navbar-light" style=" background-</pre>
color:yellow;">
     <div class="container-fluid">
       <a class="navbar-brand" href="./index.html">Player</a>
       <button class="navbar-toggler" type="button" data-bs-toggle="collapse"</pre>
data-bs-target="#navbarSupportedContent" aria-
controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle
navigation">
         <span class="navbar-toggler-icon"></span>
       </button>
       <div class="collapse navbar-collapse" id="navbarSupportedContent">
         <a class="nav-link active" aria-current="page"</pre>
href="./index.html">Player</a>
           <a class="nav-link" href="./register.html">Register</a>
```

```
<a class="nav-link" href="./login.html">Signin</a>
     <a class="nav-link" href="./personal_page.html">Personal
Page</a>
     </div>
  </div>
  </div>
 </nav>
 <body class="container-fluid fill-space">
    <span class="text-left h4">
     User Info
    </span>
    <thead>
      №
       ID
       Data
      </thead>
     1
      Username
      null
     2
      Birthdate
      null
     3
      Sex
      null
     4
      Email
      null
```

```
</div>
</main>
</body>
</body>
</body>
</body>
```

style.css

```
body {
   margin-bottom: 60px;
    font-family: "Helvetica Neue", Helvetica, Arial, sans-serif, Yu Gothic;
    color:#CAC3C3;
    background-color: #444141;
.post {
   word-wrap: break-word!important;
   word-break: break-word!important;
    background-color: rgba(217, 211, 205, 0.45);
    backdrop-filter: blur(1px);
a:not(.btn) {
   color: #c5bb22;
    transition: color 300ms;
    text-decoration: none;
a:not(.btn):hover, a:not(.btn):focus, a:not(.btn):active {
    color: #6e6813;
a:not(.btn):hover {
    text-shadow: #fff600 0 0 3px;
    color: #fff600 !important;
    -webkit-transition: all .4s linear 0s;
    -moz-transition: all .4s linear 0s;
    -ms-transition: all .4s linear 0s;
    -o-transition: all .4s linear 0s;
    transition: all .4s linear 0s;
```

```
.card-title a {
    color: #000000;
    text-decoration: none;
}

.post-border {
    border: 18px solid transparent;
    border-image: url("/files/img/post_border.png") repeat 18;
}

.post h2 {
    border-bottom: 1px solid #444141;
    overflow: hidden;
}
.online {
    color:rgb(5, 107, 5);
}
```