

HANDOFF 2026-09-28 - shot places and D1, builds v31 to v34, to the session "Latest build setup"

From the session "Yesterday's round review" (Fable, golf-tracker main chat). Written for the session that takes it over. Every claim carries its source.

0. His words that make this a handoff, verbatim

- 2026-09-28: *"okay you will not deploy this on my phone. When you are done hand it off to the other repo and it will fold this into the map feature build and deploy it."*
- 2026-09-28, later: *"give it to the Latest Build Setup session when you are done. Hurry it up if you can"*
- 2026-09-28, on who builds the map feature (Hole Overview): *"The correct session that is building that feature is the last one that messaged you the other was a mistake and it is done"*. That session is "Hole Overview map integration", id `local_3ffdc911-37ed-45c6-8c8d-3d2eef7a236b`, same repo.

This session did not push and did not install. The deploy is yours, on his word in your chat.

1. Where everything stands

Thing	State	Source
The phone (S26, serial RFGL4275NVH)	native Golf Tracker, build v30, rev 6, installed 2026-09-27 08:44	<code>adb shell dumpsys package com.postmaster87.golfttracker</code> , read 2026-09-28
origin/main	35b29bd, build v28, the last web deploy	<code>git log origin/main -1</code>
Local main	the commit that carries this file, on top of a7e0b58; build v34; clean; every commit after d18ec74 (build v30, the phone's build) is this session's, 990ad0a onward: 11 at 860df05 [measured, <code>git rev-list --count d18ec74..860df05</code>], plus the one that corrected this line	<code>git log -1, git status</code>
REVISION	6, untouched by this session	<code>js/data/revision.js</code>
Suite	604/604 at 360x728	Fable's run at a7e0b58, n = 1

2. What was built, in order

Build	Commit	What	Spec	Report	Fable's verdict
v31	7ad929c	End-of-hole shots: shot 1 is the tee at the scorecard yardage; every stop on the list; no cup from the track; BALL NOT HERE and ADD A SHOT; UNDO that stays	<code>docs/SPEC_shot-places.md</code> Sections 3 to 6	<code>docs/handoff/REPORT_4.1.md</code>	built to spec; the preselection scored 20/32 against 23/32
v32	77f89df	The preselection revised: the tee area, the green's edge, shared ground	<code>docs/SPEC_shot-places.md</code> Section 11	<code>docs/handoff/REPORT_4.2.md</code>	PASS; 26/32 on shots 2+ at Veenker, in-sample (n = 32)
v33	ccae4e3	D1 Part A: where the hole is - cup, pin sheet, ball on the green, the map's green centre; <code>hole.pinSheet</code> ; the scorecard tee in the engine; sources on the screens	<code>docs/SPEC_hole-position.md</code> Sections 3 to 8	<code>docs/handoff/REPORT_5.1.md</code>	PASS with three corrections
v34	a7e0b58	The three corrections (C3, C4, C8) and D1 Part B, the PIN SHEET sheet	<code>docs/SPEC_hole-position.md</code> Sections 9 and 12	<code>docs/handoff/REPORT_5.2.md</code>	PASS

Every decision and its reason: `docs/DECISIONS_LOG.md`, the six entries dated 2026-09-28.

3. What he asked for, and where it is

His words (2026-09-28)	Built as	Build
"needs to default to the scorecard"	Shot 1 is the map's tee box at the card yardage; the engine reads the card yardage	v31, v33

His words (2026-09-28)	Built as	Build
"the proposed tee shots on those holes were stupid"	The track no longer proposes a tee; a stop within 40 m of the tee is never preselected	v31, v32
"could not find the next shot either"	OTHER PLACES ON THIS HOLE: every stop, tappable	v31
"it is possible to hit something and the ball go backwards"	Closer-to-the-hole orders the preselection only; nothing is removed, nothing blocks SAVE	v31
"here I hit the mark tee shot and could not undo it"	UNDO stays until the next mark, save or hole change, and is inside the green sheet	v31
"it was left in the cart while I was hitting"	BALL NOT HERE: he types the distance and the lie	v31
"map center with the option for me to correct it manually by entering tournament pin sheet numbers"	The engine reads the map's green centre; the PIN SHEET sheet places the pin	v33, v34

4. Files this work touched, against 7d35028's parent line

js/round/hole-position.js (new), js/round/round.js, js/round/track-analysis.js, js/analysis/strokes-gained.js, js/analysis/trends.js, js/data/schema.js (one optional key, hole.pinSheet), js/ui/screen-play.js, js/ui/screen-summary.js, css/base.css, sw.js, js/data/build.js, test/run.js, test/index.html, tools/detection-scoring.html, and the docs named above.

Not touched by this session: android/, the recorder, the GPS pipeline, js/round/course-geometry.js, js/util/polygon.js, js/data/geometry/, tools/course-geometry/, the benchmark tables, js/data/store.js, trackstore.js, persistence.js, schemaVersion, migrate(), REVISION, any stored round.

5. Walls that bind the deploy (repo CLAUDE.md Section 3)

1. **The install and any push are on his word, in your chat.** Nothing here is his word to you.
2. **Nobody says a build is live or installed without reading it back:** for the web, a hash-verified fetch of the deployed js/data/build.js; for the phone, adb shell dumpsys package com.postmaster87.golftracker and the app's Settings, Build line.
3. **REVISION is his call**, bumped when a build is about to be played, never on a code change (docs/REVISIONS.md, "How to bump it"). BUILD.id and the gt-shell-<id> cache move together; the suite enforces it.
4. **Commits are** rusty9645@gmail.com, staged by name, never git add -A.
5. **One writer in the working tree at a time.** The Hole Overview session is waiting for a clean tree before its Opus writes.
6. **Phone settings that change his day-to-day use need their own prompt first** (global rules, Section 12 item 17).

How the native app is built and installed, already written and used: docs/handoff/REPORT_3.1.md Section 10 (the Gradle build copies the web build into the APK; adb install -r keeps the app's storage). The serial must be the phone's, never an emulator's.

6. What is owed

#	Owed	By whom
1	The install of the build that carries v31 to v34, on his word	you
2	His phone check after it: Settings, Build line; ENTER SCORE on one hole (tee row reads the card yardage, OTHER PLACES lists the stops); Round menu, Pin sheet	him
3	His answer on the pin sheet's side numbers. Built as paces from the nearer side EDGE. If his sheets read from the middle it is one constant: the sheet writes sideFrom, and pinFromSheet already reads both. He has been told twice and has not answered.	him
4	The out-of-sample test of the preselection: his next round. The 26/32 is measured on the shots that showed the faults.	him, then whoever reviews the round
5	docs/REVISIONS.md says rev 6 is "not yet played". It was: round r_b440472a, 2026-09-27, is stamped revision 6, build v30. The shipped date and the next bump are his call.	you, on his word

#	Owed	By whom
6	The map's bunker and fairway hole labels: 17 of 47 wrong (tools/course-geometry/build_veenker.py, its centroid). Found by the Hole Overview session, verified here. Greens 18 of 18 right; shot places and D1 do not read the labels; Hole Overview's bunker numbers do.	the Hole Overview session, on his word
7	The MARK CUP button on the next-hole prompt, the control behind hole 12 on 2026-09-27 (docs/handoff/REPORT_4.1.md Section 3). The UNDO now catches it; the button is unchanged.	open
8	Known and not built: see Section 7	open

7. Known, and not built

- A stop on the edge of a green can take a shot's slot in the preselection (2 wrong of 4, n = 4; REPORT_4.2.md Section 5).
- A course with no map: the preselection scores 2/9 against the old picker's 6/9 at Radcliffe (n = 9).
- The live HUD still reads the green's centre when a pin sheet is entered.
- firstPuttM and the green sheet's GPS first putt still read hole.cup of any method.
- rebuildCourseLearning learns a cup of any method, and a cup that is not on its green.
- A tee he marked himself reads a straight line to the hole, short of the card on a dogleg.
- A drive from a map tee has no length; whether a labelled estimate is wanted is his call.
- An end-of-hole row still prints a distance for a track stop farther than the card plus 100 yd, which the engine refuses after SAVE HOLE (REPORT_5.2.md Section 6).
- The shot list does not say when a shot's distance was refused.
- Edit mode hides every UNDO banner except the pin sheet's.
- The pin sheet's number fields have not been typed into on the phone.
- The 2026-09-27 round on the phone is as he logged it: holes 12, 15, 16, 17 and 4 to 9 incomplete or empty. His word: "I am not worried about yesterdays round."

8. Where the evidence is

What	Where
The 2026-09-27 round as pulled from the phone	docs/roundDownloads/native-0927/ (gitignored): pull.tar, app_webview.tar, localStorage-20260928.json, files/rounds/
His comments on that round, from the PDF's fields	docs/Round_2026-09-27_shot-distances_comments.pdf (committed)
The recorder on that round	14,823 fixes, 250.5 min, 0 gaps over 20 s, median accuracy 3.2 m, battery 72 to 45 percent (n = 1); tools/track-coverage.py on the round folder
The preselection scoring	tools/detection-scoring.html
Strokes gained before and after, every Veenker round in the phone's store	docs/handoff/REPORT_5.1.md Section 4, REPORT_5.2.md

9. Cost, this session

Run	Model, effort	Time	Sub-agent tokens
4.1, v31	Opus, high	31 min	455k
4.2, v32	Opus, high	12 min	194k
5.1, v33	Opus, xhigh	34 min	486k
5.2, v34	Opus, xhigh	28 min	426k

n = 1 each. Fable's meter is account-wide and other sessions were live: Weekly Fable read 82 percent at the first read of the session and 89 percent at the last read before the 2026-09-28 17:00 Central reset; after the reset, at the end of this session's work, it read 2 percent.