

Handoff - the native phone build (start here)

Written 2026-09-13 by Opus (Claude Code) at the end of a long session, for the new chat that will build the app. Matt: "We need to wrap this session up. Get everything to a place I can start a new chat and get you building the app."

The repo is the authority; this file points into it. Every quote is verbatim. Every number was measured this session, with its n.

1. Where the tree stands

- **His phone runs build v23** (0ba7721, pushed and hash-verified on 2026-09-11).
- **On main, NOT pushed:** 84da7f4 build v24 (the capture and lie card move into the body so the footer never changes; the LOCK tab is 76x168 and sits above sheets; zoneOf measures the overlay), 9ece308 hold note, 9836602 gitignore docs/Veenker/, be82cef Veenker holes 7 and 10 yardages, and the wrap-up commit that adds this file.
- **The push is the deploy** (Pages serves main) and runs only on his word.
- REVISION is still 4. BUILD.id is v24.
- **Suite:** 501/501, "all green", at <http://localhost:8123/test/>, re-run at be82cef during this wrap-up (the commits since touch docs only).
- **Fable's queue** (docs/handoff/FOR_FABLE.md) has a run order for the night of 2026-09-14, when his Fable usage resets: item 2.2 (test v24), then item 1.1 (review the course map).

2. What he wants, in his words

- *"My ideal vision for this is a way to mark the tee shots and cup, add the other information post round - lies, penalties, known distances, putts, etc... A few things I could probably log between holes but this is all dependent on the tracker working."*
- *"I don't like marking up a card between shots or holes hence all this effort. Recalling data from after a round is dicey since it depends on my memory and recalling it right away not days later. The whole point is unbiased data which I can't honestly give."*
- *"Okay we are closer than I thought. Marking the cup must happen that I accept. Marking putt 1 and possibly entering the distance might need to happen. I have the GPS spot on for putt distances and way off. If we can fix the green interface I think it is acceptable. Is it possible for me to mark the cup, putt 1, and my score. Then the app computes the shot locations from the track and auto fill the lies and distances. Then I click on any entries to manually correct.? Last thing this should be a native app on my phone"*
- *"I really would like this entirely off of webapps and all local."*
- *"The real motivation is what you stumbled on and it is 2 fold: allowing the GPS to run in the background and mark the track regardless of what I am doing on the phone and 2 eliminating the phone but not with a watch - remember my background."*
- *"I do not have time for the clicker that is an offseason project that does not need course data to test how well it works. this gives me plenty of time to fine tune the PCB, build and enclosure, and maybe look at GPS too. The next few weeks are all phone."*
- *"I am fixing my hip on October 7th so we have now until then for real data."*

3. Decided

Decision	His words
A native Android app on his phone	<i>"Last thing this should be a native app on my phone"</i>
All local, off web apps	<i>"I really would like this entirely off of webapps and all local."</i>
Installs are fine; pick what performs best	<i>"Installs are not off the table you misread I can install whatever is needed. I want the option that works and performs the best"</i>

Decision	His words
Compare recorders before committing to one	<i>"I like the let's compare idea. Keep that in mind while we keep brainstorming this."</i>
The phone is the source; the BLE clicker is his offseason hardware project	<i>"it is a supplement to the phone. That should remain the source for now." / "The next few weeks are all phone."</i>
On the course he touches cup, putt 1 and score - no tee marks	the cup/putt 1/score quote above, then <i>"yes to 6"</i>
Sand lies from OSM's mapped bunkers	<i>"yes to 10 based off OSM"</i>
The repo stays public; his round data and the course map are fine in it	<i>"it can stay public this is not sensitive data" / "yes it is public knowledge I golf a lot and where I work. I am a State of Iowa employee" / "the map and my data are fine in the public repo"</i>
The Veenker course map is OSM plus his markup	see docs/course-map/veenker/README.md
Veenker holes 7 and 10 tee yardages	confirmed hole by hole, committed be82cef
Cell coverage at Veenker is fine	<i>"Not my network connection is actually fine on Veenker - not had issues there."</i>
The global "no native builds" rule is gone	<i>"I don't remember this rule but remove it. I have had you build multiple native apps in code."</i>
Native shell for the build played before 2026-10-07: the current screens inside a Kotlin app with their files on the phone, plus a native background recorder. A fully native UI waits for the offseason	Picked <i>"Native shell (Recommended)"</i> , 2026-09-13, native-build chat
Bake-off contenders: a hand-written Kotlin recorder against transistorsoft's Android SDK (tslocationmanager), both debug builds, no Node	Picked <i>"Kotlin vs transistorsoft (Recommended)"</i> , 2026-09-13
Opus builds the bake-off app (it measures coverage and never feeds a round). Fable reviews it at xhigh before it goes on the course and gives the pass/fail verdict. The recorder that feeds rounds, and its storage, stay Fable's	Picked <i>"Opus builds, Fable reviews (Recommended)"</i> , 2026-09-13
Pass bar: 99% coverage and no gap over 20 s, on the Section 9 measure, across a round-length carry with the screen locked and a music app in use	Picked <i>"99% coverage, no gap > 20 s (Recommended)"</i> , 2026-09-13
Installs for the build	<i>"You may install whatever is needed"</i> , 2026-09-13

4. Still open - his call

Recommendations below are Opus's, not his.

1. ~~Native shell or full native rewrite~~ - **decided 2026-09-13**, Section 3.
2. ~~Recorder bake-off contenders and pass bar~~ - **decided 2026-09-13**, Section 3. The bar he picked is 20 s, not the 60 s first recommended here: the median stand at a real shot is 62.9 s, so a 60 s gap can hide one. Under the Section 9 measure, no gap over 20 s means 100% covered, so the gap clause is the one that decides.
3. **Typed first-putt distance threshold:** 15 ft (*recommendation*) or 20 ft.
4. **Retire the in-app pocket lock** once the recorder is native, and use the phone's power button (*recommendation*: yes).
5. **Penalties logged when they occur.** His earlier words: *"If there is a penalty I will log it when it occurs and the score is adjusted after holing out on that hole."* Confirm it still holds.
6. **Auto-lie edge rule:** a shot within about 4 m of a fairway, green or bunker edge gets a one-tap confirm instead of a guess (*recommendation*).
7. **Push v24** after Fable's 2.2 verdict - he may walk 9 on Tuesday 2026-09-15: *"I might get 9 in walking tuesday morning weather pending"*.
8. **Commit** docs/roundDownloads/? Public is fine by his word, but he has not said to commit it; it stays gitignored until he does.
9. The field test 7 export still in his Downloads - he said *"Ditch all the data. It was a failed field test."*, deleting that copy was asked, not answered.

5. Timeline

- **Surgery: Wednesday 2026-10-07.** Golf season ends there.
- **Rounds available:** possibly Tuesday 2026-09-15 (walking 9), weekends 19-20 and 26-27 September and 3-4 October, and, in his words, *"more than just the weekend"*.
- **Order of work Opus proposed:** recorder bake-off harness -> bake-off on the next rounds -> the green flow -> real data before 2026-10-07.
- **2026-09-13, native-build chat:** the bake-off harness is built and smoke-tested on the emulator (android/bakeoff/, README first). Next: Fable's item 2.3 at xhigh (it needs his "xhigh" in the chat first), then a carry, then rounds.

6. Architecture notes

- **Background location is native-only.** A web page receives GPS only while it is the foreground page. The track must be recorded and stored natively, and the app reads it when it comes forward. That is the GPS pipeline and a storage schema: **Fable's, and xhigh on his word.**
- **Toolchain on this PC** (checked 2026-09-13): OpenJDK 17.0.20; Android SDK at %LOCALAPPDATA%\Android\Sdk; Android Studio; adb (WinGet platform-tools). Node/npm not installed (needed only for Capacitor). transistorsoft also ships a plain Android SDK (com.transistorsoft:tslocationmanager 4.5.1 on Maven Central, published 2026-09-04), so neither bake-off contender needs Node. Added for the bake-off on 2026-09-13: SDK Platform 36, Gradle 8.13, and the golf-bakeoff emulator (Android 35 image).
- **His phone:** Samsung Galaxy S26 (camera EXIF on 2026-09-13). Samsung's aggressive app sleeping is the known risk to a background recorder.
- **Recorder candidates**, re-read from their own README and API docs on 2026-09-13:
 - *transistorsoft capacitor-background-geolocation* - "fully functional in DEBUG builds"; "A license is required for RELEASE builds"; records into "the SDK's SQLite database"; "it tracks aggressively while the device is moving and pauses location services when stationary", and its heartbeat "Fires at each [heartbeatInterval] while the device is in the stationary state" with the last known fix, not a fresh one. `changePace(true)` forces tracking on. Continuous 1 Hz while he stands over a shot must be forced and proven in the bake-off.
 - *capacitor-community/background-geolocation* - MIT; "a notification must be shown to continue receiving location updates in the background"; locations go to a JavaScript callback (nothing stored natively); set `android.useLegacyBridge` to true, which "prevents location updates halting after 5 minutes in the background".
- **Why standing still matters:** dwell is the whole shot signal. Median dwell at real shots 62.9 s vs 19.0 s at other stops, across 444 stops on 24 holes and four rounds (docs/REVISIONS.md, v22); FT7, before it was ditched, 142.5 s vs 20 s.

7. The on-course flow (phone only)

- **Tee to green:** nothing. Phone in the pocket.
- **At the green:** MARK CUP, MARK PUTT 1, a typed distance only when the putt is short (threshold open), and the score. Putts = score minus confirmed full shots.
- **The app:** proposes where each shot was played from out of the track's stops (it knows how many from the score), fills distances from the track and the cup, fills lies from the course map, flags edge cases, and he taps anything wrong. The gaps gate still guards the save.

Why the putt number is only asked for when short - a GPS putt distance can be several feet off, and what an error costs depends on length. The 8 ft example from the brainstorm, computed 2026-09-13 with the shipped `expectedStrokes('green', ft, { baseline: 'scratch' })` in `js/analysis/benchmarks.js` (the scratch baseline is derived, badged unverified there):

First putt	Expected putts	Cost if it was really 8 ft shorter
10 ft	1.63	0.62 strokes
15 ft	1.79	0.34
20 ft	1.88	0.17

First putt	Expected putts	Cost if it was really 8 ft shorter
30 ft	1.98	0.08
60 ft	2.27	0.09

And why lies matter more than distance precision: at 150 yd a wrong lie (rough vs fairway) costs 0.254 strokes; a 6 yd distance error costs 0.022.

8. The Veenker course map

Everything is in docs/course-map/veenker/ - start with its README. In short: OSM has all 18 hole lines, 26 greens, 30 fairways, 43 tee boxes, 27 bunkers (counts pulled 2026-09-13); Matt's markup matched it 55/55 with a median miss of 0.0 m; the corrections are hole 8 labels, hole 9 tees, hole 16's unmapped back blue tee, hole 10's two blue boxes. Two traps (Overpass around, square pixels in degrees) are documented there and cost most of an afternoon.

9. Evidence worth keeping

Track coverage across every field test - the constraint the native recorder exists to fix:

Round	Span	Fixes	Covered	Gaps > 20 s	Longest gap	Median accuracy
FT3 Veenker front 9, 16 Aug	144 min	7,858	105 min (73%)	16	11.2 min	3.1 m
FT4 Radcliffe 9, 22 Aug	181 min	11,393	164 min (91%)	9	5.6 min	3.2 m
FT4 second nine, 22 Aug	33 min	2,327	33 min (100%)	0	-	3.6 m
FT5 Veenker back 9, 23 Aug	129 min	9,358	109 min (84%)	7	6.5 min	3.0 m
FT6 Veenker hole 1, 9 Sep	28 min	959	14 min (51%)	3	11.2 min	3.8 m
FT6 Veenker 14-18, 9 Sep	75 min	5,913	72 min (96%)	4	1.6 min	3.0 m
FT7 Veenker 1-5, 11 Sep	141 min	4,585	62 min (44%)	6	65.6 min	3.1 m

FT7's 65.6 min gap is him shutting the app down: *"I shut the app down and started playing golf and much better I must say."*

Can the track find the shots? From tools/detection-scoring.html:

Round	Marks	Position in track	Ranking picks
FT4 Radcliffe	27	25/27 (93%)	16/27 (59%)
FT5 Veenker back 9	35	35/35 (100%)	26/35 (74%)
FT6 Veenker 14-18	23	23/23 (100%)	21/23 (91%)
FT6 Veenker hole 1	4	4/4 (100%)	3/4 (75%)
overall	89	87/89 (98%)	66/89 (74%)

(Before it was ditched, FT7 scored 11/11 and 10/11, making 76/100 with it - but 3 of its 11 marks were catch-up logs, and the row was reverted out of the tool on his word. The ranking line matches docs/REVISIONS.md, v22.)

10. What happened this session, briefly

- v23 went to the phone 50 minutes before field test 7 (2026-09-11). FT7 failed: the lie panel took over the footer so MARK SHOT vanished, and the LOCK tab was unreachable over the putt sheet. His words: *"it just got in the way of my golf"*.
- v24 fixes both, plus the "known intermittent" pocket-lock test, which was never intermittent: window.innerHeight is 0 in a hidden preview pane, so the unlock zones disappeared. Built, tested, committed, not pushed.
- A brainstorm settled the direction in section 3.
- The Veenker course map was reconciled with his markup, and holes 7 and 10 yardages were corrected.

11. Rules that bound the build

- His global CLAUDE.md, the repo CLAUDE.md, and .claude/agents/fable.md.

- **xhigh on his word before starting:** a data model or storage schema, the GPS precision pipeline, the strokes-gained engine, any migration of logged rounds. The native recorder and native storage are all of those.
- **Fable owns** the data model and rails, the GPS pipeline, the SG engine, testing verdicts on risky builds. Opus builds everything else and queues the rest in docs/handoff/FOR_FABLE.md.
- The push is the deploy, on his word. Stage by name, never `git add -A`.
- Every number with its n. Propose and confirm, never detect and fill. Measured and inferred never silently mixed. Nothing guessed into course data. No coaching.
- Documents he reads are PDFs (this file has a PDF beside it).
- Stay in this repo.