

REPORT 4.2 - shot places revision 4.2: build v32 (Opus 77f89df) and Fable's review

2026-09-28. Spec: docs/SPEC_shot-places.md Section 11. Built by Opus at high from 9e1a548; one run, 15:34 to 15:45 CDT, 12 min and 194k sub-agent tokens by the harness count (n = 1). Filed by Fable from Opus's hand-back. Sections 1 to 6 are Opus's findings; Section 7 is Fable's review.

1. What changed

File	Change
js/round/track-analysis.js	New teePos option on proposeHoleShots. R1: place.nearTee for a stop within TEE_AREA_M = 40 m of teePos; it fails the pool test; no teePos, no rule. R2: onGreen is lieAt green AND not inQuestion; afterGreen starts at the first stop inside this hole's own green, not inQuestion, dwell 15 s or more. R3: ground is own when nearestHole returns this hole, or returns it as runnerUp with marginM <= SHARED_GROUND_M = 30. No other constant changed. Every stop is still returned in places.
js/ui/screen-play.js	The call in openHoleEntry passes teePos: his tee mark, else the map box centre, else null.
test/run.js	Tests 11 to 13, one per rule.
tools/detection-scoring.html	Three columns (v30 picker, v31, 4.2) and a "4.2 misses, by cause" table.
js/data/build.js, sw.js	v32 in both. REVISION untouched.

2. Tests

- Against v31 first: 577/580, tests 11, 12 and 13 failing on their own behaviour. Final: **580/580**, none left red on purpose.
- Test 11 (R1): a stop 20 m from the box centre is not preselected and is in the list. Test 12 (R2): a stop 2 m inside hole 1's green edge at 5.0 m accuracy is in the pool. Test 13 (R3): a stop between holes 1 and 14, nearest hole 14, hole 1 runner-up at a 10.2 m margin, is own.

3. Scoring, the four labelled rounds, shots 2+

A pick counts within 10 m of his marked full shot. Shot 1 is placed from the map box at the card yardage in the v31 and 4.2 columns. 2026-09-27 not used.

Round	Map	Holes	v30 picker	v31	4.2
FT4 Radcliffe	no	9	6/9	2/9	2/9
FT5 Veenker back 9	yes	9	10/17	9/17	12/17
FT6 Veenker 14-18	yes	5	12/13	10/13	13/13
FT6 Veenker hole 1	yes	1	1/2	1/2	1/2

At Veenker: v30 23/32 (72%), v31 20/32 (63%), 4.2 26/32 (81%). n = 32 shots, 15 holes, 3 rounds. IN-SAMPLE: these are the 32 shots that showed the faults 4.2 was written against. Radcliffe has no map: 2/9 against the old picker's 6/9.

4. The 4.2 misses by cause

Cause	Veenker	Radcliffe
In the pool; the fall-maximising sequence chose other stops	4 (FT5)	5
Read as on the green, not in question	1 (FT5)	-
Starts after the first sure green stop	1 (FT6 hole 1)	-
Stood under 15 s	-	2
Total	6	7

Across the 15 Veenker windows R1 marked 49 stops nearTee and R3 put 53 stops on this hole's ground that the nearest hole assigns elsewhere. All are still in the list.

5. What R2 lets into the pool (a finding, not tuned)

4 of the 32 preselections at Veenker sit inside a green polygon and read as in question. 2 are his marked shots (FT6 holes 16 and 17, 3.4 m and 3.8 m away). 2 are green stops that took a slot (FT5 holes 12 and 17). $n = 4$.

6. Where the spec was silent (Opus's choices)

1. `teePos` is his tee mark, else the box centre, else null.
2. "Within 40 m" is ≤ 40 ; "30 m or less" is ≤ 30 .
3. `place.nearTee` is a field on the in-memory candidate only, never stored.
4. The R3 test uses hole 14 beside hole 1: hole 2 is never nearest with hole 1 as runner-up within 500 m of hole 1's green (5 m grid).

7. Fable's review (medium), 2026-09-28

Check	Result
Diff against Section 11	6 files; the three rules and the one call site, as written. No other constant changed.
Must-not-touch list	Nothing on it changed; <code>course-geometry.js</code> untouched. <code>REVISION</code> untouched. <code>v32</code> in both files.
Suite	580/580 at 360x728, Fable's run, $n = 1$.
Commit identity	<code>rusty9645@gmail.com</code> .
2026-09-27 replay (illustration, not a labelled round)	The stop beside the tee is no longer offered as shot 2 on holes 14 and 1. Hole 1 now offers 13:47, 132 yd, fairway: the stop he picked by hand. Hole 3 offers a stop 18 yd from the green centre where he picked 82 yd by hand; hole 14 offers 31 yd where the stored pick was 130 yd. $n = 7$ holes with a shot after the tee.

Verdict: PASS for his phone. The score is in-sample and is not proof the rule generalises; his next round is the out-of-sample test. Two weaknesses are known and unfixed: a stop on the green's edge can take a slot (Section 5), and a course with no map scores below the old picker (2/9 against 6/9, $n = 9$).

Owed: install on his word; D1 at xhigh on his word; the MARK CUP button on the next-hole prompt (REPORT 4.1 Section 7).