

REPORT 2.4 — Testing verdict on build v25 before it is played (Fable, 2026-09-15)

Item: docs/handoff/FOR_FABLE.md 2.4. Tree tested: 028993e (clean, 22 commits ahead of the phone's 0ba7721 / v23). Effort high. His words on it:

"fix the lie card and yes the conformation when in question is needed when I am entering the score at the end of the hole. Workflow on the green mark the cup or my ball first whatever is easiest. Hole out - record the putt length for short putts, double check GPS for long putts, enter hole score (once this is entered the app needs to compute the shots and ask me questions about the lie. Shot 2 rough or fairway, shot 3 green or fairway, etc..."

Only "fix the lie card" is in v25; the end-of-hole workflow is in docs/HANDOFF-native-build.md for the native build and was not tested here.

The answer, in plain words

v25 passes. It can go on the phone for the walking 9, on your go. The push is yours, in Opus's chat.

The thing v24 got wrong is fixed: the moment a shot saves, all six lies (TEE / FAIRWAY / ROUGH / SAND / RECOVERY / GREEN) are on screen without a scroll at both phone sizes, every label fits its button, and the grid does not move at all when the burst ends - measured with the previous mark's banner up, which is what moved it 78 px before. The marks, the cup and the round save land in storage exactly as tapped, the LOCK tab still sits above every sheet with nothing under it, and the lock code is untouched by v25.

Two things to know, neither a defect:

1. **At 360 x 780 the six lies are what you see; the rest of the card is below the fold.** The "Captured · 4/4 fixes · ±5 ft" line starts 6 px above the body's bottom edge, and the club chips, CANCEL SHOT and LIE LATER need a scroll. Neither escape is needed: the footer's UNDO is CANCEL SHOT, and walking on and tapping MARK SHOT is LIE LATER. At 375 x 812 the fixes line is readable.
2. **A poor-fix warning shows AFTER the lie tap, not before.** The card sits above every banner now, so at burst end the "marked with poor accuracy - RE-MARK" banner is behind the card, 344 px below the fold. It surfaces the instant you tap a lie (or LIE LATER), stays until acted on, and RE-MARK works: it removes the poor mark, re-captures, and asks the lie again. Cost of seeing it late: one extra lie tap. The shot list row also says "poor fix". If you would rather see it before the lie tap, say so - it is a layout choice, not a bug.

One check on the phone before you play (the PC cannot measure your S26's font or the page height Chrome gives it): open v25, MARK TEE SHOT, wait for "Tee shot marked", then MARK SHOT 2. All six lie buttons should be fully on screen above the action buttons without scrolling. There are 24 px to spare at 360 x 780 on the PC; if your phone's page is more than 24 px shorter, the SAND / RECOVERY / GREEN row will be cut. If it is, tell Opus the numbers and v25 stays off the course.

Verdict

PASS for the course.

asked	result
lie card at burst end, 375x812	PASS - grid 187-327, body bottom 382 (55 px spare), moved 0 px with the previous mark's banner up, 0 px label spill, rightmost button 272 vs strip 289 (n = 1 run)
lie card at burst end, 360x780	PASS - grid 186-326, body bottom 350 (24 px spare), moved 0 px with the banner up, 0 px spill, rightmost 257 vs strip 274 (n = 1 run)
the marks	PASS - tee, shots 2-4 on holes 2 and 3, a poor mark and its RE-MARK, the cup; all in localStorage as tapped (n = 9 marks + 1 re-mark + 1 cup)
round save	PASS - gaps gate (5 items, all true), finish confirm, status completed, activeRoundId null, hole 3's 4 shots + cup intact, key present after a page load
banners hidden by the card	the hole-change banner and BACK: visible and first (155-199) in the one realistic case; the tee nudge: cannot coexist with a card by construction; the poor-fix warning: hidden until the lie tap, then first with RE-MARK at 207-251 (Section 4)

asked	result
LOCK tab over every sheet	PASS - js/ui/lock.js, js/ui/dom.js and the sheet CSS are byte-identical to what 2.2 measured; spot-checked 5 sheets, 0 tappables under the tab
zoneOf	untouched since 2.2's review
suite	511 / 511 twice; mutation 509 / 511, exactly the two movement tests

1. What was read

git diff 0a863a2..028993e in full: js/ui/screen-play.js (the card first in paint(), the lie field first in captureCard() and pendingLieCard()), css/base.css (only the .body > .capture block: card padding 10/4, the card's own column pinned minmax(0, 1fr), .field-required 2 px / 6-2-8, .req-label 13 px one line, lie labels 14 px at -0.02em), js/ui/screen-settings.js ({ columns: 1 }), test/run.js (the movement test; scrollbars hidden in the group's injected style), js/data/build.js, sw.js, CLAUDE.md, .claude/agents/fable.md, the docs. Nothing else in js/ changed: js/ui/lock.js, js/ui/dom.js, js/gps/*, js/data/* are as 2.2 left them. Also read at HEAD: paint() lines 371-520 (banner order), saveLieLater, poorMarkWarning, goToHole, checkTeeNudge, pendingLieShot, openHoleJump, js/dev/sim.js (__sim.setAccuracy), js/gps/gps.js lines 60-80 (the accuracy gate's fallback).

2. Suite (<http://localhost:8123/test/>, [tools/devserver.py](http://localhost:8123/tools/devserver.py) 8123)

Browser pane hidden for every run.

run	tree	viewport	result
1	028993e	none (window.innerWidthHeight 0)	511 / 511
2	mutation: js/ui/screen-play.js from 0a863a2 (v24 order) under the v25 CSS	none	509 / 511 - exactly "at 375x812 the lie grid does not move when the burst ends" and "at 360x780 ...": "the lie grid moved -57 px when the burst ended" (both)
3	028993e restored (git status clean)	375x812 emulated	511 / 511

"The deliberate gesture unlocks" passed on runs 1 and 3. No test is RED on purpose in this tree: the two acceptance tests from 2.2 (label fit, lie grid above the fold) pass, and the new movement test is proven to bite (run 2).

3. What was clicked and read back (?sim=1, one tab)

Scripted clicks on the real buttons, rects and localStorage read back after each step. idleMs raised to 600 s in the page (script clicks are not pointer activity). Opus's live simulated round (hole 1, 12 shots) was continued on holes 2-4 and then finished. Club tracking on (the default).

360 x 780, hole 2. Body 131-350 (219 px), footer from 350, LOCK tab 284-360 x 368-536. MARK TEE SHOT -> "Tee shot marked. UNDO" banner at 143-211. MARK SHOT 2 with that banner up:

	running card	saved-shot card
card	143-683, right 262	143-682, right 262
label	"Tap a lie to save", 162-180, one line	"Tap a lie to finish", one line
lie grid (6 buttons)	186.2 - 326.2	186.2 - 326.2 (moved 0.0 px)
widest label spill	0 px	0 px
rightmost button	CANCEL at 257 (strip at 274)	LIE LATER at 257
fixes line (.cap-head)	344-386	344-386
club grid	438-614	438-614
CANCEL SHOT / LIE LATER row	622-671	622-671
next thing in the body	tee banner at 695	shot list at 694
page taller than viewport	no (780 = 780)	no

ROUGH -> stored seq 2, lie rough, method burst, quality good, 4/4 fixes, card gone, "Shot 2 marked (Rough). UNDO" at 143-211.

375 x 812, hole 3. Body 132-382 (250 px), tab 299-375 x 387-555. MARK SHOT 4 with "Shot 3 marked (Fairway). UNDO" up: grid **187.2 - 327.2** in both cards (moved 0.0 px), spill 0, rightmost 272 (strip at 289), fixes line 345-387 ("Captured · 4/4 fixes · ±5 ft"), club grid and the cancel row below the fold (623-672). ROUGH -> seq 4, lie rough, burst, good.

Marks stored, all as tapped (n = 9 shots + 1 cup): hole 2 1:tee, 2:rough, 3:fairway; hole 3 1:tee, 2:rough, 3:fairway, 4:rough, cup.method burst, 5 fixes used (via "Cup at the tee?" -> MARK CUP HERE, the sim being static); hole 1 untouched (12 shots, two lieInferred from Opus's run).

Round save (375 x 812): the round menu -> Finish round -> "Missing data: 5 things are missing" (hole 1 lies for shots 2 and 4, no putts on holes 1-3 - all true) -> SAVE WITH GAPS ANYWAY -> "Finish round? 15 holes were never started" -> FINISH -> Round summary. localStorage: status completed, completedAt set, activeRoundId null, revision 4, simulated true, every shot and the cup as above. The lock disabled itself (has-lock-tab off). After a page load the round's key is still there with hole 3's 4 shots and cup. n = 1 round.

LOCK tab over sheets (spot check; the sheet code is unchanged): at 360, "Hole 3 - putts" 75 tappables, 0 under the tab, padding-right 98 px, tab z 70; at 375, "Cup at the tee?" (2), "Round" (13, rightmost level with the tab 277 vs tab 299), "Missing data" (7, 277), "Finish round?" (2): 0 under the tab on each. n = 5 sheets.

Settings mid-round at 360 (named in 2.2): "Show scoring and distances" is three rows, each 27-247 (tab at 284, 37 px clear); nothing on the Settings screen (every button, input, select) ends past 284; page 780 = viewport.

4. What the card hides (question 2)

The card is first in the body and runs to 682-685 px at both sizes, so everything after it - every banner, the tally, the shot list - is below the fold while a card is up. What that means for each banner he might need at burst end:

- **Hole-change banner and BACK.** The card is per hole (pendingLieShot and the capture are drawn on the hole being viewed), so the realistic case is the arrow tapped with a lie pending: from hole 3 with shot 2's lie pending, the "2" arrow -> hole 2 shows "Moved to hole 2. BACK TO 3" first, BACK at 155-199, no card; BACK -> hole 3 with the same pending card at 186-326 and the shot still 2:fairway? (lie asked again). ROUGH -> 2:rough. The pending lie survives the round trip. The one case where the card covers the banner is an arrow tapped DURING a 3 s burst: on the new hole the running card is first and BACK is at 707-751, 357 px below the fold, and when the burst ends the shot saves on the hole being viewed (hole 2, 4:fairway?, hole 3 unchanged). That is pre-existing - goToHole has never touched a running capture, in v24 or v23 - and is his item 3 (mislogs, phantom touches), not v25. CANCEL SHOT removed it; both holes intact.
- **Missing-tee nudge.** Cannot share the screen with a card: checkTeeNudge returns while a capture runs; a pending-lie card needs a marked shot after the tee, and the nudge needs no tee shot on the hole. Reasoned from the code at HEAD, not measured (the sim is static). The only way to make both is UNDO on the tee while shot 2's lie is pending - not tested.
- **Poor-fix warning.** Measured with __sim.setAccuracy(10) (gate 8 m) on shot 3, hole 2: at burst end the card is up and the "poor accuracy - RE-MARK" banner is at 694-865, 344 px below the fold. FAIRWAY -> the card goes, the banner is second (221-392, RE-MARK at 207-251, above the fold at 350) under "Shot 3 marked (Fairway)", the shot list row says "poor fix", stored quality poor, ±5.8 m. RE-MARK (accuracy back to 3 m) -> the shot removed, a new burst, the pending card again -> FAIRWAY -> 3:fairway, good, 5/5 fixes. markWarning has no timer, so nothing is lost; it is seen one tap later than in v24, and in v24 its arrival was what moved the grid.

5. Anything in v25 that weakens what 2.2 passed (question 3)

- **The LOCK tab over every sheet:** js/ui/lock.js, js/ui/dom.js, the .sheet / .scrim / .lock-tab / .lock-screen CSS - not in the diff. The 2.2 numbers (11 sheet kinds + 3 confirms, 22 px clearance) stand; five re-measured above.
- **The marks and the round save:** js/round/*, js/data/*, js/gps/* not in the diff; re-driven above, all as tapped.
- zoneOf: not in the diff.
- **The strip (2.2's Section 6):** the card's own column is pinned now as well as the lie and club grids; rightmost buttons 257 / 272 against strips 274 / 289. Opus's mutation note (the v24 label under v25 styles took CANCEL SHOT into the strip before the column was pinned) was not re-run; the pin is in the CSS and the four strip tests

pass.

- **The label held to one line with overflow: hidden:** at 360 the label is 21-253 for "Tap a lie to finish" - 13 px, nowhere near clipping. A longer label in a future build would be clipped silently; the suite does not check that. Noted, not a defect.

6. Decisions made alone

1. **Verdict PASS with the poor-fix warning behind the card.** The warning is not lost (no timer), RE-MARK works from where it lands, and the alternative - a banner above the card - is exactly what moved the grid 78 px in v24. Whether he wants the warning before the lie tap is his preference; it is offered in the answer, not decided.
2. **The arrow-during-a-burst mislog is not held against v25.** Pre-existing (goToHole never touched a capture), a 3 s window, and his item 3 by name. Named here with the numbers so it is on record.
3. **The tee nudge was reasoned from the code, not driven.** It needs walking past 35% of the hole with no tee shot, and the pending card needs a tee shot; the sim is static. One-line proof in Section 4.
4. **Continued Opus's live simulated round rather than starting a new one** (holes 2-4 unused; the card is first in the body so the shot count above it is irrelevant), then finished it for the save test. Sim rounds are stamped `simulated: true`.
5. **No code or CSS changed.** Nothing failed; nothing to fix. No BUILD.id bump (v25 is correct and matches `gt-shell-v25`).
6. **idleMs raised to 600 s in the sim page for the measurements**, as in 2.2. Page-local, nothing stored.
7. **Mutation re-run once, not Opus's second one.** The movement test is the new test; it is proven to bite. The column-pin mutation is a CSS property whose absence the four existing strip tests would catch.

7. For Matt to decide

Nothing on this item beyond the push. One preference, not blocking: whether a poor-fix warning should show before the lie tap (it shows right after it now).