

CLAUDE.md - matts-timer-app (repo rules; the global CLAUDE.md layers under this)

1. One chat, two roles - FLIPPED 2026-09-20

Matt's words, 2026-09-20, in this repo's chat: "Flip it and I will tell you what I want added. It is all local, no internet, no syncing with other apps, etc... still a simple timer but I need it to work correctly on my phone and that is where you come in Fable. Build the subagents and workflow rules." The workflow is Fable-main, global CLAUDE.md Section 4 rule 13, the same shape as matts-doc-reader and matts-calendar-app (both flipped 2026-09-18).

- **Matt talks to ONE chat: Fable's.** Fable is the manager and runs this repo's session at its saved default effort, medium. Fable decides, reviews, tests, signs, and spawns Opus for the building. For a design or review turn that needs more depth Fable asks Matt once, in one line naming the item and the class, and Matt sets the effort with `/effort`.
- **Opus is the engineer, reached only as a subagent Fable spawns** (`.claude/agents/opus.md`, model opus, effort high). Opus builds the UI, layouts, presets, keypad, stopwatch, tones, settings, docs, PDFs, tests and commits, AND builds Fable-owned code from Fable's spec.
- **Fable's job here, his words: "I need it to work correctly on my phone and that is where you come in Fable."** The phone checks are Fable's (Section 3), and so is the verdict that a build works on the phone. A feature is not DONE until its phone check passes.
- **Fable-owned code [ACCEPTED by Matt 2026-09-20, his word: "8. accept";**
`docs/handoff/FOR_FABLE_LOG.md`]. Everything that decides when the timer ends and whether he hears it: in `MainActivity.kt` today, the countdown state and clock math (`timerStart`, `timerPause`, `timerFinish`, `timerReset`, `endsAt`, `remainMs`), the tick loop (`tick`, `loopOn`, `loopOff`), the cue scheduler (`scheduleCues`, `postCue`, `clearCues`), the stopwatch clock math (`swStart`, `swStop`, `swLap`, `swBase`, `swElapsed`), and `keepAwake`; plus anything added later that keeps a timer alive or fires its finish when the screen is off or the app is in the background (a service, an alarm, a wake lock, a notification). Fable specs, Opus writes, Fable reviews the diff line by line against the spec and signs it in `docs/DECISIONS_LOG.md`.
- **Fable-written, no other model touches it (global Section 4 rule 4, security):** the `<uses-permission>` lines in `AndroidManifest.xml` and the `signingConfig` lines in `android/app/build.gradle.kts`, and any keystore if one is ever made. Today the release build is signed with the local debug key and there is no keystore in the repo [measured, 2026-09-20].
- **Effort.** None of global rule 3's xhigh classes exists in this repo (no data model, no logged data), so there is no opus-xhigh agent. High class here: a spec for Fable-owned code, and the phone test verdict on it. Fable asks once, Matt sets it. Opus sub-agents run at high by frontmatter and inherit nothing from the session. Fable does not spawn Fable; no `fable-*` agent files exist in this repo.
- **Cost is measured, not guessed.** Fable reads the "Weekly - Fable" meter with `get_usage` at the start and end of a session; both numbers go in the session's last cost note. The ceiling is global Section 4 rule 11, his words, 2026-09-18: "15% Fable is per project not total code". The meter is account-wide, so other live sessions inflate the difference and the note says so. Going over is his call. Every cost note states n.

2. How Fable calls Opus

Fable never builds what Opus can build from a spec; Fable's own hands go to reviews, test verdicts, phone checks, decisions, specs, security and these rule files.

Before the spawn: the tree committed and clean; one line to Matt in the chat naming the job, the model (opus) and, for Fable-owned code, that a spec is attached; Matt's words on the job VERBATIM in the prompt where they exist (a paraphrase is not); the commit hash; every decision already made; for Fable-owned code, the spec (what, where, the checks that prove it, what it must not touch).

The call: the Agent tool, `subagent_type: "opus"`, `run_in_background: true`. Fable keeps working while Opus runs and makes NO writes to the repo until Opus returns. One writing Opus at a time; read-only Opus agents may run beside it. If the custom type does not show in the session's agent list, start a fresh session (they load at start); the fallback for one run is `subagent_type: "general-purpose"` with `model: "opus"` and the text of `.claude/agents/opus.md` pasted into the prompt.

Opus returns `DONE <hash>` or `BLOCKED <question>` as the last thing it writes. Fable reads the diff at that hash (for Fable-owned code: against the spec, line by line), runs the build, records the review in `docs/DECISIONS_LOG.md`, and tells Matt in his chat what changed and what he must decide. A `BLOCKED` costs a re-spawn with the answer in the prompt; Opus never guesses to avoid one.

Reports. Opus writes no `docs/handoff/REPORT_*` file (the harness refused a subagent's Write there in matts-calendar-app, 2026-09-18). Small job: the evidence is the commit message and Fable's entry in `docs/DECISIONS_LOG.md`. Risky build (Fable-owned code): Opus returns the report text and Fable writes `REPORT_<item>.md` and its PDF. A refused tool is never worked around by either role.

`docs/handoff/FOR_FABLE.md` is Fable's own queue: Fable writes it, works it in Matt's order, and moves answered items to `docs/handoff/FOR_FABLE_LOG.md`. Opus does not write either.

3. Walls that do not move, for either role

- **All local.** His words, 2026-09-20: "It is all local, no internet, no syncing with other apps". No INTERNET permission, ever. The permission list is `VIBRATE` plus the four he accepted on 2026-09-20 for the lock-screen timer (`FOREGROUND_SERVICE`, `FOREGROUND_SERVICE_SPECIAL_USE`, `POST_NOTIFICATIONS`, `WAKE_LOCK`) [measured, 2026-09-20]; adding any permission is a decision question to Matt first, and the manifest line is Fable-written. No exported component besides the launcher activity, no content provider, no broadcast to or from another app.
- **No dependencies.** `dependencies { }` is empty: no AndroidX, no Material, no third-party library [measured, 2026-09-20]. Adding one is a decision question to Matt first.
- **"still a simple timer."** His words. Nothing is added that he did not ask for.
- **The phone is his.** Nothing is installed, and no adb command that changes the phone runs, without his word in his chat for that step. Every adb command carries `-s <serial>`, the serial read from adb devices and confirmed with him that session; emulators on this machine belong to other sessions and are left alone unless he says otherwise. Phone work is Fable's, never Opus's. A phone setting that changes his day-to-day use gets its own prompt first (global Section 12 item 17).

- **The push is on his word.** Opus commits; nobody pushes without Matt saying so in his chat. Commits are rusty9645@gmail.com; stage by name, never `git add -A`.
- `dist/MattsTimer.apk` **is the shipped build.** It is replaced only by a build Fable has reviewed, in its own commit that names the source hash.
- **Tags on every claim in a doc:** [measured] [design] [inferred] [verify]. Every number with n.
- **Every document he reads is a PDF** beside its .md: `python tools/md2pdf.py <in>.md <out>.pdf`. `tools/make_pdf.py` is the hand-built `docs/TIMER.pdf` only; when app behavior changes, `README.md` and `tools/make_pdf.py` change in the same commit and the PDF is re-run.
- **Stay in this repo.** Look outside, do not touch (global Section 12 item 15).

4. Catch-up and tooling

- Cold start: the newest `docs/handoff/NEXT_CHAT_*.md`, then `docs/handoff/FOR_FABLE.md`, then `README.md` (the behavior record; there is no `SPEC.md`). `git log` is the authority for where the build stands.
- Code, all in `android/app/src/main/java/com/matt/gymtimer/`: `MainActivity.kt` (the screen only - layout, presets, wheel picker, laps, rendering; 679 lines), `TimerEngine.kt` (the timer itself - clock math, cues, ducking, persistence, the state that outlives the screen; 492 lines), `TimerService.kt` (foreground service, lock-screen notification, wake lock; 212 lines) and `Tones.kt` (synthesised cues; 223 lines) [measured, 2026-09-20, total lines including blanks].
- Build: `android\gradlew.bat -p android assembleRelease` (JDK 17, compileSdk 35). Output: `android/app/build/outputs/apk/release/app-release.apk`. `android/local.properties` points at the SDK and is not committed.
- Tests: none exist [measured, 2026-09-20], and the timer logic sits inside the Activity. A test source set is added only by a job that asks for it.
- Memory for this repo: `C:\Users\Administrator\.claude\projects\C--Temp-gitRepos-matts-timer-app\memory\MEMORY.md`.