Majority class classifier, which identifies the class used most frequently in the training data and predicts every data point in the evaluation data to be that class.

In [1]:
```
from collections import Counter
```

In [5]:
```
def load_data(filename):
    X = []
    Y = []
    i = 0
    with open(filename, encoding="utf-8") as file:
        for line in file:
            if i == 0:
                i += 1
                continue
            cols = line.split("\t")
            idd = cols[0]
            label = cols[1].lstrip().rstrip()
            text = cols[2].lstrip().rstrip()

            X.append(text)
            Y.append(label)

    return X, Y
```

In [6]:
```
def majority_class(trainY, evalY):
    labelCounts=Counter()
    for label in trainY:
        labelCounts[label]+=1
    majority_class=labelCounts.most_common(1)[0][0]

    correct=0.
    for label in evalY:
        if label == majority_class:
            correct+=1
    return majority_class, correct/len(evalY)
```

In [8]:
```
trainingFile = "splits_v2/train.txt"
devFile = "splits_v2/dev.txt"
testFile = "splits_v2/test.txt"

trainX, trainY=load_data(trainingFile)
devX, devY=load_data(devFile)
testX, testY=load_data(testFile)

mc, mc_devAcc=majority_class(trainY, devY)
_, mc_testAcc=majority_class(trainY, testY)

print("Majority class: %s, dev accuracy: %.3f, test accuracy: %.3f" % (mc, mc_de
```

```
Majority class: No Propaganda, dev accuracy: 0.470, test accuracy: 0.470
```

In [ ]:

In [ ]: