1

NAME: Flavio Kapczinski, M.D., Ph.D.

PRESENT TITLE:

Professor of Psychiatry
Director of Research, Harris County Psychiatric Center (HCPC)
Director, Department of Psychiatry Molecular Psychiatry Lab

ADDRESS: 1941 East Road, Suite 3216

Houston, TX 77054

BIRTHDATE: August 21, 1963

CITIZENSHIP: Brazilian

UNDERGRADUATE EDUCATION:

Medical Degree, 1982 Federal University of Rio Grande do Sul (UFRGS) Porto Alegre, Brazil

GRADUATE EDUCATION:

Master in Medical Science, 1992 UFRGS Porto Alegre, Brazil

Ph.D., Psychiatry, 1995 University of London United Kingdom

POSTGRADUATE TRAINING:

Residency, Psychiatry, 1987-1990 UFRGS Porto Alegre, Brazil

Post-Doctorate Program, Psychiatry, 1996 McGill University Quebec, Canada

ACADEMIC APPOINTMENTS:

Full Professor, 2012- Present UFRGS Porto Alegre, Brazil Invited Professor, 2011-2013 Universite Paris-Est Creteil Val de Marne Paris, France

Head of Post-Graduate Commission (COMPG), 2011-2012 UFRGS Porto Alegre, Brazil

Head of Post-Graduate Program of Medical Sciences, Psychiatry, 2008-2012 UFRGS

Porto Alegre, Brazil

Head of Luis Guedes Study Center (CELG), 2001-2003 and 2003-2005 UFRGS
Porto Alegre, Brazil

Vice Director of Graduate Programs, 2001-2002 UFRGS Porto Alegre, Brazil

Head of Outpatient Bipolar Disorder Program, 2000-2014 Hospital de Clinicas de Porto Alegre (HCPA) Porto Alegre, Brazil

Professor, 1997-2012 UFRGS Porto Alegre, Brazil

Supervisor of Medical Residency Program in Psychiatry, 1997 HCPA Port Alegre, Brazil

HOSPITAL APPOINTMENTS:

Director of Research, 2013 Hospital de Clinicas Porto Alegre, Brazil

Head of National Institute for Translational Medicine, 2009-2014 Brazil

Head of Bipolar Disorders Program, 2008-2014 Hospital de Clinicas Porto Alegre, Brazil Head of Molecular Psychiatry Laboratory, 2002-2014 Hospital de Clinicas Porto Alegre, Brazil

LICENSURE:

Texas Faculty Temporary License, 2014 Conselho Regional de Medicina-RS, 1991

CERTIFICATION:

Psychiatry, Brazil

HONORS AND AWARDS:

Jorge Pinto Ribeiro Award, 2013
Mogen Schou Award for Education, 2013
Top Cited Article 2006-2010, Elsevier, 2011
Habilitation Degree, Federal University of Sao Paulo, 2009
INCT-Translational Medicine, National Council of Scientific and Technological Development, Brazil, 2009
Independent Investigator Award, NARSAD, 2007

EDITORIAL POSITIONS:

Member, Editorial Board, Journal of Psychiatry and Neurosciences, 2010

Member, Editorial Board, Journal of Psychiatric Research, 2010

Member, Editorial Board, Acta Psychiatrica Scandinavica, 2010

Member, Editorial Board, Revista Brasileira de Psiguiatria, 2010

Ad-hoc consultant, Molecular Psychiatry, 2010

Ad-hoc consultant, American Journal of Psychiatry, 2010

Ad-hoc consultant, Archives of General Psychiatry, 2010

Ad-hoc consultant, Biological Psychiatry, 2010

Ad-hoc consultant, Bipolar Disorders, 2010

Ad-hoc consultant, The Journal of Clinical Psychiatry, 2010

Ad-hoc consultant, Journal of Psychiatry Research, 2010

Ad-hoc consultant, Journal of Affective Disorders, 2010

Ad-hoc consultant, The World Journal of Biological Psychiatry, 2010

Ad-hoc consultant, Revista Brasiliera de Psiquiatria, 2010

Ad-hoc consultant, Bentham Science Publishers, 2010

Ad-hoc consultant, The Journal of Inflammation, 2010

Ad-hoc consultant, Progress in Neuropsychopharmacology and Biological Psychiatry, 2010

Ad-hoc consultant, BMC Psychiatry, 2010

Ad-hoc consultant, Neuroscience Letters, 2010

Ad-hoc consultant, CNS Neuroscience and Therapeutics, 2010

Editor-in-Chief, Revista Brasileira de Psiquiatria, 2009-Present

Member, Editorial Board, Journal of Psychiatric Research, 2009-Present

Member, Editorial Board, Revista de Psiquiatria do Rio Grande do Sul, 2008-Present

Member, Editorial Board, Journal of Psychiatry & Neuroscience, 2006-Present

SERVICE ON INTERNATIONAL GRANT REVIEW PANELS, STUDY SECTIONS, COMMITTEES:

President, Scientific Committee, Fundação Médica do Rio Grande do Sul, 2009-2014

Member, Medicine Advisory Board, National Council for Scientific and Technological Development (CNPq), Brazil, 2009-2012

Ad-hoc consultant, CNPq, 2009-2014

Member, Advisor Committee, CNPq, 2009-2014

Expert Evaluator, CNPq, Brazil, 2008-2014

President, Brazilian Association of Bipolar Disorders (ABTB), 2008-2009

Vice President, Scientific Committee, International Society of Bipolar Disorders (ISBD), 2008-2009

Member, Executive Committee, ABTB, 2006-2007

SERVICE ON THE UNIVERSITY OF TEXAS MEDICAL SCHOOL AT HOUSTON DEPARMENT OF PSYCHIATRY COMMITTEES:

Member, Executive Committee, 2014-Present Member, Grand Rounds Committee, 2014-Present

SERVICE TO THE COMMUNITY:

SPONSORSHIP OF CANDIDATES FOR POSTGRADUATE DEGREE:

Bianca Wollenhaupt de Aguiar, Ph.D. candidate, Department of Biochemistry, UFRGS, Brazil, 2012

Fabria Chiarani, Ph.D. Department of Biochemistry, UFRGS, Brazil, 2012

Gabriela Delevati Colpo, Ph.D. candidate, Department of Medical Sciences, UFRGS, Brazil, 2012

Larriany Maria Falsin Giglio, Ph.D. Department of Psychiatry, UFRGS, Brazil, 2012

Fabiano Alves Gomes, Ph.D. Department of Psychiatry, UFRGS, Brazil, 2012 Pedro Vieira da Silva Magalhães, Ph.D. candidate, Department of Psychiatry, UFRGS, Brazil, 2011

Elisa Brietzke, Ph.D. candidate, Department of Psychiatry, UFRGS, Brazil, 2010 Mauricio Kunz, Ph.D. candidate, Department of Psychiatry, UFRGS, Brazil, 2010 Juliana Fernandes Tramontina, Ph.D. candidate, Department of Psychiatry, UFRGS, Brazil, 2009

Angelo Cunha, Ph.D. candidate, Department of Psychiatry, UFRGS, Brazil, 2008 Ana Cristina Andreazza, Ph.D. Department of Biochemistry, UFRGS, Brazil, 2008

Fernando Kratz Gazalle, Ph.D. candidate, Department of Psychiatry, UFRGS, Brazil, 2008

Marcia Kauer-Sant'Anna, Ph.D. candidate, Department of Biochemistry, UFRGS, Brazil, 2007

Adriane Ribeiro Rosa, Ph.D. candidate, Department of Medical Sciences, UFRGS, Brazil, 2007

João Vicente Busnello, Ph.D. Department of Biochemistry, UFRGS, Bazil, 2006 Benicio Noronha Frey, Ph.D. candidate, Department of Biochemistry, UFRGS, Brazil, 2006

Julio Cesar Walz, Ph.D. candidate, Department of Medical Sciences, UFRGS, Brazil, 2006

Keila Maria Mendes Ceresér, Ph.D. candidate, Department of Medical Sciences, UFRGS, Brazil, 2005

Luciana Ribeiro, Ph.D. candidate, Department of Medical Sciences, UFRGS, Brazil, 2004

Jair Constante Soares, Ph.D. candidate, Department of Psychiatry, UFRGS, Brazil, 2004

Daniel Bocchese Nora, Ph.D. candidate, Department of Medical Sciences, UFRGS, Brazil, 2003

Aristides Cordiloli, Ph.D. candidate, Department of Psychiatry, UFRGS, Brazil, 2002

Andrea Parolin Jackowski, Ph.D. candidate, Department of Medical Sciences, UFRGS, Brazil, 2001

Pedro Domingues Goi, MSc. Department of Psychiatry, UFRGS, Brazil, 2011 Lisiane dos Santos Sória, MSc. Department of Psychiatry, UFRGS, Brazil, 2011 Miréia Fortes Vianna Sulzbach, MSc. Department of Psychiatry, UFRGS, Brazil, 2011

Joana Correa de Magalhães Narvaez, MSc. Department of Psychiatry, UFRGS, Brazil, 2010

Emi da Silva Thomé, MSc. Department of Psychiatry, UFRGS, Brazil, 2010 Daniel Chaves Vieira, MSc. Department of Psychiatry, UFRGS, Brazil, 2010 Joana Bücker, MSc. Department of Psychiatry, UFRGS, Brazil, 2009 Brisa Fernandes, MSc. Department of Psychiatry, UFRGS, Brazil, 2009 Gislaine Speggiorin de Oliveira, MSc. Department of Medical Sciences, UFRGS, Brazil, 2009

Alice Aita Cacilhas, MSc. Department of Psychiatry, UFRGS, Brazil, 2008
Betima Mariante Cardoso, MSc. Department of Psychiatry, UFRGS, Brazil, 2008
Fabiano Alves Gome, MSc. Department of Psychiatry, UFRGS, Brazil, 2008
Rita Prieb, MSc. Department of Medical Sciences, UFRGS, Brazil, 2007
Júlia Jochims Schneider, MSc. Department of Medical Sciences, UFRGS, Brazil, 2007

Ricardo Silveira, MSc. Department of Psychiatry, UFRGS, Brazil, 2004 Regina Margis, MSc. Department of Biochemistry, UFRGS, Brazil, 2003 Ricardo Schmitt, MSc. Department of Medical Sciences, UFRGS, Brazil, 2003 Daniel Bocchese Nora, MSc. Department of Medical Sciences, UFRGS, Brazil, 2001

Edson Machado Cecchin, MSc. Department of Medical Sciences, UFRGS, Brazil, 2001

Marcelo Rodrigues de Abreu, MSc. Department of Medical Sciences, UFRGS, Brazil, 2001

Rodrigo Machado Vieira, MSc. Department of Biochemistry, UFRGS, Brazil, 2000

Luciana Ribeiro, MSc. Department of Medical Sciences, UFRGS, Brazil, 1999

SPONSORSHIP OF POSTDOCTORAL FELLOWS:

Laura Stertz, Post-doctoral research fellow at Department of Psychiatry and Behavioral Sciences, University of Texas, USA, 2014

Gabriela Delevati Colpo, Post-doctoral research fellow at Department of Psychiatry and Behavioral Sciences, University of Texas, USA, 2014

Gabriel Rodrigo Fries, Post-doctoral research fellow at Department of Psychiatry and Behavioral Sciences, University of Texas, USA, 2014

Gabriela Delevati Colpo, Post-doctoral at Department of Psychiatry, UFRGS, Brazil, 2013

Fernando Kratz Gazalle, Post-doctoral at Department of Psychiatry, UFRGS, Brazil, 2011

Julio César Walz, Post-doctoral at Department of Psychiatry, UFRGS, Brazil, 2010

Keila Maria Mendes Ceresér, Post-doctoral at Department of Psychiatry, UFRGS, Brazil, 2009

Márcia Kauer-Sant'Anna, Post-doctoral at Department of Psychiatry, UFRGS, Brazil, 2008

PAST GRANT SUPPORT:

Grants in Brazil

List Funding Source, Project Title & Number	Role in Project	Dates	Total Award	Supplemental Info
Agency: CNPq – Conselho Nacional de Desenvolvimento Científico e Tecnológico Tittle: Saúde mental na assistência básica: capacitação de recursos humanos e levantamento epidemiológico	Investigator / Coordinator	2005 - 2007	R\$ 49.986,25	Edital CNPq Saúde Mental na Assistência Básica – 2005
Agency: CNPq - Conselho Nacional de Desenvolvimento Científico e Tecnológico.	Investigator / Coordinator	2005 - 2007	R\$ 34.650,00	Edital CNPq – Estudos de Assistência Farmacêutica – 2005
Agency: CNPq - Conselho Nacional de Desenvolvimento	Investigator / Coordinator	2005 - 2007	R\$ 30.000,00	CNPq Universal - 2004

O: ///			Τ	1
Científico e Tecnológico.				
Tittle: Implantação e validação				
de uma técnica para a dosagem				
da proteína ácida fibrilar glial				
(GFAP) no transtorno de humor				
bipolar				
Agency: CNPq - Conselho				
Nacional de Desenvolvimento				
Científico e Tecnológico.		0000 /	D# 40 447 00	0)10
Tittle: Eventos de vida	Investigator / Coordinator	2006 / 2008	R\$ 43.117,00	CNPq – Universal 2006
traumáticos no transtorno bipolar:	Coordinator	2006		2006
impacto nos níveis				
de BDNF psicopatologia				
Agency: CNPq - Conselho				
Nacional de Desenvolvimento				
Científico e Tecnológico				
Tittle: Mediadores do déficit				
cognitivo e comorbidades clínicas	Investigator /	2008 /	R\$100.000,00	CNPq – Universal
no transtorno bipolar: análise de	Coordinator	2010	Ι (ΨΙΟΟ.ΟΟΟ,ΟΟ	2008
marcadores periféricos de				
estresse oxidativo, dano ao DNA				
e apoptose Agency: CNPq - Conselho				
Agency: CNPq - Conselho Nacional de Desenvolvimento				
	0	2008 /	R\$	
Científico e Tecnológico	Coordinator	2013	7.400.000,00	
Tittle: INCT Translacional em				
Medicina (CNPq – INCT).				
Agency: CNPq - Conselho				
Nacional de Desenvolvimento				Edital MCT/CNPq nº
Científico e Tecnológico				53/2010 – Projetos
Tittle: Fator neurotrófico	Investigator /	2011 /		Conjuntos de
derivado do cérebro como	Coordinator	2013	R\$ 52.000,00	Pesquisa Científica,
preditor de resposta ao				Tecnológica e de
tratamento da mania e depressão				Inovação / Portugal – CNPg/FCT
bipolar: um estudo de 16				CINF 4/1 CT
semanas.				
Agency: CNPq - Conselho				
Nacional de Desenvolvimento				
Científico e Tecnológico	Investigator /	2044 /	D¢	CNDa Universal
Tittle: Morte celular no THB:	Investigator / Coordinator	2011 / 2013	R\$ 123.000,00	CNPq – Universal 2011
moléculas associadas ao dano	Coordinatol	2013	123.000,00	2011
(DAMPS) e marcadores				
Inflamatórios.				
Agency: FIPE / HCPA				
Tittle: 00-298 - Avaliação dos				
potenciais evocados auditivos de	Investigator /		R\$ 2.650,00	
tronco cerebral e visual por	Coordinator			
padrão reverso no diagnóstico de				
1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2			I	

	T		
encefalopatia hepática em			
crianças e adolescentes com			
cirrose e sua correlação com			
proteína S100b.			
Agency: FIPE / HCPA			
Tittle: 01-197 - Dosagem da			
proteína S100b em pacientes	Investigator /	R\$ 4.143,60)
com transtorno do estresse pós-	Coordinator	,	
traumático e comparação com			
controles normais.			
Agency: FIPE / HCPA			
Tittle: 02-144 - Dosagem da	Investigator /	R\$ 3.010,06	s
proteína S100b no liquor de ratos	Coordinator		
expostos a Gatos.			
Agency: FIPE / HCPA			
Tittle: 02-334 – Ensaio aberto de			
reboxetina no tratamento do	Investigator /	R\$ 1.897,72	,
transtorno da compulsão	Coordinator	1 (4 11001,112	
alimentar periódica.			
Agency: FIPE / HCPA			
Tittle: 02-364 – Distúrbios			
bipolares e danos gliais:			
dosagem da GFAP (proteína	Investigator /		
ácida fibrilar glial) e corticoides	Coordinator	R\$ 4.877,77	7
endógenos em plasma de	Coordinator		
pacientes bipolares durante			
episódios maníacos.			
Agency: FIPE / HCPA			
Tittle: 03-145 – Ensaio aberto de	les continuetos /	D# 4 700 46	
escitalopram na depressão	Investigator / Coordinator	R\$ 4.738,45	·
bipolar.	Coordinator		
Agency: FIPE / HCPA			
Tittle: 03-186 – Programa de			
_	I	D# 0.040.40	.
avaliação continuada do Ambulatório de Transtorno de	Investigator / Coordinator	R\$ 6.318,40	'
Humor Bipolar do Hospital de	Coordinator		
Clínicas de Porto Alegre. Agency: FIPE / HCPA			
Tittle: 03-297 – Efeitos crônicos			
	Investigator /	D# 4.000.00	,
da eletroconvulsoterapia nos	Coordinator	R\$ 4.000,00	'
níveis de S100 beta no córtex e			
hipocampo de ratos.			
Agency: FIPE / HCPA			
Tittle: 03-298 – Efeitos agudos			
da convulsoterapia nos níveis da	Investigator /	R\$ 4.000,00)
proteína S100 beta no	Coordinator	1.50	
hipocampo e córtex cerebral de			
ratos.			

	ı	1	T
Agency: FIPE / HCPA Tittle: 03-367 – Avaliação da memória emocional e não- emocional no transtorno afetivo bipolar.	Investigator / Coordinator	R\$ 689,23	
Agency: FIPE / HCPA Tittle: 03-404 – Avaliação de possíveis alterações nas atividades nucleotidásicas em soro de ratos submetidos ao modelo agudo de eletroconvulsoterapia.	Investigator / Coordinator	R\$ 2.080,00	
Agency: FIPE / HCPA Tittle: 03-413 – Ensaio aberto de quetiapina na ansiedade do transtorno do humor bipolar.	Investigator / Coordinator	R\$ 2.555,57	
Agency: FIPE / HCPA Tittle: 03-481 – Fatores associados ao funcionamento psicológico, social e ocupacional em pacientes com transtorno de humor bipolar.	Investigator / Coordinator	R\$ 3.461,70	
Agency: FIPE / HCPA Tittle: 04-227 – Desenvolvimento de um modelo animal em mania: correlação com marcadores bioquímicos.	Investigator / Coordinator	R\$ 4.051,00	
Agency: FIPE / HCPA Tittle: 04-383 – Implantação e realização de técnica para a avaliação dos níveis séricos de óxido nítrico sintase neuronal e superóxido dismutase em pacientes portadores de transtorno do humor bipolar em comparação com controles normais.	Investigator / Coordinator	R\$ 3.571,40	
Agency: FIPE / HCPA Tittle: 04-444 – Fatores de risco para suicídio e comportamento suicida em pacientes bipolares: um estudo de casos e controles aninhado em uma coorte.	Investigator / Coordinator	R\$ 3.800,00	
Agency: FIPE / HCPA Tittle: 04-457 – Dosagem de GFAP, BDNF em pacientes bipolares e avaliação de memória	Investigator / Coordinator	R\$ 4.112,26	

	I		T
e aprendizado através de testes			
neuropsicológicos.			
Agency: FIPE / HCPA			
Tittle: 05-036 - Expressão das	Investigator /	R\$ 4.319,35	
neurotrofinas em pacientes com	Coordinator	Αψ 4.313,33	
transtorno afetivo bipolar.			
Agency: FIPE / HCPA			
Tittle: 05-069 - Estudo de			
associação entre o gene do fator	Investigator /	R\$ 3.515,00	
neurotrófico derivado do cérebro	Coordinator		
(BDNF) e transtorno bipolar.			
Agency: FIPE / HCPA			
Tittle: 05-135 – Avaliação de			
danos oxidativos ao DNA de			
pacientes portadores de	Investigator /	R\$ 2.877,36	
transtorno do humor bipolar em	Coordinator	ΚΦ 2.877,30	
•			
1 3			
comunitários.			
Agency: FIPE / HCPA			
Tittle: 05-304 – Ensaio clínico			
para avaliação da atividade	Investigator /	R\$ 2.350,00	
sedativa de um extrato seco	Coordinator	, , , , , ,	
nebulizado de passiflora alata			
(passifloraceae).			
Agency: FIPE / HCPA			
Tittle: 05-378 – A cognição como			
preditor de resposta ao	Investigator /	R\$ 2.111,00	
tratamento não farmacológico em	Coordinator		
pacientes com transtorno do			
humor bipolar.			
Agency: FIPE / HCPA			
Tittle: 06-245 – Estudo			
transversal de prevalência da	Investigator /	D# 0.050.00	
síndrome metabólica em	Coordinator	R\$ 3.650,00	
pacientes com transtorno do			
humor bipolar.			
Agency: FIPE / HCPA			
Tittle: 06-271 - Análise da			
resposta ao exercício físico em	Investigator /	R\$ 3.417,00	
pacientes bipolares.	Coordinator	Ι (Ψ σ. τ ι ι , σ σ	
Agency: FIPE / HCPA			
Tittle: 07-262 – Insight, cognição			
e neurotrofinas nas diferentes	Investigator /	R\$ 4.989,00	
polaridades do transtorno de	Coordinator	1\\$\4.303,00	
humor bipolar.			
Agency: FIPE / HCPA	Incompliant of the state of the		
1 -	Investigator / Coordinator	R\$ 3.426,30	
Tittle: 07-335 - Elaboração e	Coordinator		

validação da escala de sono para pacientes com transtorno de humor bipolar e associações entre alterações do fator neurotrófico derivado do cérebro com distúrbio do sono nas diferentes polaridades do transtorno de humor bipolar. Agency: FIPE / HCPA			
Tittle: 07-382 – Tradução, validação para o português e correlação com BDNF sérico da Escala Breve de Funcionamento do Paciente Bipolar (FAST).	Investigator / Coordinator	R\$ 3.126,00	
Agency: FIPE / HCPA Tittle: 07-542 – Impacto do abuso sexual em crianças brasileiras: desempenho cognitivo e dosagem sanguínea do fator neurotrófico derivado do cérebro.	Investigator / Coordinator	R\$ 4.120,00	
Agency: FIPE / HCPA Tittle: 07-558 – Terapia cognitivo-comportamental em grupo: avaliação de adesão ao tratamento medicamentoso e funcionalidade em pacientes com transtorno de humor bipolar.	Investigator / Coordinator	R\$ 1.375,50	
Agency: FIPE / HCPA Tittle: 07-560 – Impacto da abordagem psicoeducativa em grupo na adesão e funcionalidade para pacientes bipolares	Investigator / Coordinator	R\$ 826,00	
Agency: FIPE / HCPA Tittle: 07-589 – Associação entre o polimorfismo do gene da proteína de ligação à lectina e da atividade do sistema complemento no transtorno de humor bipolar.	Investigator / Coordinator	R\$ 7.715,00	
Agency: FIPE / HCPA Tittle: 07-643 – Mecanismos epigenéticos envolvidos no tratamento com ácido valproico e butirato de sódio em	Investigator / Coordinator	R\$ 4.984,22	

		T T	
com transtorno bipolar e			
transtorno disfórico pré-			
menstrual.			
Agency: FIPE / HCPA			
Tittle: 08-609 – BDNF sérico em			
pacientes com transtorno			
obsessivo-compulsivo sem uso	Investigator /	R\$ 3.965,10	
de tratamentos farmacológicos	Coordinator		
convencionais comparados a			
controles sem diagnósticos			
psiquiátricos.			
Agency: FIPE / HCPA			
Tittle: 08-637 – Aspectos			
clínicos, neuropsicológicos e	Investigator /	R\$ 6.552,40	
bioquímicos do transtorno do	Coordinator	1,40.332,40	
humor bipolar em comorbidade			
com abuso de crack.			
Agency: FIPE / HCPA			
Tittle: 09-063 – Associação entre	Investigator /		
fibrinogênio e fator de Von	Investigator / Coordinator	R\$ 5.289,75	
Willebrand no transtorno de	Coordinator		
humor bipolar e na esquizofrenia.			
Agency: FIPE / HCPA			
Tittle: 09-064 - O papel da			
proteína C reativa no transtorno	Investigator / Coordinator	R\$ 4.162,50	
de humor bipolar e na	Coordinator		
esquizofrenia.			
Agency: FIPE / HCPA			
Tittle: 09-121 - Correlação entre			
os níveis séricos do fator de	Investigator /	D 100	
crescimento semelhante à	Coordinator	R\$ 5.460,75	
insulina (IGF), BDNF e TNF-alfa			
no transtorno de humor bipolar.			
Agency: FIPE / HCPA			
Tittle: 09-491 - Aspectos			
clínicos, neuropsicológicos e			
bioquímicos do transtorno	Investigator /	R\$ 4.760,00	
de humor bipolar: comorbidade	Coordinator	1.4 53,55	
com abuso sexual na infância e			
com eventos de vida traumáticos.			
Agency: FIPE / HCPA			
Tittle: 09-524 – Tomada de			
decisão no jogo do ultimato e	Investigator /		
fator neurotrófico derivado do	Coordinator	R\$ 3.274,50	
cérebro no transtorno do humor	200.31114101		
bipolar.			
Agency: FIPE / HCPA	Investigator /	R\$ 7.216,20	
Tittle: 10-0191 – Avaliação da	Coordinator	1\Φ 1.210,20	
- Availação da	Joonaniator		

Amount of funding in Brazil:	R\$ 7.9	992.893,	20 = US\$3	,475.170,09
Agency: FIPE / HCPA Tittle: 11-0176 – Avaliação de potenciais biomarcadores para diagnóstico diferencial da depressão unipolar e depressão bipolar.	Investigator / Coordinator		R\$ 7.539,20	
Agency: FIPE / HCPA Tittle: 10-0431 – Estudo da metilação e da expressão do RNAm dos genes do fator neurotrófico derivado do cérebro (BDNF) e do receptor de glicocortocoides (GR) em pacientes com transtorno do humor bipolar e indivíduos controles.	Investigator / Coordinator		R\$ 4500,00	
resposta ao estresse do retículo endoplasmático em culturas de linfócitos de pacientes com transtorno de humor bipolar e o efeito de estabilizadores do humor neste processo celular.				

Grants Abroad

List Funding Source, Project Title & Number	Role in Project	Dates	Total Award	Supplemental Info
Agency: Stanley Foundation Tittle: Tianeptina como tratamento adjuntivo na depressão bipolar: um ensaio clínico randomizado controlado por placebo.	Investigator / Coordinator	2008/ 2012	R\$ 2.530.000,00	
Agency: NARSAD Independent - The Mental Health Research Association. Tittle: Fator neurotrófico derivado do cérebro como preditor de resposta ao tratamento da mania e depressão bipolar: um estudo de 16 semanas.	Investigator / Coordinator	2007/ 2012	R\$ 121.205,38	
Agency: CIHR – Canadian Institute for Health and Research, via UBC – The University of British Columbia. Tittle: Antipsicóticos atípicos para tratamento de continuação e	Investigator / Coordinator	2007/ 2011	R\$ 176.736,60	

Amount OF funding abroad:	R\$ 2	827.941	1,98 = US\$	1,229.539,99
agudo de mania.				
manutenção após um episódio				

Pharmaceutical Grants

Pharmaceutical Grants List Funding Source, Project	Role in	Dates	Total Award	Supplemental Info
Title & Number Agency: Servier	Project			
Tittle: 05-115: CL3-20098-045 –				
Eficácia e segurança da				
agomelatina (25 mg/dia com	Investigator /	2005 -		
possível ajuste para 50 mg)	Coordinator	2007	R\$ 64.000,00	
administrada por via oral durante	Coordinator	2007		
8 semanas a pacientes				
ambulatoriais com transtorno				
depressivo maior.				
Agency: Servier				
Tittle: 06-096: CL3-20098-047 -				
Eficácia e segurança da				
agomelatina (25 mg/dia com				
possível ajuste para 50 mg/dia)	Investigator /	2006 a		
administrada por via oral, em	Coordinator	2008	R\$ 71.512,40	
comparação ao placebo,	Coordinator	2000		
adicionada a um estabilizador do				
humor em pacientes com				
transtorno bipolar I, episódio				
atual de depressão maior				
Agency: Astra-Zeneca				
Tittle: 07-455: Fator neurotrófico				
derivado do cérebro como				
preditor de resposta ao	Investigator /	2008 -	R\$ 52.950,00	
tratamento na depressão bipolar	Coordinator	2012	1 (ψ 02.300,00	
e mania: um estudo de 16				
semanas de seguimento com				
quetiapina.				
Amount funding:	R\$ 188.462,40 = US\$ 81.940,17			

List of Funding Source – Research Grants	Dates	Total Award
Produtividade em Pesquisa 1A CNPq	2005 – to date	R\$ 226.800,00
Undergraduate – UFRGS	1997 - 2012	R\$ 104.760,00
Undergraduate – HCPA	2007 - 2011	R\$ 15.840,00
Undergraduate – CNPq	2007 - 2010	R\$ 13.680,00
(quota to Investigator).	2007 - 2010	Κφ 13.000,00
Technical Support support - CNPq	2008 - 2010	R\$ 13.200,00
(quota to Investigator).	2000 - 2010	Ιζψ 13.200,00
Grant for Master Program – CNPq.	2009 - 2010	R\$ 14.400,00
Grant for Doctarate Programe – CNPq	2010 - 2012	R\$ 67.200,00
PNPD/CNPq	2008 - 2010	R\$ 66.000,00
PDJ/CNPq	2008 - 2010	R\$ 129.600,00
Sandwich Doctorate Program - CNPq	2006 - 2011	R\$ 72.000,00
and CAPES	2000 - 2011	1ζφ 1 2.000,00
Amount funding for research grant:	R\$ 974.280,00 =	= US\$ 423.603,47

CLINICAL TRIALS PARTICIPATION

Project	Role in Project	Dates	Award	Other Info
Reboxetine for treatment of eating disorders	Manager	-	R\$ 1.897,72	FIPE 02-334
Clinical efficacy of escitalopram on bipolar depression	Manager	-	R\$ 4.738,45	FIPE 03-145
Clinical efficacy of quetiapine on anxiety disorders.	Manager		R\$ 2.555,57	FIPE 03-413
Efficacy and safety of adjunctive Tianeptine treatment on bipolar depression: a double blind placebo controlled study.	Manager	2008-2012	R\$ 2.530.000,00	Stanley Foundation
Effects of atypical antipsychotics treatment on acute mania and in the maintenance phase of bipolar disorder.	Manager	2007-2011	R\$ 176.736,60	CIHR – Canadian Institute for Health and Research, via UBC – The University of British Columbia
The efficacy and safety of agomelatine (25 mg/day or 50 mg/day) in outpatients with major unipolar depression: 8-	Manager	2005-2007	R\$ 64.000,00	Servier 05-115: CL3-20098- 045

week study.					
The efficacy and safety of add on agomelatine (25 mg/day or 50 mg/day) to mood stabilizer bipolar I patients on acute bipolar depression.	Manager	2008-2012	R\$ 71.512,40	Astra-Zeneca 06-096: CL3-20098- 047	
BDNF as a predictor of treatment response of quetiapine in acute mania and bipolar depression: 16 week study.	Manager	2008-2012	R\$ 52.950,00	07-455	
Amount	R\$ 2.905.390,74 = US\$ 1,263.213,36				

PUBLICATIONS:

Abstracts

- Rosa AR, Andreazza AC, Frey BN, Gonçalves CA, Ceresér K, Santin A, Cunha A, Vieta E, Kapczinski F. Aumento dos níveisséricos de GDNF em pacientes bipolares durante as fases maníacas e depressivas. In: XXIII Jornada Sul-Riograndense de Psiquiatria Dinâmica; 2006; Porto Alegre. Livro de Resumos da XXIII Jornada Sul-Riograndense de Psiquiatria Dinâmica. 2006;p.19.
- 2. Schneider J, Ceresér K, Andreazza AC, Frey BN, Costa SC, Santin A, Kapczinski F. Habilidade social afetada por ideação suicida e ansiedade comórbida no transtorno do humor bipolar. In: XXIII Jornada Sul-Riograndense de Psiquiatria Dinâmica; 2006; Porto Alegre. Livro de Resumos da XXIII Jornada Sul-Riograndense de Psiquiatria Dinâmica. 2006;p.20.
- 3. Cacilhas AA, Rosa AR, Ceresér KM, Andreazza AC, Walz JC, Weyne F, da Silveira L, Santin A, Kapczinski F. Validação para o Brasil da escala de funcionamento do paciente bipolar. In: XXV Congresso Brasileiro de Psiguiatria; 2007; Porto Alegre. Rev Bras Psiguiatr. 2007;29:P)322.
- 4. Stertz L, Cunha A, Andreazza AC, Gomes FA, Ceresér KMM, Leite M, Gonçalves CA, Kapczinski F. Proteína C-reativa e S100B na mania aguda. In: 27a Semana Científica do HCPA; 2007; Porto Alegre. Rev HCPA. 2007;27:144.
- 5. Fries GR, Andreazza AC, Zanotto C, Salvador M, Quevedo J, Gonçalves CA, Kapczinski F. Dano ao DNA em modelo animal de mania. In: 27a Semana Científica do HCPA; 2007; Porto Alegre. Rev HCPA. 2007;27:146.
- Medeiros DW, Kunz M, Gama CS, Andreazza AC, Gomes FA, Salvador M, Lucena D, Zanatto V, Belmonte-de-Abreu PS, Berk M, Kapczinski F. Elevated serum superoxide dismutase and thiobarbituric acid reactive sbstances in bipolar disorder during mood episodes and in schizophrenia. In: 27a Semana Científica do HCPA; 2007; Porto Alegre. Rev HCPA. 2007;27:147.
- 7. Magnus FW, Ceresér KM, Kapczinski F. Transtorno do humor bipolar e dosagem de proteína S-100. In: 27a Semana Científica do HCPA; 2007; Porto Alegre. Rev HCPA. 2007;27:151.
- 8. Ceresér KMM, Mascarenhas M, Kapczinski F. Projeto-piloto de implantação da atenção farmacêutica a pacientes bipolares. In: 27a Semana Científica do HCPA; 2007; Porto Alegre. Rev HCPA. 2007;27:231.

- 9. de Farias BG, Yates DB, Trentini CM, Kapczinski F. Desempenho na Wais-III em uma maostra de pacientes bipolares e controles. In: 27a Semana Científica do HCPA; 2007; Porto Alegre. Rev HCPA. 2007;27:270.
- Andreazza AC, Frey BN, Stertz L, Ribeiro LC, Valvassori SS, Reus GZ, Salvador M, Gonçalves CA, Quevedo J, Kapczinski F. Effects of lithium and valproate on DNA damage and oxidative stress markers in an animal model of mania. In: Seventh International Conference on Bipolar Disorder; 2007; Pittsburgh. Bipolar Disord. 2007;9:16.
- 11. Andreazza AC, Walz JC, Frey BN, Roesler R, Ceresér KMM, Cacilhas A, Vallvassor SS, Weyne F, Stertz L, Gonçalves CA, Quevedo J, Kapczinski F. Is neurotrophin-3 involved in bipolar disorder? Data from animal and human studies. In: Seventh International Conference on Bipolar Disorder; 2007; Pittsburg. Bipolar Disord. 2007;9:16.
- 12. Cacilhas A, Ceresér KMM, Andreazza AC, Rosa AR, Walz JC, Weyne F, da Silveira L, Santin A, Vieta E, Kapczinski F. Adaptation and validation of the Portuguese version of the Functional Assessment Short Test (FAST) in bipolar patients. In: Seventh International Conference on Bipolar Disorder; 2007; Pittsburgh. Bipolar Disord. 2007;9:25.
- 13. Fernandes B, Gonçalves DM, Brunstein M, Lobato MI, Gomes F, Frey BN, Santin A, Kapczinski F. The use of clozapine in the treatment of bipolar disorder in a patient with clinical comorbidities. In: Seventh International Conference on Bipolar Disorder; 2007; Pittsburgh. Bipolar Disord. 2007;9:37.
- 14. Gomes F, Kunz M, da Silveira L, Kapczinski F. Relevance of allostasis and allostatic load in bipolar disorder. In: Seventh International Conference on Bipolar Disorder; 2007; Pittsburgh. Bipolar Disord. 2007;9:47.
- 15. Gonçalves DM, Fernandes BS, Kapczinski F. Psychological interventions for bipolar disorder reduces the recurrence of new episodes: a systemic review and meta-analysis. In: Seventh International Conference on Bipolar Disorder; 2007; Pittsburgh. Bipolar Disord. 2007;9:47.
- 16. Gonçalves DM, Kapczinski F. Suicidal behavior among bipolar patients at a primary care setting. In: Seventh International Conference on Bipolar Disorder; 2007; Pittsburgh. Bipolar Disord. 2007;9:47-8.
- 17. Kunz M, Gama CS, Andreazza AC, Gomes F, Salvador M, Lucena D, Zanatto V, Abreu P, Berk M, Kapczinski F. Elevated serum superoxide dismutase and thiobarbituric acid reactive substances in bipolar disorder during mood episodes and in schizophrenia. In: Seventh 230-231 International Conference on Bipolar Disorder; 2007; Pittsburgh. Bipolar Disord. 2007;9:62.
- 18. Rosa AR, Franco CA, Sanchez-Moreno J, Reinares M, Salamero M, Kapczinski F, Vieta E. Functional impairment in patients with remitted bipolar disorder. In: Seventh International Conference on Bipolar Disorder; 2007; Pittsburgh. Bipolar Disord. 2007;9:90.
- Mascarenhas M, Pereira LN, Ceresér KMM, Kapczinski F. Avaliação de parâmetros laboratoriais de uma amostra de pacientes com transtorno de humor bipolar de um hospital terciário. In: 28a Semana Científica do HCPA; 2009; Porto Alegre. Rev HCPA. 2008;28:157.

- 20. Quevedo J, Streck EL, Amboni G, Scaini G, di Pietro PB, Rezin GT, Valvassori SS, Luz G, Kapczinski F. Brain creatinine kinase activity in an animal model of mania. In: 3rd Biennial Conference of the International Society for Bipolar Disorders; 2008; Delhi. Bipolar Disord. 2008;10:83-4.
- 21. Quevedo J, Garcia LS, Comim CM, Valvassori SS, Réus GZ, Barbosa LM, Andreazza AC, Stertz L, Fries G, Gavioli EC, Kapczinski F. Acute administration of ketamine induces antidepressant-like effects in the forced swimming test and increases BDNF levels in the rat hippocampus. In: 3rd Biennial Conference of the International Society for Bipolar Disorders; 2008; Delhi. Bipolar Disord. 2008;10:84.
- 22. Quevedo J, Valvasori SS, Petronilho FC, Reus GZ, Steckert CV, Oliveira VB, Boeck CR, Kapczinski F, Dal-Pizzol F. Effects of N-acetylcysteine and/or deferoxamine on oxidative stress and hyperactivity in an animal model of mania. In: 3rd Biennial Conference of the International Society for Bipolar Disorders; 2008; Delhi. Bipolar Disord. 2008;10:84.
- 23. Quevedo J, Garcia LS, Comim CF, Valvassori SS, Reus GZ, Andreazza AC, Stertz L, Fries GR, Gavioli EC, Kapczinski F. Chronic administration of ketamine elicits antidepressant-like effects in rats without affecting hippocampal BDNF protein levels In: 3rd Biennial Conference of the International Society for Bipolar Disorders; 2008; Delhi. Bipolar Disord. 2008;10:84-85.
- 24. Quevedo J, Correa C, Amboni G, Assis LC, Martins MR, Kapczinski F, Streck EL. Effects of lithium and valproate on hippocampus citrate synthase activity in animal model of mania. In: 3rd Biennial Conference of the International Society for Bipolar Disorders; 2008; Delhi. Bipolar Disord. 2008;10:85.
- 25. Quevedo J, Garcia LS, Comim CM, Valvassori SS, Réus GZ, Andreazza AC, Stertz L, Fries GR, Gavioli EC, Kapczinski F. Ketamine induces antidepressant-like effects and modifies brain derived neurotrofic factor levels in the rat hippocampus. In: XXVI CINP Congress; 2008; Munique. Int J Neuropsychopharmacol. 2008;11.
- 26. Kunz M, Ceresér KMM, Fries GR, Teixeira A, Fernandes BS, Kauer-Sant'Anna M, Kapczinski F, Gama CS. Serum levels of II6, II 10 and TNF-Alpha in patients with bipolar disorder in euthymia and with schizophrenia: differences in pro and anti-inflammatory balance. In: Biological PsychiatrySixty-Fifth Annual Scientific Convention and Meeting; 2008; Biol. Psychiatry. 2008;67, p.1325.
- 27. Stertz L, Fries GR, Valvassori S, Aguiar BW, Réus G, Comim C, Ceresér KMM, Andreazza AC, Quevedo J, Kapczinski F. Inibição da enzima histona desacetilase na amígdala e hipocampo de ratos Wistar tratados com estabilizadores de humor e butirato de sódio. In: 28a Semana Científica do HCPA; 2009; Porto Alegre. Rev HCPA. 2008;28:303.
- 28. Pfaffenseller B, Andreazza AC, Frey BN, Walz J, Stertz L, Fries GR, Weyne F, Silveira LE, Gomes F, Ceresér K, Escargueil A, Salvador M, Gottfried C, Gonçalves CA, Kapczinski F. Apoptose em pacientes bipolares. In: 28a Semana Científica do HCPA; 2009; Porto Alegre. Rev HCPA. 2008;28:303.
- 29. Fries GR, Gomes FA, Silveira LE, Weyne F, Ceresér KM, Stertz L, Kapczinski F. Prevalência de síndrome metabólica em pacientes com transtorno de humor

- bipolar. In: 28a Semana Científica do HCPA; 2009; Porto Alegre. Rev HCPA. 2008;28:306.
- 30. Medeiros DW, Vargas HE, Gama CS, Andreazza AC, Stertz L, Fries G, Palha J, Ceresér KM, Berk M, Kapczinski F, Belmonte-de-Abreu PS. Alterações nos níveis séricos de neurotrofina-3 em pacientes com esquizofrenia cronicamente medicados. In: 28a Semana Científica do HCPA; 2009; Porto Alegre. Rev HCPA. 2008:28:307.
- 31. Aguiar BW, Tramonitina JF, Yates D, Magalhães PVS, Stertz L, Fries GR, Trentini C, Kapczinski F, Belmonte-de-Abreu PS. Associação do polimorfismo do gene do Fator Neurotrófico Derivado do Cérebro e alteração em teste de cognição pré-frontal. In: 28a Semana Científica do HCPA; 2009; Porto Alegre. Rev HCPA. 2008;28:307-8.
- 32. Magnus FW, Magalhães PVS, Cacilhas AA, Ceresér KM, Walz J, Rosa A, Vieta E, Kapczinski F. Age-related functional impairment and bipolar disorder. In: 28a Semana Científica do HCPA; 2009; Porto Alegre. Rev HCPA. 2008;28:311.
- 33. Magnus FW, Kauer-Sant'Anna M, Andreazza AC, Tramontina JF, Kapczinski F, Belmonte-de-Abreu PS. Bipolar disorder, BDNF and inflammatory markers. In: 28a Semana Científica do HCPA; 2009; Porto Alegre. Rev HCPA. 2008;28:311-12.
- 34. Magnus FW, Cacilhas AA, Ceresér KM, Magalhães PV, Walz JC, Rosa A, Vieta E, Kapczinski F. Validity of a short functioning test (FAST) in a brazilian outpatients with bipolar disorder. In: 28a Semana Científica do HCPA; 2009; Porto Alegre. Rev HCPA. 2008;28:312.
- 35. Lubian A, Goulart BK, Reolon GK, Martins de Lima MN, de Almeida VR, de Farias CB, Kapczinski F, Schröder N, Roesler R. Efeitos de cetamina na memória de longa duração pelo teste de reconhecimento de objeto com avaliação dos níveis de BDNF no hipocampo de ratos. In: Salão de Iniciação Científica da UFRGS 2008; Anais do Salão de Iniciação da UFRGS. 2008; 331, p.414-5.
- 36. Fries GR, Stertz L, Andreazza AC, de Aguiar BW, Colpo GD, Valvassori SS, Elias GA, Padilha PT, Ceresér KM, Quevedo J, Kapczinski F. Efeito do butirato de sódio e atividade da enzima histona desacetilase (HDAC) no córtex préfrontal de ratos em um modelo animal de mania. In: Salão de Iniciação Científica da UFRGS 2008; Anais do Salão de Iniciação da UFRGS. 2008; 332, p.415.
- 37. Walz JC, Maalhães PVS, Andreazza AC, Ceresér KM, Cacilhas AA, Giglio LMF, Stertz L, Fries GR, Cunha A, Kapczinski F. Alterações da neurotrofina 4/5 no transtorno de humor bipolar. In: XXVI Congresso Brasileiro de Psiquiatria; 2008; Brasília. Rev Bras Psiguiatr. 2008;30:P0433.
- 38. Donis KC, Margis R, Magalhães P, Kapczinski F, Rieder CRM. Escala breve de funcionamento (FAST) em indivíduos com doença de Parkinson. In: 29a Semana Científica do HCPA; 2009; Porto Alegre. Rev HCPA. 2009;29:342.
- 39. Potter W, Fernandes B, Lucena D, Migliavacca F, Medeiros D, Ceresér KM, Gama CS, Kapczinski F. Relação entre os níveis séricos das substâncias reativas ao ácido tiobarbitúrico (TBARS) e a dose de antipsicótico em

- pacientes esquizofrênicos. In: 29a Semana Científica do HCPA; 2009; Porto Alegre. Rev HCPA. 2009;29:401.
- 40. Fries GR, Stertz L, Valvassori SS, Andreazza AC, Leite MC, Wollenhaupt de Aguiar B, Pfaffenseller B, Ceresér KM, Gonçalves CA, Quevedo J, Kapczinski F. Níveis séricos de BDNF e S100B em um modelo animal de mania induzido por D-anfetamina. In: 29a Semana Científica do HCPA; 2009; Porto Alegre. Rev HCPA. 2009;29:402-3.
- 41. Wollenhaupt de Aguiar B, Pfaffenseller B, Fries GR, Stertz L, Valvassori SS, Bock H, Fernandes B, Ceresér KM, Saraiva-Pereira ML, Kapcziski F.. Expressão gênica do Fator Neurotrófico Derivado do Cérebro na região da amígdala emum modelo animal de reversão e prevenção induzido por D-anfetamina. In: 29a Semana Científica do HCPA; 2009; Porto Alegre. Rev HCPA. 2009;29:405-6.
- 42. Bucker J, Kauer-Sant'Anna M, Fernandes B, Andreazza AC, Jakobson L, Potter W, Narvaez J, Kapczinski N, Kapczinski F. Transtornos psiquiátricos e desempenho cognitivo em cranças vítimas de abuso ou negligência. In: 29a Semana Científica do HCPA; 2009; Porto Alegre. Rev HCPA. 2009;29:406-7.
- 43. Pfaffenseler B, Wollenhaupt de Aguiar B, Fries GR, Stertz L, Valvassori SS, Bock H, Fernandes B, Ceresér KM, Saraiva-Pereira ML, Kapczinski F, Gama CS. Expressão do BDNF na região CA3 do hipocampo e cótex pré-frontal em um modelo animal de mania induzido por D-anfetamina. In: 29a Semana Científica do HCPA; 2009; Porto Alegre. Rev HCPA. 2009;29:408-9.
- 44. Jakobson LA, Fernandes B, Gama CS, Kauer-Sant'Anna M, Lobato MI, Belmonte-de-Abreu P, Kapczinski F. Brain-Derived Neurotrophic Factor (BDNF): possíveis implicações diagnósticas nos quadros depressivos. In: 29a Semana Científica do HCPA; 2009; Porto Alegre. Rev HCPA. 2009;29:412.
- 45. Martinelli BZ, Stertz L, Fries GR, Valvassori ŠS, Aguiar BW, Colpo G, Ceresér KM, Quevedo J, Kapczinski F. Avaliação do efeito do lítio, valproato e butirato de sódio sobre a atividade da histona desacetilase na região da amígdala e nos linfócitos de ratos em um modelo animal de mania. In: 29a Semana Científica do HCPA; 2009; Porto Alegre. Rev HCPA. 2009;29:412-13.
- 46. Gubert CM, Fernandes BS, Gama CS, Walz JC, Ceresér KM, Fries GR, Colpo G, Aguiar B, Pfaffenseller B, Kauer-Sant'Anna M, Kapczinski F. Análise de psicofármacos nos níveis séricos de neurotrofina-3 (NT-3) em pacientes com transtorno de humor bipolar. In: 29a Semana Científica do HCPA; 2009; Porto Alegre. Rev HCPA. 2009;29:413.
- 47. Reus GZ, Fortunato JJ, Stringari RB, Kirsch TR, Ribeiro KAF, Ferraro AK, Fries G, Kapczinski F, Crippa JAS, Quevedo J, Hallak JEC. Administração crônica de harmina induz efeitos antidepressivos e aumenta os níveis de BDNF em hipocampo de ratos. In: XXIV Reunião Anual da Federação de Sociedades de Biologia Experimental FeSBE; 2009; Águas de Lindoia.
- 48. Martinelli BZ, Fernandes B, Lersch C, Camargo D, Kunz M, Belmonte-de-Abreu PS, Kapczinski F, Lobato MI, Gama CS. Níveis séricos do Fator Neurotrófico Derivado do Cérebro (BDNF) não estão associados com a resposta à eletroconvulsoterapia (ECT): um estudo piloto em pacientes deprimidos

- resistentes à medicação. In: XXIV Reunião Anual da Federação de Sociedades de Biologia Experimental FeSBE; 2009; Águas de Lindoia.
- 49. Ribeiro KF, Réus GZ, Stringari RB, Kirsch TR, Ferraro AK, Fries G, Kapczinski F, Quevedo J. Administração crônica de memantina induz efeitos antidepressivos sem alterar os níveis de BDNF em hipocampo de ratos. In: XXIV Reunião Anual da Federação de Sociedades de Biologia Experimental FeSBE; 2009; Águas de Lindoia.
- 50. Martinelli BZ, Oliveira G, Lersch C, Ceresér K, Fernandes B, Sant'Anna MK, Fries GR, Stertz L, Aguiar B, Pfaffenseller B, Kapczinski F, Gama CS. Níveis diminuídos do Fator Neurotrófico Derivado do Cérebro (BDNF) em pacientes bipolares medicados e não medicados. In: XXIV Reunião Anual da Federação de Sociedades de Biologia Experimental FeSBE; 2009; Águas de Lindoia.
- 51. Martinelli BZ, Aguiar BW, Fries GR, Colpo G, Queved J, Ceresér KM, Stertz L, Valvassori SS, Kapczinski F. Atividade da enzima histona desacetilase na região da amígdala e nos linfócitos de ratos em um modelo animal de mania. In: XXI Salão de Iniciação Científica da UFRGS; 2009.
- 52. Andreazza AC, Frey BN, Walz JC, Stertz L, Fries GR, Gomes FA, Ceresér K, Kapczinski, F. DNA damage and apoptosis in bipolar and schizophrenia patients. In: 8th International Conference on Bipolar Disorder; 2009; Pittsburgh. Bipolar Disord. 2009;11:16.
- 53. Gama CS, Fernandes B, Massuda R, Torres M, Camargo D, Kunz M, Belmonte-de-Abreu PS, Kapczinski, F, Fleck M, Lobato MI. Serum brainderived neurothrophic factor (BDNF) is not associated with response to electroconvulsive therapy (ECT): a pilot study in drug resistant depressed patients. In: 8th International Conference on Bipolar Disorder; 2009; Pittsburgh. Bipolar Disord. 2009;11:40-1.
- 54. Oliveira G, Ceresér KM, Fernandes B, Fries GR, Stertz L, Aguiar B, Pfaffenseller B, Kapczinski F. Decreased serum brain-derived neurotrophic factor in unmedicated and medicated bipolar patients during manic and depressive episodes. In: 8th International Conference on Bipolar Disorder; 2009; Pittsburgh. Bipolar Disord. 2009;11:65-6.
- 55. Quevedo J, Ğarcia LBS, Comim CM, Valvassori SS, Réus GZ, Stertz L, Kapczinski F, Gavioli EC. Ketamine treatment reverses behavioral and psysiological alterations induced by chronic mild stress in rats. In: 8th International Conference on Bipolar Disorder; 2009; Pittsburgh. Bipolar Disord. 2009;11:71.
- 56. Videira Dias V, Brissos S, Frey BN, Andreazza AC, Kapczinski F. Brain-derived neurotrophic factor levels and cognitive dysfunction in euthymic bipolar type I patients. In: 8th International Conference on Bipolar Disorder; 2009; Pittsburgh. Bipolar Disord. 2009;11:88.
- 57. Franco C, Rosa AR, Reinares M, ComesM, Torrent C, Sánchez-Moreno J, Martinez-Aran A, Kapczinski F, Vieta E. Predictors of functional impairment in bipolar disorder: clinical factors. In: 8th International Conference on Bipolar Disorder; 2009; Pittsburgh. Bipolar Disord. 2009;11:95.
- 58. Prusch DS, de Farias CB, Rosemberg DB, Heinen TE, Abujamra AL, Kapczinski F, Brunetto AL, Ashton-Prolla P, Meurer L, Bogo MR,

- Schwartsmann G, Roesler R. Regulação dos níveis de neurotrofinas pelo receptor do peptídeo liberador de gastrina em células de câncer colorretal humano. In: 30a Semana Científica do HCPA; 2010; Porto Alegre. Rev HCPA. 2010;30:131.
- 59. Prusch DS, de Farias CB, Rosemberg DB, Heinen TE, dos Santos PK, Abujamra AL, Kapczinski F, Brunetto AL, Ashton-Prolla P, Meurer L, Bogo MR, Damin DC, Schwartsmann G, Roesler R. Avaliação da expressão de GRPR e TRKB em câncer colorretal. In: 30a Semana Científica do HCPA; 2010; Porto Alegre. Rev HCPA. 2010;30:131.
- 60. Ferreira CF, Bernanrdi JR, Senter G, Portella AK, Kauer-Sant'Anna M, Goldani MZ, Dalmaz C, Silveira PP, Kapczinski F. Modulação da vulnerabilidade a um modelo nutricional de transtorno bipolar através de variações do ambiente perinatal efeitos da manipulação e separação materna neonatais. In: 30a Semana Científica do HCPA; 2010; Porto Alegre. Rev HCPA. 2010;30:136.
- 61. Potter WA, Gama CS, Jappur DMC, Migliavacca FM, Kapczinski FP, Ceresér KMM, Schnorr CE, Fries GR, Moreira JCF, Pasquali MAB. Biomarcadores de estresse oxidativo em fases iniciais e avançadas da esquizofrenia. In: 30a Semana Científica do HCPA; 2010; Porto Alegre. Rev HCPA. 2010;30:221.
- 62. Migliavacca FM, Potter W, Thomé E, Ceresér KM, Dargél AA, Jakobson L, Jappur D, Kapczinski F, Kauer-Sant'Anna M. Transtorno bipolar: associação entre estigma e funcionalidade. In: 30a Semana Científica do HCPA; 2010; Porto Alegre. Rev HCPA. 2010;30:226.
- 63. Stertz L, Pfaffenseller B, Wollenhaupt de Aguiar B, Fries GR, Valvassori SS, Ceresér KM, Saraiva-Pereira ML, Kapczinski F. Níveis de mRNA de fator neurotrófico derivado do cérebro em um modelo animal de mania induzido por D-anfetamina. In: XXVIII Congresso Brasileiro de Psiquiatria; 2010; Fortaleza. Rev Bras Psiquiatr. 32(Supl especial):490.
- 64. Aguiar BW, Colpo GD, Lopes FM, Fries GR, Pfaffenseller B, Lersch C, Gubert C, Klamt F, Kapczinski F. Diminuição da viabilidade celular em linhagem SH-S. In: XXVIII Congresso Brasileiro de Psiquiatria; 2010; Fortaleza. Rev Bras Psiquiatr. 32(Supl especial):481.
- 65. Pfaffenseller B, Fries GR, Lersch C, Lima MNM, Stertz L, Panizzutti B, Schröder N, Kapczinski F. Estresse no período neonatal não altera a metilação global do DNA no estriado de ratos em um modelo animal de mania. In: XXVIII Congresso Brasileiro de Psiquiatria; 2010; Fortaleza. Rev Bras Psiquiatr. 32(Supl especial).
- 66. Jornada LK, Moretti M, Valvassori SS, Ferreira CL, Pereira LNG, Arent CO, Fries GR, Kapczinski F, Quevedo J. Efeito dos estabilizadores de humor nos níveis de fator neurotrófico derivado do cérebro em amígdala e hipocampo de ratos em modelo animal de mania induzido por ouabaína. In: XXVIII Congresso Brasileiro de Psiquiatria; 2010; Fortaleza. Rev Bras Psiquiatr. 32(Supl especial):538.
- 67. Bücker J, Kapczinski F, Kapczinski NS, Ceresér KM, Post R, Szobot C, Pfaffenseller B, Magalhães P, Kauer-Sant'Anna M. Aumento dos níveis de BDNF e psicopatologia em crianças com trauma quando comparadas a

- controles. In: XXVIII Congresso Brasileiro de Psiquiatria; 2010; Fortaleza. Rev Bras Psiquiatr. 32(Supl especial):447.
- 68. Abreu LN, Nery FG, Brietzke E, Magalhães PV, Kapczinski F. Comparison between clinical characteristics of suicide attempters and nonattempters in a sample of bipolar disorder patients with mania as first episode polarity. In: 4th Biennial Conference of the International Society for Bipolar Disorders; 2010; São Paulo. Bipolar Disord. 2010;12(Suppl 1):1.
- 69. Aguiar BW, Pffafenseller B, Fries GRR, Stertz L, Bock H, Saraiva-Pereira ML, Quevedo J, Kapczinski FP. BDNF levels in the rat prefrontal cortex, amygdala and hippocampal CA3 region in an animal model of mania. In: 4th Biennial Conference of the International Society for Bipolar Disorders; 2010; São Paulo. Bipolar Disord. 2010;12(Suppl 1):1-2.
- 70. Brietzke E, Stertz L, Fernandes BS, Kauer-Sant'Anna M, Mascarenhas M, Vargas AE, Chies JÁ, Kapczinski F. Comparison of cytokine levels in depressed, manic, and euthymic patients with bipolar disorder. In: 4th Biennial Conference of the International Society for Bipolar Disorders; 2010; São Paulo. Bipolar Disord. 2010;12(Suppl 1):10-11.
- 71. Colpo G, Londero G, Lorenzini DM, Santos DS, Dargél AA, Jakobson LA, Klamt F, Kapczinski F. Mass spectrometry of synaptosome after treatment with m-amphetamine as a potential means to investigate the pathophysiology of bipolar disorder. In: 4th Biennial Conference of the International Society for Bipolar Disorders; 2010; São Paulo. Bipolar Disord. 2010;12(Suppl 1):15.
- 72. Colpo G, Lopes FM, Fries GR, Panizzutti BS, Gübert CM, Marian RB, Klamt F, Kapczinski F. Decreased cellular viability in SH-SY5Y neuroblastoma cell line induced by incubation with serum from manic bipolar patients. In: 4th Biennial Conference of the International Society for Bipolar Disorders; 2010; São Paulo. Bipolar Disord. 2010;12(Suppl 1):15.
- 73. Feier G, Valvassori SS, Rezin GT, Búrigo M, Streck EL, Kapczinski F, Quevedo J. Comparison of creatine kinase levels in depressed, manic, and euthymic patients with bipolar disorder. In: 4th Biennial Conference of the International Society for Bipolar Disorders; 2010; São Paulo. Bipolar Disord. 2010;12(Suppl 1):19.
- 74. Fernandes BS, Ceresér KM, Zortéa K, Fries GR, Colpo G, Moreira L, Kapczinski F, Gama CS. Complement system in bipolar disorders and schizophrenia: C3 and C4. In: 4th Biennial Conference of the International Society for Bipolar Disorders; 2010; São Paulo. Bipolar Disord. 2010;12(Suppl 1):18-19.
- 75. Fernandes BS, Gama CS, Ceresér KM, Gomes FA, Kunz M, Colpo GD, Fries GR, Kapczinski F. Brain-derived neutrotrophic in mania, depression, and euthymia in bipolar disorders: a systematic review and meta-analysis. In: 4th Biennial Conference of the International Society for Bipolar Disorders; 2010; São Paulo. Bipolar Disord. 2010;12(Suppl 1):19.
- 76. Fernandes BS, Gama CS, Walz JC, Ceresér KM, Fries GR, Colpo GD, Kauer-Sant'Anna M, Kapczinski F. Neurotrophin-3 is increased in patients with bipolar disorder on and off medication during manic and depressive episodes. In: 4th

- Biennial Conference of the International Society for Bipolar Disorders; 2010; São Paulo. Bipolar Disord. 2010;12(Suppl 1):19.
- 77. Fernandes BS, Gomes FA, Fries GR, Stertz L, Ceresér KM, Pessoa C, Gama CS, Kapczinski F. Brain-derived neutrotrophic factor as a possible biomarker of bipolar disorder activity. In: 4th Biennial Conference of the International Society for Bipolar Disorders; 2010; São Paulo. Bipolar Disord. 2010;12(Suppl 1):19.
- 78. Fernandes BS, Pasquali MA, Bortolin RC, Aguiar B, Pfaffenseller B, Moreira JC, Kapczinski F, Gama CS. Serum thiobarbituric acidreactive substances in bipolar disorder during mania and schizophrenia: a biomarker with possible diagnostic implications. In: 4th Biennial Conference of the International Society for Bipolar Disorders; 2010; São Paulo. Bipolar Disord. 2010;12(Suppl 1):20.
- 79. Fries GR, Lersch C, de Lima MNM, Stertz L, Fernandes B, Kapczinski F, Saraiva-Pereira ML, Schröder N. Early life stress does not after global DNA methylation in the striatum of an animal model of mania. In: 4th Biennial Conference of the International Society for Bipolar Disorders; 2010; São Paulo. Bipolar Disord. 2010;12(Suppl 1):20-21.
- 80. Gomes FA, Fernandes BS, Gama CS, Magalhães PV, Walz JC, Kapczinski F. Correlation between serum brain-derived neurotrophic factor and neurotrophin-3 levels in bipolar disorder. In: 4th Biennial Conference of the International Society for Bipolar Disorders; 2010; São Paulo. Bipolar Disord. 2010;12(Suppl 1):22.
- 81. Kapczinski F. Allostatic load in bipolar disorder. In: 4th Biennial Conference of the International Society for Bipolar Disorders; 2010; São Paulo. Bipolar Disord. 2010;12(Suppl 1):30.
- 82. Kauer-Sant'Anna M, Fries GR, Bücker J, Kapczinski NS, Migliavacca F, Salvagni EP, MArquesMF, Kapczinski F, Yatham L Attention deficit and psychopathology in children victims of trauma. In: 4th Biennial Conference of the International Society for Bipolar Disorders; 2010; São Paulo. Bipolar Disord. 2010;12(Suppl 1):30.
- 83. Moreno MP, Goi P, Dargél AA, Kapczinski FP, Kauer-Sant'Anna M. Effect of mood stabilizers on behavioral and manic-like symptoms secondary to herpes simplex encephalitis: a case report. In: 4th Biennial Conference of the International Society for Bipolar Disorders; 2010; São Paulo. Bipolar Disord. 2010;12(Suppl 1):39.
- 84. Moretti M, Jornada LK, Valvassori SS, Ferreira CL, Arent CO, Fries GR, Kapczinski F, Quevedo J. Effects of mood stabilizers on hippocampus and amygdale BDNF levels in an animal model of mania induced by ouabain. In: 4th Biennial Conference of the International Society for Bipolar Disorders; 2010; São Paulo. Bipolar Disord. 2010;12(Suppl 1):39.
- 85. Narvaez JM, Fernandes BS, Vieira DC, Tramonitina JF, Trindade EK, Kapczinski NS, Kauer-Sant'Anna M, Kapczinski FP. Cognitive assessment in a crack users population with and without mood disorders: a pilot study. In: 4th Biennial Conference of the International Society for Bipolar Disorders; 2010; São Paulo. Bipolar Disord. 2010;12(Suppl 1):40-1.
- 86. Quevedo J, Steckert AV, Valvassori SS, Scaini G, Ferreira CL, Padilha PT, Streck EL, Kapczinski F. Effects of sodium butyrate and tamoxifen on creatine

- kinase activity in an animal model of mania. In: 4th Biennial Conference of the International Society for Bipolar Disorders; 2010; São Paulo. Bipolar Disord. 2010;12(Suppl 1):45.
- 87. Rosa AR, Ceresér KM, Gama CS, Reinares M, Torrent C, Magalhães PV, Kapczinski F, Vieta E. Functional impairment and disability across mood states in subjects with bipolar disorder:. In: 4th Biennial Conference of the International Society for Bipolar Disorders; 2010; São Paulo. Bipolar Disord. 2010;12(Suppl 1):47.
- 88. Tohen M, Frank E, Bowden CL, Colom F, Ghaemi NS, Yatham LN, Malhi GS, Calabrese JR, Nolen WA, Vieta E, Kapczinski F, Goodwin GM, Suppes T, Sachs GS, Chengappa KNR, Grunze H, Mitchell PB, Kanba S, Berk M. The International Society for Bipolar Disorders (ISBD) Task Force on the Nomenclature of Course and Outcome in Bipolar Disorders. In: 4th Biennial Conference of the International Society for Bipolar Disorders; 2010; São Paulo. Bipolar Disord. 2010;12(Suppl 1):53.
- 89. Vazquez GH, Kapczinski F, Magalhães PV, Nel CR, Jaramillo LC, Sanchez de Carmona M. Stigma and functioning in patients with bipolar disorders. In: 4th Biennial Conference of the International Society for Bipolar Disorders; 2010; São Paulo. Bipolar Disord. 2010;12(Suppl 1):55-6.
- 90. Zortea K, Fernandes BS, Lucena D, Bücker J, Sulzbach M, Goi P, Kapczinski F, Gama CS. Psychiatric hospitalizations due to bipolar disorder, major depression disorder, and schizophrenia in Rio Grande do Sul, Brazil. In: 4th Biennial Conference of the International Society for Bipolar Disorders; 2010; São Paulo. Bipolar Disord. 2010;12(Suppl 1):59-60.
- 91. Onyszko D, Chaves MLF, Kapczinski F, Foster L, Borba E, de Jesus AG, Cerveira MO, Godinho C, Kochhann R, Camozzatto AL. Níveis de fator neurotrófico derivado do cérebro em indivíduos com comprometimento cognitivo. In: 31a Semana Científica do HCPA; 2011; Porto Alegre. Rev HCPA. 2011;31:185-6.
- 92. Burque RK, Gazalle FK, Goi PD, Dargél AA, Souza ACML, Bücker J, Narvaez JCM, Kapczinski NS, Colpo GD, Kapczinski F, Kauer-Sant'Anna M, Ceresér KM. Adesão ao tratamento em pacientes com transtorno bipolar participantes de um ensaio clínico. In: 31a Semana Científica do HCPA; 2011; Porto Alegre. Rev HCPA. 2011;31:136.
- 93. Senter G, Bernardi Jr, Kapczinski F, Silveira PP. Investigação de interações entre estresse neonatal e a dieta ao longo da vida sobre aspectos metabólicos em ratos adultos. In: 31a Semana Científica do HCPA; 2011; Porto Alegre. Rev HCPA. 2011;31:211-2.
- 94. Fries G, Valvassor SS, Bock H, Stertz L, Kauer-Sant'Anna M, Quevedo J, Kapczinski F, Saraiva-Pereira ML. Memória e níveis de BDNF em um modelo animal de mania em estágios precoce e tardio de transtorno do humor bipolar. In: 31a Semana Científica do HCPA; 2011; Porto Alegre. Rev HCPA. 2011;31:225.
- 95. Borowsky Filho EB, Goi P, Colpo GD, Cunha AB, Ceresér KMM, Kunz M, Kapczinski F. Fator neurotrófico derivado do cérebro como um biomarcador de resposta ao tratamento da mania e depressão em pacientes bipolares: um

- seguimento de 16 semanas. In: 31a Semana Científica do HCPA; 2011; Porto Alegre. Rev HCPA. 2011;31:224-5.
- 96. Bristot G, Bücker J, Ceresér KMM, Kapczinski Natália S, Pfaffenseller B, Aguiar BW, Kapczinski F, Kauer-Sant'Anna M. Psicopatologia, cognição e níveis séricos de BDNF em crianças vítimas de trauma, comparadas com controles. In: 31a Semana Científica do HCPA; 2011; Porto Alegre. Rev HCPA. 2011;31:219.
- 97. Migliavacca FM, Sulzbach MFV, Brietzke E, Tramontina JF, Goi P, Wollenhaupt de Aguiar B, Colpo GD, Ceresér KM, Kapczinski F, Kauer-Sant'Anna M. A associação entre níveis de BDNF e de estrogênio em mulheres com transtorno bipolar In: 31a Semana Científica do HCPA; 2011; Porto Alegre. Rev HCPA. 2011;31:220.
- 98. Panizzutto BS, Sodré LA, Mendes Filho V, da Costa FBP, Farias DR, Selbach CR< Mosquiero BP< Jaconi RK, Gama CS. Comparação dos níveis de BDNF entre grupos de pacientes esquizofrênicos em surto psicótico, bipolares maníacos psicóticos, esquizofrênicos estáveis, bipolares eutímicos e grupo controle. In: 31a Semana Científica do HCPA; 2011; Porto Alegre. Rev HCPA. 2011;31:220.
- 99. Reckziegel R, Pedrini M, Chendo I, Grande I, Lobato MI, Abreu PSB, Lersch C, Walz JC, Kauer Sant'Anna M, Kapczinski F, Gama CS. Fator neurotrófico derivado do cérebro e dose diária de clozapina em pacientes com esquizofrenia: uma correlação positiva. In: 31a Semana Científica do HCPA; 2011; Porto Alegre. Rev HCPA. 2011;31:223.
- 100. Colognese B, Goi PD, Kauer Sant'Anna M, Sulzbach M, Migliavacca F, Brietzke E, Kapczinski F. Avaliação da tomada de decisão através do jogo do ultimato no transtorno do humor bipolar. In: 31a Semana Científica do HCPA; 2011; Porto Alegre. Rev HCPA. 2011;31:218.
- 101. Gubert CM, Francesconi LP, Ceresér KM, Stertz L, Gama CS, Belmote-de-Abreu OS, Kapczinski F. Avaliação dos níveis séricos de anexina-V e TNF-alpha em pacientes crônicos estáveis com esquizofrenia: uma defesa orquestrada? In: 31a Semana Científica do HCPA; 2011; Porto Alegre. Rev HCPA. 2011;31:219.
- 102. Sulzbach M, Brietzke E, Tramontina J, Migliavacca F, Goi P, Aguiar BW, Gubert CM, Kauer-Sant'Anna M, Kapczinski F. Associação entre os níveis de estrogênio e de BDNF em mulheres com transtorno bipolar. In: XXIX Congresso Brasileiro de Psiquiatria; 2011; Rio de Janeiro. Rev Bras Psiquiatr. 2011;33:34.
- 103. Goi P, Kauer-Sant'Anna M, Sulzbach M, Migliavacca F, Colognese B, Reckziegel R, Constanzi M, Brietzke E, Kapczinski F. Avaliação da tomada de decisão através do jogo do ultimato no transtorno do humor bipolar. In: XXIX Congresso Brasileiro de Psiquiatria; 2011; Rio de Janeiro. Rev Bras Psiquiatr. 2011;33:34.
- 104. Pedrini M, Lobato MIR, Belmonte-de-Abreu PS, Lersch C, Walz J, Kauer-Sant'Anna M, Kapczinski F, Gama CS. Associação entre dose diária de clozapina e níveis de fator neurotrófico derivado do cérebro em pacientes com

- esquizofrenia. In: XXIX Congresso Brasileiro de Psiquiatria; 2011; Rio de Janeiro. Rev Bras Psiquiatr. 2011;33:35.
- 105. Fries G, Valvassori SS, Bock H, Stertz L, Kauer-Sant'Anna M, Quevedo J, Kapczinski F, Saraiva-Pereira ML. Memória e níveis de BDNF em um modelo animal de mania em estágios precoce e tardio de transtorno do humor bipolar. In: XXIX Congresso Brasileiro de Psiquiatria; 2011; Rio de Janeiro. Rev Bras Psiquiatr. 2011;33:36.
- 106. Recco KCC, Valvassori Samira S, Borges J, Varela Roger B, Vitto MF, da Luz G, Kapczinski F, de Souza CT, Quevedo J. Lítio e tamoxifeno protegem o cérebro de ratos contra o aumento de GSK-3 e diminuição da fosforilação de GSK-3 em modelo animal de mania induzido por anfetamina. In: XXIX Congresso Brasileiro de Psiquiatria; 2011; Rio de Janeiro. Rev Bras Psiquiatr. 2011;33:36.
- 107. Zortéa K, Magalhães P, Rosa AR, Guimarães LR, Walz JC, Massuda R, Kapczinski F, Gama CS, Belmonte-de-Abreu PS. Propriedades psicométricas da escla FAST (*Functioning Assessment Short Test*) em pacientes com esquizofrenia. In: XXIX Congresso Brasileiro de Psiquiatria; 2011; Rio de Janeiro. Rev Bras Psiquiatr. 2011;33:41.
- 108. Abreu LN, Nery FG, Miranda-Scippa AM, Kapczinski F, Lafer B. Clinical characteristics of suicide attempters among bipolar disorder patients: results from the Brazilian Research Consortium for Bipolar Disorders. 234-235 In: 9th International Conference on Bipolar Disorder; 2011; Pittsburgh. Bipolar Disord. 2011;13(Suppl 1):27.
- 109. Brietzke E, Bianco-Duarte SV, Nery FG, Kapczinski F, Scippa A, Lafer B. Impact of migraine comorbidity in the clinical course of bipolar disorder. In: 9th International Conference on Bipolar Disorder; 2011; Pittsburgh. Bipolar Disord. 2011;13(Suppl 1):32.
- 110. Costa LFO, Campos RN, Bio DS, Vázquez GH, Kapczinski F, Moreno RA. Internalized Stigma in Bipolar Disorder Type I (INTEST-BD I) Project: comparison of internalized stigma a sample of young adults and chronic outpatients with bipolar disorder type I. In: 9th International Conference on Bipolar Disorder; 2011; Pittsburgh. Bipolar Disord. 2011;13(Suppl 1):36.
- 111. Dean O, Berk M, Cotton SM, Bush AI, Gama CS, Kapczinski F, Fernandez B, Kohlmann K, Jeavons S, Hewitt K, Moss K, Allwang C, Dodd S, Cobb H, Schapkaitz I, Malhi GS. N-acetyl cysteine (NAC) as an adjunctive therapy for bipolar depression. In: 9th International Conference on Bipolar Disorder; 2011; Pittsburgh. Bipolar Disord. 2011;13(Suppl 1):38.
- 112. Dias RS, Nery FG, Kauer-Sant'Anna M, Kapczinski F, Scippa A, Lafer B. Gender differences in bipolar disorder: finding from the Brazilian Bipolar Research Network. In: 9th International Conference on Bipolar Disorder; 2011; Pittsburgh. Bipolar Disord. 2011;13(Suppl 1):39-40.
- 113. Feier G, Valvassori SS, Rezin GT, Búrigo M, Streck EL, Kapczinski F, Quevedo J. Comparison of creatinine kinase levels in depressed, manic and beuthymic patients with bipolar disorder. In: 9th International Conference on Bipolar Disorder; 2011; Pittsburgh. Bipolar Disord. 2011;13(Suppl 1):44.

- 114. Grande I, Chendo I, Frey BN, Ceresér KM, Fries GR, Stertz L, da Cunha ABM, Vieta E, Kapczinski F. Longitudinal assessment of serum brain derived neurotrophic factor levels in bipolar patients. In: 9th International Conference on Bipolar Disorder; 2011; Pittsburgh. Bipolar Disord. 2011;13(Suppl 1):51.
- 115. Nery FG, Scippa A, Kapczinski F, Lafer B. Low prevalence of alcohol use disorders in Brazilian bipolar disorder patients: results from the Brazilian Bipolar Research Network. In: 9th International Conference on Bipolar Disorder; 2011; Pittsburgh. Bipolar Disord. 2011;13(Suppl 1):73.
- 116. Quevedo J, Arent CO, Valvassori SS, Fries GR, Stertz L, Ferreira CL, Lopes-Borges J, Mariot E, Varela RB, Ornell F, Kapczinski F, Andersen ML. Neuroanatomical profile of antimaniac effects of histone deacetylase inibitors. In: 9th International Conference on Bipolar Disorder; 2011; Pittsburgh. Bipolar Disord. 2011;13(Suppl 1):79.
- 117. Riegel RE, Steckert AV, Valvassori SS, Borges JL, Varela RB, Mina F, Ornell F, Kapczinski F, Dal-Pizzol F, Quevedo J. Effects of sodium butyrate on damphetamine-induced oxidative stress in the rat brain. In: 9th International Conference on Bipolar Disorder; 2011; Pittsburgh. Bipolar Disord. 2011;13(Suppl 1):81.
- 118. Walz JC, Magalhães PV, Giglio LM, Ceresér KM, Kapczinski F. Daytim sleepiness, sleep disturbance and functioning impairment in bipolar disorder. In: 9th International Conference on Bipolar Disorder; 2011; Pittsburgh. Bipolar Disord. 2011;13(Suppl 1):105.
- 119. Pedrini M, Chendo I, Grande I, Lobato MI, Belmonte-de-Abreu P, Lersch C, Walz J, Kauer-Sant'Anna M, Kapczinski F, Gama Clarissa S. Serum brain derived neurotrophic factor and clozapine daily dose in patients with schizophrenia: a positive correlation. In: 66th Meeting of the Society of Biological Psychiatry; 2011; Paris. Biol Psychiatry. 2011;69:926.

Refereed Original Articles in Journals

- 1. **Kapczinski F**, Passos IC. Wet minds, dry minds, and the future of psychiatry as a science. Acta Psychiatr Scand. 2015
- Czepielewski LS, Massuda R, Goi P, Sulzbach-Vianna M, Reckziegel R, Costanzi M, Kapczinski F, Rosa AR, Gama CS. Verbal episodic memory along the course of schizophrenia and bipolar disorder: A new perspective. Eur Neuropsychopharmacol. 2015
- 3. Corrêa MS, Vedovelli K, Giacobbo BL, de Souza CE, Ferrari P, de Lima Argimon II, Walz JC, **Kapczinski F**, Bromberg E. Psychophysiological correlates of cognitive deficits in family caregivers of patients with Alzheimer Disease. Neuroscience. 2015
- 4. Dargél AA, Godin O, **Kapczinski F**, Kupfer DJ, Leboyer M. C-reactive protein alterations in bipolar disorder: a meta-analysis. J Clin Psychiatry. 2015
- 5. Lavagnino L, Cao B, Mwangi B, Wu MJ, Sanches M, Zunta-Soares GB, **Kapczinski F**, Soares J. Changes in the corpus callosum in women with late-stage bipolar disorder. Acta Psychiatr Scand. 2015.

- 6. Bauer M, Glenn T, Alda M, Andreassen OA, Angelopoulos E, Ardau R, Baethge C, Bauer R, Bellivier F, Belmaker RH, Berk M, Bjella TD, Bossini L, Bersudsky Y, Cheung EY, Conell J, Del Zompo M, Dodd S, Etain B, Fagiolini A, Frye MA, Fountoulakis KN, Garneau-Fournier J, Gonzalez-Pinto A, Harima H, Hassel S, Henry C, Iacovides A, Isometsä ET, **Kapczinski F**, Kliwicki S, König B, Krogh R, Kunz M, Lafer B, Larsen ER, Lewitzka U, Lopez-Jaramillo C, MacQueen G, Manchia M, Marsh W, Martinez-Cengotitabengoa M, Melle I, Monteith S, Morken G, Munoz R, Nery FG, O'Donovan C, Osher Y, Pfennig A, Quiroz D, Ramesar R, Rasgon N, Reif A, Ritter P, Rybakowski JK, Sagduyu K, Scippa AM, Severus E, Simhandl C, Stein DJ, Strejilevich S, Hatim Sulaiman A, Suominen K, Tagata H, Tatebayashi Y, Torrent C, Vieta E, Viswanath B, Wanchoo MJ, Zetin M, Whybrow PC. Influence of birth cohort on age of onset cluster analysis in bipolar I disorder. Eur Psychiatry. 2015
- 7. Corrêa MS, da Silveira EM, de Lima DB, Balardin JB, Walz JC, **Kapczinski F**, Bromberg E. The role of encoding strategies in contextual memory deficits in patients with bipolar disorder. Neuropsychol Rehabil. 2015
- 8. Bortoluzzi A, Salum GA, Blaya C, Silveira PP, Grassi-Oliveira R, da Rosa ED, de Aguiar BW, Stertz L, Bosa VL, Schuch I, Goldani M, **Kapczinski F**, Leistner-Segal S, Manfro GG. Mineralocorticoid receptor genotype moderates the association between physical neglect and serum BDNF. J Psychiatr Res. 2014
- Silveira LE, Kozicky JM, Muralidharan K, Bücker J, Torres IJ, Bond DJ, Kapczinski F, Kauer-Sant'Anna M, Lam RW, Yatham LN. Neurocognitive functioning in overweight and obese patients with bipolar disorder: data from the Systematic Treatment Optimization Program for Early Mania (STOP-EM). Can J Psychiatry. 2014
- 10. Gubert C, Fries GR, Pfaffenseller B, Ferrari P, Coutinho-Silva R, Morrone FB, Kapczinski F, Battastini AM. Role of P2X7 Receptor in an Animal Model of Mania Induced by D-Amphetamine. Mol Neurobiol. 2014.
- 11. Bücker J, Fries GR, **Kapczinski F**, Post RM, Yatham LN, Vianna P, Bogo Chies JA, Gama CS, Magalhães PV, Aguiar BW, Pfaffenseller B, Kauer-Sant'Anna M. Brain-derived neurotrophic factor and inflammatory markers in school-aged children with early trauma. Acta Psychiatr Scand. 2014
- 12. Fries GR, Vasconcelos-Moreno MP, Gubert C, dos Santos BT, Sartori J, Eisele B, Ferrari P, Fijtman A, Rüegg J, Gassen NC, **Kapczinski F**, Rein T, Kauer-Sant'Anna M. Hypothalamic-pituitary-adrenal axis dysfunction and illness progression in bipolar disorder. Int J Neuropsychopharmacol. 2014
- 13. Barichello T, Generoso JS, Simões LR, Steckert AV, Moreira AP, Dominguini D, Ferrari P, Gubert C, **Kapczinski F**, Jornada LK, Danielski LG, Petronilho F, Budni J, Quevedo J. Folic acid prevented cognitive impairment in experimental pneumococcal meningitis. J Neural Transm. 2014
- 14. **Kapczinski F**, Magalhães PV, Balanzá-Martinez V, Dias VV, Frangou S, Gama CS, Gonzalez-Pinto A, Grande I, Ha K, Kauer-Sant'Anna M, Kunz M, Kupka R, Leboyer M, Lopez-Jaramillo C, Post RM, Rybakowski JK, Scott J, Strejilevitch S, Tohen M, Vazquez G, Yatham L, Vieta E, Berk M. Staging systems in bipolar disorder: an International Society for Bipolar Disorders Task Force Report. Acta Psychiatr Scand. 2014

- 15. Barichello T, Generoso JS, Simões LR, Ceretta RA, Dominguini D, Ferrari P, Gubert C, Jornada LK, Budni J, Kapczinski F, Quevedo J. Vitamin B6 prevents cognitive impairment in experimental pneumococcal meningitis. Exp Biol Med (Maywood). 2014
- 16. Sordi AO, Pechansky F, Kessler FH, **Kapczinski F**, Pfaffenseller B, Gubert C, de Aguiar BW, de Magalhães Narvaez JC, Ornell F, von Diemen L. Oxidative stress and BDNF as possible markers for the severity of crack cocaine use in early withdrawal. Psychopharmacology (Berl). 2014
- 17. Sharma AN, Bauer IE, Sanches M, Galvez JF, Zunta-Soares GB, Quevedo J, **Kapczinski F**, Soares JC. Common biological mechanisms between bipolar disorder and type 2 diabetes: Focus on inflammation. Prog Neuropsychopharmacol Biol Psychiatry. 2014
- 18. Pinheiro RM, de Lima MN, Portal BC, Busato SB, Falavigna L, Ferreira RD, Paz AC, de Aguiar BW, **Kapczinski F**, Schröder N. Long-lasting recognition memory impairment and alterations in brain levels of cytokines and BDNF induced by maternal deprivation: effects of valproic acid and topiramate. J Neural Transm. 2014
- 19. Galvez JF, Bauer IE, Sanches M, Wu HE, Hamilton JE, Mwangi B, Kapczinski FP, Zunta-Soares G, Soares JC. Shared clinical associations between obesity and impulsivity in rapid cycling bipolar disorder: a systematic review. J Affect Disord. 2014.
- 20. Pfaffenseller B, Wollenhaupt-Aguiar B, Fries GR, Colpo GD, Burque RK, Bristot G, Ferrari P, Ceresér KM, Rosa AR, Klamt F, **Kapczinski F**. Impaired endoplasmic reticulum stress response in bipolar disorder: cellular evidence of illness progression. Int J Neuropsychopharmacol. 2014
- 21. Bauer IE, Pascoe MC, Wollenhaupt-Aguiar B, **Kapczinski F**, Soares JC. Inflammatory mediators of cognitive impairment in bipolar disorder. J Psychiatr Res. 2014
- 22. **Kapczinski F**, Streb LG. Neuroprogression and staging in psychiatry: historical considerations. Rev Bras Psiquiatr. 2014.
- 23. Narvaez JC, Jansen K, Pinheiro RT, Kapczinski F, Silva RA, Pechansky F, Magalhães PV. Psychiatric and substance-use comorbidities associated with lifetime crack cocaine use in young adults in the general population. Compr Psychiatry. 2014
- 24. Valvassori SS, Arent CO, Steckert AV, Varela RB, Jornada LK, Tonin PT, Budni J, Mariot E, Kapczinski F, Quevedo J. Intracerebral Administration of BDNF Protects Rat Brain Against Oxidative Stress Induced by Ouabain in an Animal Model of Mania. Mol Neurobiol. 2014
- 25. Schönhofen P, de Medeiros LM, Bristot IJ, Lopes FM, De Bastiani MA, **Kapczinski F**, Crippa JA, Castro MA, Parsons RB, Klamt F. Cannabidiol Exposure During Neuronal Differentiation Sensitizes Cells Against Redox-Active Neurotoxins. Mol Neurobiol. 2014
- 26. Moro MF, Carta MG, Pintus M, Pintus E, Melis R, **Kapczinski F**, Vieta E, Colom F. Validation of the Italian Version of the Biological Rhythms Interview of Assessment in Neuropsychiatry (BRIAN): Some Considerations on its Screening Usefulness. Clin Pract Epidemiol Ment Health. 2014

- 27. Nery FG, Miranda-Scippa A, Nery-Fernandes F, **Kapczinski F**, Lafer B. Prevalence and clinical correlates of alcohol use disorders among bipolar disorder patients: results from the Brazilian Bipolar Research Network. Compr Psychiatry. 2014.
- 28. Rodrigues AA, Rosa AR, Kunz M, Bruna A, **Kapczinski F**. Bipolar disorder: staging and neuroprogression. Psychiatr Pol. 2014.
- 29. Bristot G, Ascoli B, Gubert C, Panizzutti B, **Kapczinski F**, Rosa AR. Progesterone and its metabolites as therapeutic targets in psychiatric disorders. Expert Opin Ther Targets. 2014.
- 30. Grande I, Magalhães PV, Chendo I, Stertz L, Panizutti B, Colpo GD, Rosa AR, Gama CS, **Kapczinski F**, Vieta E. Staging bipolar disorder: clinical, biochemical, and functional correlates. Acta Psychiatr Scand. 2014.
- 31. Berutti M, Nery FG, Sato R, Scippa A, **Kapczinski F**, Lafer B. Association between family history of mood disorders and clinical characteristics of bipolar disorder: results from the Brazilian bipolar research network. J Affect Disord. 2014.
- 32. Bauer M, Glenn T, Alda M, Andreassen OA, Angelopoulos E, Ardau R, Baethge C, Bauer R, Bellivier F, Belmaker RH, Berk M, Bjella TD, Bossini L, Bersudsky Y, Cheung EY, Conell J, Del Zompo M, Dodd S, Etain B, Fagiolini A, Frye MA, Fountoulakis KN, Garneau-Fournier J, González-Pinto A, Harima H, Hassel S, Henry C, Iacovides A, Isometsä ET, **Kapczinski F**, Kliwicki S, König B, Krogh R, Kunz M, Lafer B, Larsen ER, Lewitzka U, Lopez-Jaramillo C, MacQueen G, Manchia M, Marsh W, Martinez-Cengotitabengoa M, Melle I, Monteith S, Morken G, Munoz R, Nery FG, O'Donovan C, Osher Y, Pfennig A, Quiroz D, Ramesar R, Rasgon N, Reif A, Ritter P, Rybakowski JK, Sagduyu K, Scippa ÂM, Severus E, Simhandl C, Stein DJ, Strejilevich S, Sulaiman AH, Suominen K, Tagata H, Tatebayashi Y, Torrent C, Vieta E, Viswanath B, Wanchoo MJ, Zetin M, Whybrow PC. Relationship between sunlight and the age of onset of bipolar disorder: an international multisite study. J Affect Disord. 2014.
- 33. Rosa AR, Magalhães PV, Czepielewski L, Sulzbach MV, Goi PD, Vieta E, Gama CS, **Kapczinski F**. Clinical staging in bipolar disorder: focus on cognition and functioning. J Clin Psychiatry. 2014.
- 34. Ferreira CF, Bernardi JR, Bosa VL, Schuch I, Goldani MZ, **Kapczinski F**, Salum GA, Dalmaz C, Manfro GG, Silveira PP. Correlation between n-3 polyunsaturated fatty acids consumption and BDNF peripheral levels in adolescents Lipids Health Dis. 2014.
- 35. Narvaez JC, Jansen K, Pinheiro RT, **Kapczinski F**, Silva RA, Pechansky F, Magalhães PV. Violent and sexual behaviors and lifetime use of crack cocaine: a population-based study in Brazil. Soc Psychiatry Psychiatr Epidemiol. 2014.
- 36. Costa AB, Fontanari AM, Andreazza T, Salvador J, Koff WJ, Aguiar B, Ferrari P, Massuda R, Pedrini M, Silveira E, Belmonte-de-Abreu PS, Gama CS, Kauer-Sant'Anna M, **Kapczinski F**, Lobato MI. BDNF: a biomarker for social vulnerability in individuals diagnosed with gender dysphoria. J Psychiatr Res. 2014
- 37. Fond G, Hamdani N, **Kapczinski F**, Boukouaci W, Drancourt N, Dargel A, Oliveira J, Le Guen E, Marlinge E, Tamouza R, Leboyer M. Effectiveness and

- tolerance of anti-inflammatory drugs' add-on therapy in major mental disorders: a systematic qualitative review. Acta Psychiatr Scand. 2014
- 38. Magalhaes PV, Jansen K, Stertz L, Ferrari P, Pinheiro RT, da Silva RA, **Kapczinski F**. Peripheral eotaxin-1 (CCL11) levels and mood disorder diagnosis in a population-based sample of young adults. J Psychiatr Res. 2014
- 39. Fries GR, Vasconcelos-Moreno MP, Gubert C, Santos BT, da Rosa AL, Eisele B, Sartori J, Pfaffenseller B, **Kapczinski F**, Kauer-Sant'anna M. Early apoptosis in peripheral blood mononuclear cells from patients with bipolar disorder. J Affect Disord. 2014.
- 40. von Diemen L, **Kapczinski F**, Sordi AO, de Magalhães Narvaez JC, Guimarães LS, Kessler FH, Pfaffenseller B, de Aguiar BW, de Moura Gubert C, Pechansky F. Increase in brain-derived neurotrophic factor expression in early crack cocaine withdrawal. Int J Neuropsychopharmacol. 2014.
- 41. Pacchiarotti I, Bond DJ, Baldessarini RJ, Nolen WA, Grunze H, Licht RW, Post RM, Berk M, Goodwin GM, Sachs GS, Tondo L, Findling RL, Youngstrom EA, Tohen M, Undurraga J, González-Pinto A, Goldberg JF, Yildiz A, Altshuler LL, Calabrese JR, Mitchell PB, Thase ME, Koukopoulos A, Colom F, Frye MA, Malhi GS, Fountoulakis KN, Vázquez G, Perlis RH, Ketter TA, Cassidy F, Akiskal H, Azorin JM, Valentí M, Mazzei DH, Lafer B, Kato T, Mazzarini L, Martínez-Aran A, Parker G, Souery D, Ozerdem A, McElroy SL, Girardi P, Bauer M, Yatham LN, Zarate CA, Nierenberg AA, Birmaher B, Kanba S, El-Mallakh RS, Serretti A, Rihmer Z, Young AH, Kotzalidis GD, MacQueen GM, Bowden CL, Ghaemi SN, Lopez-Jaramillo C, Rybakowski J, Ha K, Perugi G, Kasper S, Amsterdam JD, Hirschfeld RM, Kapczinski F, Vieta E. The International Society for Bipolar Disorders (ISBD) task force report on antidepressant use in bipolar disorders. Am J Psychiatry. 2013
- 42. Chiarani F, Fries GR, Stertz L, Ceresér KM, Wyse AT, Kapczinski FP, Kunz M. Expression of matrix metalloproteinases in patients with bipolar disorder. Rev Bras Psiquiatr. 2013
- 43. Fraga DB, Réus GZ, Abelaira HM, De Luca RD, Canever L, Pfaffenseller B, Colpo GD, **Kapczinski F**, Quevedo J, Zugno AI. Ketamine alters behavior and decreases BDNF levels in the rat brain as a function of time after drug administration. Rev Bras Psiquiatr. 2013
- 44. Martini T, Czepielewski LS, Fijtman A, Sodré L, Wollenhaupt-Aguiar B, Pereira CS, Vianna-Sulzbach M, Goi PD, Rosa AR, **Kapczinski F**, Kunz M, Kauer-Sant'anna M. Bipolar disorder affects behavior and social skills on the Internet. PLoS One. 2013.
- 45. Fries GR, Vasconcelos-Moreno MP, Gubert C, Santos BT, da Rosa AL, Eisele B, Sartori J, Pfaffenseller B, **Kapczinski F**, Kauer-Sant'anna M. Early apoptosis in peripheral blood mononuclear cells from patients with bipolar disorder. J Affect Disord. 2013
- 46. Fries GR, Vasconcelos-Moreno MP, Gubert C, Santos BT, da Rosa AL, Eisele B, Sartori J, Pfaffenseller B, Kapczinski F, Kauer-Sant'anna M. Early apoptosis in peripheral blood mononuclear cells from patients with bipolar disorder. J Affect Disord. 2013

- 47. Réus GZ, Abelaira HM, Dos Santos MA, Carlessi AS, Tomaz DB, Neotti MV, Liranço JL, Gubert C, Barth M, **Kapczinski F**, Quevedo J. Ketamine and imipramine in the nucleus accumbens regulate histone deacetylation induced by maternal deprivation and are critical for associated behaviors. Behav Brain Res. 2013
- 48. Grande I, Magalhães PV, Chendo I, Stertz L, Fries GR, Cereser KM, Cunha AB, Gói P, Kunz M, Udina M, Martõn-Santos R, Frey BN, Vieta E, **Kapczinski** F. Val66Met polymorphism and serum brain-derived neurotrophic factor in bipolar disorder: an open-label trial. Acta Psychiatr Scand. 2013
- 49. Garcia VA, Hirotsu C, Matos G, Alvarenga T, Pires GN, **Kapczinski F**, Schröder N, Tufik S, Andersen ML. Modafinil ameliorates cognitive deficits induced by maternal separation and sleep deprivation. Behav Brain Res. 2013
- 50. Chiarani F, Tramontina JF, Cereser KM, Kunz M, Paim L, Vargas CR, Sitta A, Machado SP, Wyse AT, Kapczinski FP. Homocysteine and other markers of cardiovascular risk during a manic episode in patients with bipolar disorder. Rev Bras Psiquiatr. 2013
- 51. Gomes FA, Almeida KM, Magalhaes PV, Caetano SC, Kauer-Sant'anna M, Lafer B, Kapczinski F. Cardiovascular risk factors in outpatients with bipolar disorder: a report from the Brazilian Research Network in Bipolar Disorder. Rev Bras Psiquiatr. 2013
- 52. Nardi AE, **Kapczinski F**, Quevedo J, Hallak JE, Freire R, Romano-Silva MA. The quest for better diagnosis: DSM-5 or RDoC?. Rev Bras Psiquiatr. 2013
- 53. Pfaffenseller B, Fries GR, Wollenhaupt-Aguiar B, Colpo GD, Stertz L, Panizzutti B, Magalhães PV, **Kapczinski F**. Neurotrophins, inflammation and oxidative stress as illness activity biomarkers in bipolar disorder. Expert Rev Neurother. 2013
- 54. Gubert C, Stertz L, Pfaffenseller B, Panizzutti BS, Rezin GT, Massuda R, Streck EL, Gama CS, **Kapczinski F**, Kunz M. Mitochondrial activity and oxidative stress markers in peripheral blood mononuclear cells of patients with bipolar disorder, schizophrenia, and healthy subjects. J Psychiatr Res. 2013
- 55. Wiener C, Rassier GT, Kaster MP, Jansen K, Pinheiro RT, Klamt F, Magalhães PV, **Kapczinski F**, Ghisleni G, da Silva RA. Gender-based differences in oxidative stress parameters do not underlie the differences in mood disorders susceptibility between sexes. Eur Psychiatry. 2013
- 56. Silva GD, Jansen K, Barbosa LP, Branco JD, Pinheiro RT, Magalhães PV, **Kapczinski F**, Silva RA. Burden and related factors in caregivers of young adults presenting bipolar and unipolar mood disorder. Int J Soc Psychiatry. 2013
- 57. Bernardi JR, Ferreira CF, Senter G, Krolow R, de Aguiar BW, Portella AK, Kauer-Sant'anna M, **Kapczinski F**, Dalmaz C, Goldani MZ, Silveira PP. Early life stress interacts with the diet deficiency of omega-3 fatty acids during the life course increasing the metabolic vulnerability in adult rats. PLoS One. 2013
- 58. Biff D, Petronilho F, Constantino L, Vuolo F, Zamora-Berridi GJ, Dall'Igna DM, Comim CM, Quevedo J, **Kapczinski F**, Dal-Pizzol F. Correlation of acute phase inflammatory and oxidative markers with long-term cognitive impairment in sepsis survivors rats. Shock. 2013

- 59. Narvaez JC, Magalhães PV, Fries GR, Colpo GD, Czepielewski LS, Vianna P, Chies JA, Rosa AR, Von Diemen L, Vieta E, Pechansky F, **Kapczinski F**. Peripheral toxicity in crack cocaine use disorders. Neurosci Lett. 2013
- Gama CS, Kunz M, Magalhães PV, Kapczinski F. Staging and neuroprogression in bipolar disorder: a systematic review of the literature. Rev Bras Psiquiatr. 2013
- 61. Scott J, Leboyer M, Hickie I, Berk M, **Kapczinski F**, Frank E, Kupfer D, McGorry P. Clinical staging in psychiatry: a cross-cutting model of diagnosis with heuristic and practical value. Br J Psychiatry. 2013
- 62. Ferreira CF, Bernardi JR, Krolow R, Arcego DM, Fries GR, de Aguiar BW, Senter G, Kapczinski FP, Silveira PP, Dalmaz C. Vulnerability to dietary n-3 polyunsaturated fatty acid deficiency after exposure to early stress in rats. Pharmacol Biochem Behav. 2013
- 63. Rosa AR, Mercadé C, Sánchez-Moreno J, Solé B, Mar Bonnin CD, Torrent C, Grande I, Sugranyes G, Popovic D, Salamero M, **Kapczinski F**, Vieta E, Martinez-Aran A. Validity and reliability of a rating scale on subjective cognitive deficits in bipolar disorder (COBRA). J Affect Disord. 2013
- 64. **Kapczinski F**, Romano-Silva MA. The relevance of neuroscience research networks for Brazilian science. Rev Bras Psiguiatr. 2012
- 65. Frey BN, Andreazza AC, Houenou J, Jamain S, Goldstein BI, Frye MA, Leboyer M, Berk M, Malhi GS, Lopez-Jaramillo C, Taylor VH, Dodd S, Frangou S, Hall GB, Fernandes BS, Kauer-Sant'Anna M, Yatham LN, **Kapczinski F**, Young LT. Biomarkers in bipolar disorder: a positional paper from the International Society for Bipolar Disorders Biomarkers Task Force. Aust N Z J Psychiatry. 2013
- 66. Ruiz de Azua S, Matute C, Stertz L, Mosquera F, Palomino A, de la Rosa I, Barbeito S, Vega P, **Kapczinski F**, González-Pinto A. Plasma brain-derived neurotrophic factor levels, learning capacity and cognition in patients with first episode psychosis. BMC Psychiatry. 2013
- 67. Réus GZ, Dos Santos MA, Abelaira HM, Ribeiro KF, Petronilho F, Vuolo F, Colpo GD, Pfaffenseller B, **Kapczinski F**, Dal-Pizzol F, Quevedo J. Imipramine reverses alterations in cytokines and BDNF levels induced by maternal deprivation in adult rats. Behav Brain Res. 2013
- 68. Stertz L, Magalhães PV, **Kapczinski F**. Is bipolar disorder an inflammatory condition? The relevance of microglial activation. Curr Opin Psychiatry. 2013
- 69. Dalle Molle R, Portella AK, Goldani MZ, Kapczinski FP, Leistner-Segal S, Salum GA, Manfro GG, Silveira PP. Associations between parenting behavior and anxiety in a rodent model and a clinical sample: relationship to peripheral BDNF levels. Transl Psychiatry. 2012
- 70. Fries GR, Pfaffenseller B, Stertz L, Paz AV, Dargél AA, Kunz M, **Kapczinski F**. Staging and neuroprogression in bipolar disorder. Curr Psychiatry Rep. 2012
- 71. Della FP, Abelaira HM, Réus GZ, Antunes AR, Dos Santos MA, Zappelinni G, Steckert AV, Vuolo F, Galant LS, Dal-Pizzol F, **Kapczinski F**, Quevedo J. Tianeptine exerts neuroprotective effects in the brain tissue of rats exposed to the chronic stress model. Pharmacol Biochem Behav. 2012
- 72. Jansen K, Magalhães PV, Tavares Pinheiro R, **Kapczinski F**, Silva RA. Early

- functional impairment in bipolar youth: a nested population-based case-control study. J Affect Disord. 2012
- 73. Castelo MS, Hyphantis TN, Macêdo DS, Lemos GO, Machado YO, **Kapczinski F**, McIntyre RS, Carvalho AF. Screening for bipolar disorder in the primary care: a Brazilian survey. J Affect Disord. 2012
- 74. Grande I, **Kapczinski** F, Stertz L, Colpo GD, Kunz M, Cereser KM, Kauer-Sant'Anna M, Frey B, Vieta E, Magalhaes PV. Peripheral brain-derived neurotrophic factor changes along treatment with extended release quetiapine during acute mood episodes: an open-label trial in drug-free patients with bipolar disorder. J Psychiatr Res. 2012
- 75. Berk M, Dean OM, Cotton SM, Gama CS, **Kapczinski F**, Fernandes B, Kohlmann K, Jeavons S, Hewitt K, Moss K, Allwang C, Schapkaitz I, Cobb H, Bush AI, Dodd S, Malhi GS. Maintenance N-acetyl cysteine treatment for bipolar disorder: a double-blind randomized placebo controlled trial. BMC Med. 2012
- 76. Comim CM, Reis PA, Frutuoso VS, Fries GR, Fraga DB, **Kapczinski F**, Zugno AI, Barichello T, Quevedo J, Castro-Faria-Neto HC. Effects of experimental cerebral malaria in memory, brain-derived neurotrophic factor and acetylcholinesterase activity [correction for acitivity] in the hippocampus of survivor mice. Neurosci Lett. 2012
- 77. Delgado VB, **Kapczinski F**, Chaves ML. Memory mood congruency phenomenon in bipolar I disorder and major depression disorder patients. Braz J Med Biol Res. 2012
- 78. Bauer M, Glenn T, Alda M, Andreassen OA, Ardau R, Bellivier F, Berk M, Bjella TD, Bossini L, Del Zompo M, Dodd S, Fagiolini A, Frye MA, Gonzalez-Pinto A, Henry C, **Kapczinski F**, Kliwicki S, König B, Kunz M, Lafer B, Lopez-Jaramillo C, Manchia M, Marsh W, Martinez-Cengotitabengoa M, Melle I, Morken G, Munoz R, Nery FG, O'Donovan C, Pfennig A, Quiroz D, Rasgon N, Reif A, Rybakowski J, Sagduyu K, Simhandl C, Torrent C, Vieta E, Zetin M, Whybrow PC. Impact of sunlight on the age of onset of bipolar disorder. Bipolar Disord. 2012
- 79. Vieta E, Popovic D, Rosa AR, Solé B, Grande I, Frey BN, Martinez-Aran A, Sanchez-Moreno J, Balanzá-Martínez V, Tabarés-Seisdedos R, Kapczinski F. The clinical implications of cognitive impairment and allostatic load in bipolar disorder. Eur Psychiatry. 2013
- 80. Pedrini M, Massuda R, Fries GR, de Bittencourt Pasquali MA, Schnorr CE, Moreira JC, Teixeira AL, Lobato MI, Walz JC, Belmonte-de-Abreu PS, Kauer-Sant'Anna M, **Kapczinski F**, Gama CS. Similarities in serum oxidative stress markers and inflammatory cytokines in patients with overt schizophrenia at early and late stages of chronicity. J Psychiatr Res. 2012
- 81. Post RM, Fleming J, **Kapczinski F**. Neurobiological correlates of illness progression in the recurrent affective disorders. J Psychiatr Res. 2012
- 82. Ceretta LB, Réus GZ, Stringari RB, Ribeiro KF, Zappellini G, Aguiar BW, Pfaffenseller B, Lersh C,**Kapczinski F**, Quevedo J. Imipramine treatment reverses depressive-like behavior in alloxan-diabetic rats. Diabetes Metab Res Rev. 2012

- 83. Brietzke E, Mansur RB, Soczynska JK, **Kapczinski F**, Bressan RA, McIntyre RS. Towards a multifactorial approach for prediction of bipolar disorder in at risk populations. J Affect Disord. 2012
- 84. Santos Sória Ld, Moura Gubert Cd, Ceresér KM, Gama CS, **Kapczinski F**. Increased serum levels of C3 and C4 in patients with schizophrenia compared to eutymic patients with bipolar disorder and healthy. Rev Bras Psiquiatr. 2012
- 85. Seixas C, Miranda-Scippa A, Nery-Fernandes F, Andrade-Nascimento M, Quarantini LC, **Kapczinski F**, Oliveira IR. Prevalence and clinical impact of eating disorders in bipolar patients. Rev Bras Psiquiatr. 2012
- 86. Réus GZ, Abelaira HM, Stringari RB, Fries GR, **Kapczinski F**, Quevedo J. Memantine treatment reverses anhedonia, normalizes corticosterone levels and increases BDNF levels in the prefrontal cortex induced by chronic mild stress in rats. Metab Brain Dis. 2012
- 87. Bücker J, **Kapczinski F**, Post R, Ceresér KM, Szobot C, Yatham LN, Kapczinski NS, Kauer-Sant'Anna M. Cognitive impairment in school-aged children with early trauma. Compr Psychiatry. 2012
- 88. Magalhães PV, Manzolli P, Walz JC, **Kapczinski F**. A bidimensional solution for outcomes in bipolar disorder. J Nerv Ment Dis. 2012
- 89. Steckert AV, Valvassori SS, Mina F, Lopes-Borges J, Varela RB, **Kapczinski** F, Dal-Pizzol F, Quevedo J. Protein kinase C and oxidative stress in an animal model of mania. Curr Neurovasc Res. 2012
- 90. Pinheiro RM, de Lima MN, Fries GR, Garcia VA, Presti-Torres J, Hallmenschlager LH, Alcalde LA, Roesler R, Andersen ML, Quevedo J, **Kapczinski F**, Schröder N. Early life stress exacerbates cognitive dysfunction induced by d-amphetamine: amelioration by valproic acid. J Neural Transm. 2012
- 91. Nery-Fernandes F, Quarantini LC, Guimarães JL, de Oliveira IR, Koenen KC, **Kapczinski F**, Miranda-Scippa Â. Is there an association between suicide attempt and delay of initiation of mood stabilizers in bipolar I disorder? J Affect Disord. 2012
- 92. Barbosa IG, Rocha NP, de Miranda AS, Magalhães PV, Huguet RB, de Souza LP, **Kapczinski F**, Teixeira AL. Increased levels of adipokines in bipolar disorder. J Psychiatr Res. 2012
- 93. Brietzke E, Moreira CL, Duarte SV, Nery FG, **Kapczinski F**, Miranda Scippa Â, Lafer B. Impact of comorbid migraine on the clinical course of bipolar disorder. Compr Psychiatry. 2012
- 94. Magalhães PV, **Kapczinski F**, Nierenberg AA, Deckersbach T, Weisinger D, Dodd S, Berk M. Illness burden and medical comorbidity in the Systematic Treatment Enhancement Program for Bipolar Disorder. Acta Psychiatr Scand. 2012
- 95. Thomé ES, Dargél AA, Migliavacca FM, Potter WA, Jappur DM, **Kapczinski F**, Ceresér KM. Stigma experiences in bipolar patients: the impact upon functioning. J Psychiatr Ment Health Nurs. 2012
- 96. Grande I, Magalhães PV, Kunz M, Vieta E, **Kapczinski F**. Mediators of allostasis and systemic toxicity in bipolar disorder. Physiol Behav. 2012
- 97. Strejilevich SA, Teitelbaum J, Martino DJ, Quiroz D, Kapczinski F. Dopamine

- sudden depletion as a model for mixed depression. Med Hypotheses. 2012
- 98. Baptista CA, Loureiro SR, de Lima Osório F, Zuardi AW, Magalhães PV, **Kapczinski F**, Filho AS, Freitas-Ferrari MC, Crippa JA. Social phobia in Brazilian university students: prevalence, under-recognition and academic impairment in women. J Affect Disord. 2012
- 99. Magalhães PV, Jansen K, Pinheiro RT, Colpo GD, da Motta LL, Klamt F, da Silva RA, **Kapczinski F**. Peripheral oxidative damage in early-stage mood disorders: a nested population-based case-control study. Int J Neuropsychopharmacol. 2012
- 100. Narvaez JC, Magalhães PV, Trindade EK, Vieira DC, Kauer-Sant'anna M, Gama CS, von Diemen L, Kapczinski NS, Kapczinski F. Childhood trauma, impulsivity, and executive functioning in crack cocaine users. Compr Psychiatry. 2012
- 101. Brietzke E, Moreira CL, Duarte SV, Nery FG, **Kapczinski F**, Miranda Scippa A, Lafer B. Impact of comorbid migraine on the clinical course of bipolar disorder. Compr Psychiatry. 2011. [Epub ahead of print] PubMed PMID: 22104557.
- 102. Magalhães PV, Kapczinski F, Nierenberg AA, Deckersbach T, Weisinger D, Dodd S, Berk M. Illness burden and medical comorbidity in the Systematic Treatment Enhancement Program for Bipolar Disorder. Acta Psychiatr Scand. 2011. [Epub ahead of print] PubMed PMID: 22098628.
- 103. Narvaez JC, Magalhães PV, Trindade EK, Vieira DC, Kauer-Sant'anna M, Gama CS, Von Diemen L, Kapczinski NS, Kapczinski F. Childhood trauma, impulsivity, and executive functioning in crack cocaine users. Compr Psychiatry. 2011. [Epub ahead of print]
- 104. Nery-Fernandes F, Quarantini LC, Guimarães JL, de Oliveira IR, Koenen KC, **Kapczinski F**, Miranda-Scippa A. Is there an association between suicide attempt and delay of initiation of mood stabilizers in bipolar I disorder? J Affect Disord. 2011. [Epub ahead of print] PubMed PMID: 22138284.
- 105. Pedrini M, Chendo I, Grande I, Lobato MI, Belmonte-de-Abreu PS, Lersch C, Walz J, Kauer-Sant'anna M, **Kapczinski F**, Gama CS. Serum brain-derived neurotrophic factor and clozapine daily dose in patients with schizophrenia: a positive correlation. Neurosci Lett. 2011. 491(3):207-10.
- 106. de Oliveira MR, da Rocha RF, Stertz L, Fries GR, de Oliveira DL, Kapczinski F, Moreira JC. Total and mitochondrial nitrosative stress, decreased brain-derived neurotrophic factor (BDNF) levels and glutamate uptake, and evidence of endoplasmic reticulum stress in the hippocampus of vitamin A-treated rats. Neurochem Res. 2011. 36(3):506-17.
- 107. Grandi C, Tomasi CD, Fernandes K, Stertz L, **Kapczinski F**, Quevedo J, Dal-Pizzol F, Ritter C. Brain-derived neurotrophic factor and neuron-specific enolase, but not S100β, levels are associated to the occurrence of delirium in intensive care unit patients. J Crit Care. 2011. 26(2):133-7.
- 108. Grande I, Magalhães PV, Kunz M, Vieta E, **Kapczinski F**. Mediators of allostasis and systemic toxicity in bipolar disorder. Physiol Behav. 2011.
- 109. Baptista CA, Loureiro SR, de Lima Osório F, Zuardi AW, Magalhães PV, **Kapczinski F**, Filho AS, Freitas-Ferrari MC, Crippa JA. Social phobia in

- Brazilian university students: Prevalence, under-recognition and academic impairment in women. J Affect Disord. 2011.
- 110. Dos Santos IM, Ciulla L, Braga D, Ceresér KM, Gama CS, **Kapczinski F**, Ferrão YA. Symptom dimensional approach and BDNF in unmedicated obsessive-compulsive patients: an exploratory study. CNS Spectr. 2011
- 111. Vedovelli K, Silveira E, Velho E, Stertz L, **Kapczinski F**, Schröder N, Bromberg E. Effects of increased opportunity for physical exercise and learning experiences on recognition memory and brain-derived neurotrophic factor levels in brain and serum of rats. Neuroscience. 2011.
- 112. Réus GZ, Stringari RB, Ribeiro KF, Cipriano AL, Panizzutti BS, Stertz Lersch C, **Kapczinski F**, Quevedo J. Maternal deprivation induces depressive-like behaviour and alters neurotrophin levels in the rat brain. Neurochem Res. 2011. 36(3):460-6.
- 113. Balanzá-Martínez V, Fries GR, Colpo GD, Silveira PP, Portella AK, Tabarés-Seisdedos R, **Kapczinski F**. Therapeutic use of omega-3 fatty acids in bipolar disorder. Expert Rev Neurother. 2011. 11(7):1029-47.
- 114. Brietzke E, Kapczinski F, Grassi-Oliveira R, Grande I, Vieta E, McIntyre RS. Insulin dysfunction and allostatic load in bipolar disorder. . Expert Rev Neurother. 2011. 11(7):1017-28.
- 115. Berk M, Dean O, Cotton SM, Gama CS, Kapczinski F, Fernandes BS, Kohlmann K, Jeavons S, Hewitt K, Allwang C, Cobb H, Bush AI, Schapkaitz I, Dodd S, Malhi GS. The efficacy of N-acetylcysteine as an adjunctive treatment in bipolar depression: An open label trial. J Affect Disord. 2011. 135(1-3):389-94.
- 116. de Lima MN, Presti-Torres J, Vedana G, Alcalde LA, Stertz L, Fries GR, Roesler R, Andersen ML, Quevedo J, **Kapczinski F**, Schröder N. Early life stress decreases hippocampal BDNF content and exacerbates recognition memory deficits induced by repeated D-amphetamine exposure. Behav Brain Res. 2011. 224(1):100-6.
- 117. Vázquez GH, **Kapczinski F**, Magalhaes PV, Córdoba R, Lopez Jaramillo C, Rosa AR, Sanchez de Carmona M, Tohen M; Ibero-American Network on Bipolar Disorders group. Stigma and functioning in patients with bipolar disorder. J Affect Disord. 2011. 130(1-2):323-7.
- 118. Agostinho FR, Réus GZ, Stringari RB, Ribeiro KF, Pfaffenseller B, Stertz L, Panizzutti BS, Kapczinski F, Quevedo J. Olanzapine plus fluoxetine treatment increases Nt-3 protein levels in the rat prefrontal cortex. Neurosci Lett. 2011. 497(2):99-103.
- 119. Andrade-Nascimento M, Miranda-Scippa Â, Nery-Fernandes F, **Kapczinski F**, Quarantini LC. The identification of unipolar mania subtype based on anxiety comorbidity. J Affect Disord. 2011. 132(3):356-9.
- 120. Moretti M, Valvassori SS, Steckert AV, Rochi N, Benedet J, Scaini G, **Kapczinski F**, Streck EL, Zugno AI, Quevedo J. Tamoxifen effects on respiratory chain complexes and creatine kinase activities in an animal model of mania. Pharmacol Biochem Behav. 2011. 98(2):304-10.
- 121. Quevedo L, da Silva RA, Coelho F, Pinheiro KA, Horta BL, **Kapczinski F**, Pinheiro RT. Risk of suicide and mixed episode in men in the postpartum period. J Affect Disord. 2011.132(1-2):243-6.

- 122. Campos SB, Miranda DM, Souza BR, Pereira PA, Neves FS, Tramontina J, **Kapczinski F**, Romano-Silva MA, Correa H. Association study of tryptophan hydroxylase 2 gene polymorphisms in bipolar disorder patients with panic disorder comorbidity. Psychiatr Genet. 2011. 21(2):106-11.
- 123. Cassol-Jr OJ, Comim CM, Constantino LS, Rosa DV, Mango LA, Stertz L, Kapczinski F, Romano-Silva MA, Quevedo J, Dal-Pizzol F. Acute low dose of MK-801 prevents memory deficits without altering hippocampal DARPP-32 expression and BDNF levels in sepsis survivor rats. J Neuroimmunol. 2011. 230(1-2):48-51.
- 124. Magalhães PV, Jansen K, Pinheiro RT, Colpo GD, da Motta LL, Klamt F, da Silva Ra, Kapczinski F. Peripheral oxidative damage in early-stage mood disorders: a nested population-based case-control study. Int J Neuropsychopharmacol. 2011. 19:1-8.
- 125. Magalhães PV, Jansen K, Pinehiro RT, Klamt F, Teixeira AL, da Silva RA, Kapczinski F. Systemic toxicity in early-stage mood disorders. J Psychiatr Res. 2011. 45(10):1407-9.
- 126. Barbosa IG, Rocha NP, Miranda AS, Magalhães PV, Huguet RB, Souza LP, Kapczisnki F, Teixeira AL. Increased levels of adipokines in bipolar disorder. J Psychiatr Res. 2011 [Epub ahead of print] PMID: 22137759
- 127. Fernandes BS, Gama CS, Ceresér KM, Yatham LN, Fries GR. Colpo G, de Lucena D, Kunz M, Gomes FA, **Kapczinski F**. Brain-derived neurotrophic factor as a state-marker of mood episodes in bipolar disrders: a systematic review and meta-regression analysis. J Psychiatr Res. 2011. 45(8):995-1004.
- 128. Vasconcelos-Moreno MP, Dargél AA, Goi PD, Bragatti JA, **Kapczinski F**, Kauer-Sant'Anna M. Improvement of behavioural and manic-like symptoms secondary to herpes simplex virus encephalitis with mood stabilizers: a case report. Int J Neuropsychopharmacol. 2011. 14(5):718-20.
- 129. Rosa AR, Reinares M, Amann B, Popovic D, Franco C, Comes M., Torrent C, Bonnin CM, Solé B, Valenti M, Salamero M, **Kapczinski F**, Vieta E. Six-month functional outcome of a bipolar disorder cohort in the context of a specialized-care program. Bipolar Disord. 2011. 13(7-8):679-86.
- 130. Yates DB, Dittmann S, **Kapczinski F**, Trentini CM. Cognitive abilities and clinical variables in bipolar I depressed and euthymic patients and controls. J Psychiatr Res. 2011. 45(4):495-504.
- 131. Arent CO, Valvassori SS, Fries GR, Stertz L, Ferreira CL, Lopes-Borges J, Mariot E, Varela RB, Ornell F, **Kapczinski F**, Andersen ML, Quevedo J. Neuroanatomical profile of antimaniac effects of histone deacetylases inhibitors. Mol Neurobiol. 2011. 43(3):207-14.
- 132. Berk M, **Kapczinski F**, Andreazza AC, Dean OM, Giorlando F, Maes M, Yücel M, Gama CS, Dodd S, Dean B, Magalhães PV, Amminger P, MCGorry P, Malhi GS. Pathways underlying neuroprogression in bipolar disorder: focus on inflammation, oxidative stress and neurotrophic factors. Neurosci Biobehav Rev. 2011. 35(3):804-17.
- 133. Bergamaschi MM, Queiroz RH, Chagas MH, de Oliveira DC, De Martinis BS, **Kapczinski F**, Quevedo J, Roesler R, Schröder N, Nardi AE, Martin-Santos R, Hallak JE, Zuardi AW, Crippa JA. Cannabidiol reduces the anxiety induced by

- simulated public speaking in treatment-naïve social phobia patients. Neuropsychopharmacology. 2011. 36(6)1219-26.
- 134. **Kapczinski F**, Dal-Pizzol F, Teixeira AL, Magalhaes PV, Kauer-Sant'Anna M, Klamt F, Moreira JC, de Bittencourt Pasquali MA, Fries GR, Quevedo J, Gama CS, Post R. Peripheral biomarkers and illness activity in bipolar disorder. J Psychiatr Res. 2011. 45(5):271-4.
- 135. Valvassori SS, Elias G, de Souza B, Petronilho F, Dal Pizzol F, **Kapczinski F**, Trzesniak C, Tumas V, Dursun S, Chagas MH, Hallak JE, Zuardi AW, Quevedo J, Crippa JA. Effects of cannabidiol on amphetamine-induced oxidative stress generation in an animal model of mania. J Psychopharmacol. 2011. 25(2):274-80.
- 136. Kunz M, Ceresér KM, Goi PD, Fries GR, Teixeira AL, Fernandes BS, Belmonte-de-Abreu PS, Kauer-Sant'Anna M, **Kapczinski F**, Gama CS. Serum levels of IL-6, IL-10 and TNF-α in patients with bipolar disorder and schizophrenia: differences in pro- and anti-inflammatory balance. Rev Bras Psiquiatr. 2011. 33(3):268-74.
- 137. Brissos S, Dias VV, Soeiro-de-Souza MG, Balanzá-Martinéz V, **Kapczinski F**. The impact of a history of psychotic symptoms on cognitive function in euthymic bipolar patients: a comparison with schizophrenic patients and healthy controls. Rev Bras de Psiquiatr. 2011. 33(4):353-61.
- 138. Fries GR, **Kapczinski F**. N-acetylcysteine as a mitochondrial enhancer: a new class of psychoactive drug? Rev Bras Psiquiatr. 2011. 33(4):321-2.
- 139. Thomé ES, Dargél AA, Migliavacca FM, Potter WA, Jappur DM, Kapczinski F, Ceresér KM. Stigma experiences in bipolar patients: the impact upon functioning. J Psychiatr Ment Health Nurs. 2011. [Epub ahead of print] PubMed PMID: 22093281.
- 140. Strejilevich SA, Teitelbaum J, Martino DJ, Quiroz D, **Kapczinski F**. Dopamine sudden depletion as a model for mixed depression. Med Hypotheses. 2011. [
- 141. Feier G, Valvassori SS, Rezin GT, Búrigo M, Streck EL, **Kapczinski F**, Quevedo J. Creatine kinase levels in patients with bipolar disorder: depressive, manic, and euthymic phases. Rev Bras Psiquiatr. 2011. 33(2):171-5.
- 142. Oliveira S, **Kapczinski F**, Camey S, Trentini C. Assessment of executive functions in a Brazilian sample of bipolar subjects. Span J Psychol. 2011. 14(2):859-68.
- 143. Jornada LK, Moretti M, Valvassori SS, Ferreira CL, Padilha PT, Arent CO, Fries GR, **Kapczinski F**, Quevedo J. Effects of mood stabilizers on hippocampus and amygdala BDNF levels in an animal model of mania induced by ouabain. J Psychiatr Res. 2010. 44(8):506-10.
- 144. Giglio LM, Magalhães PV, Kapczinski NS, Walz JC, Kapczisnki F. Functional impact of biological rhythm disturbance in bipolar disorder. J. Psychiatr Res. 2010. 44(4):220-3.
- 145. Campos SB, Miranda DM, Souza BR, Pereira PA, Neves FS, Bicalho MA, Melillo PH, Tramontina J, **Kapczinski F**, Romano-Silva MA, Correa H. Association of polymorphisms of the tryptophan hydroxylase 2 gene with risk for bipolar disorder or suicidal behavior. J Psychiatr Res. 2010. 44(5):271-4.
- 146. Andreazza AC, Andersen ML, Lavarenga TA, de-Oliveira MR, Armani F, Ruiz

- FS, Giglio L, Moreira JC, **Kapczinski F**, Tufik S. Impairment of the mitochondrial electron transport chain due to sleep deprivation in mice. J Psychiatr Res. 2010. 44(12):775-80.
- 147. Valvassori SS, Rezin GT, Ferreira CL, Moretti M, Gonçalves CL, Cardoso MR, Streck EL, Kapczinski F, Quevedo J. Effects of mood stabilizers on mitochondrial respiratory chain activity in brain of rats treated with damphetamine. J Psychiatr Res. 2010. 44(14):903-9.
- 148. Fernandes BS, Gama CS. Walz JC, Ceresér KM, Fries GR, Colpo G, Aguiar B, Pfaffenseller B, Kauer-Sant'Anna M, **Kapczinski F**. Increased neurotrophin-3 in drug-free subjects with bipolar disorder during manic and depressive episodes. J Psychiatr Res. 2010. 44(9):561-5.
- 149. **Kapczinski F**, Dal-Pizzol F, Teixeira AL, Magalhaes PV, Kauer-Sant'Ana M, Klamt F, Pasquali MA, Quevedo J, Gama CS, Post R. A systemic toxicity index developed to assess peripheral changes in mood episodes. Mol Psychiatry. 2010. 15(8):784-6.
- 150. Reinares M, Colom F, Rosa AR, Bonnín CM, Franco C, Solé B, **Kapczinski F**, Vieta E. The impact of staging bipolar disorder on treatment outcome of family psychoeducation. J Affect Disord. 2010. 123(1-3):81-6.
- 151. Tuon T, Valvassori SS, Lopes-Borges J, Fries GR, Silva LA, **Kapczinski F**, Quevedo J, Pinho RA. Effects of moderate exercise on cigarette smoke exposure-induced hippocampal oxidative stress values and neurological behaviors in mice. Neurosci Lett. 2010. 475(1):16-9.
- 152. Rosa AR, Reinares M, Michalak EE, Bonnin CM, Sole B, Franco C, Comes M, Torrent C, **Kapczinski F**, Vieta E. Functional impairment and disability across mood states in bipolar disorder. Value Health. 2010. 13(8):984-8.
- 153. Magalhães PV, Kapczinski NS, **Kapczinski F**. Correlates and impact of obsessive-compulsive comorbidity in bipolar disorder. Compr Psychiatry. 2010. 51(4):353-6.
- 154. Berk M, Conus P, **Kapczinski F**, Andreazza AC, Yücel M, Wood SJ, Pantelis C, Malhi GS, Dodd S, Bechdolf A, Amminger GP, Hickie IB, McGorry PD. From neuroprogression to neuroprotection: implications for clinical care. Med J Aust. 2010.193(4 Suppl):S36-40.
- 155. Fortunato JJ, Réus GZ, Kirsch TR, Stringari RB, Fries GR, **Kapczinski F**, Hallak JE, Zuardi AW, Crippa JA, Quevedo J. Chronic administration of harmine elicits antidepressant-like effects and increases BDNF levels in rat hippocampus. J Neural Transm. 2010. 117(10):1131-7.
- 156. Barichello T, Belarmino E Jr, Comim CM, Cipriano AL, Generoso JS, Savi GD, Stertz L, **Kapczinski F**, Quevedo J. Correlation between behavioral deficits and decreased brain-derived neurotrophic [correction of neurotrofic] factor in neonatal meningitis. J Neuroimmunol. 2010. 223(1-2):73-6.
- 157. Schmidt AL, de Farias CB, Abujamra AL, **Kapczinski F**, Schwartsmann G, Brunetto AL, Roesler R. BDNF and PDE4, but not the GRPR, regulate viability of human medulloblastoma cells. Mol Neurosci. 2010. 40(3):303-10.
- 158. Hallak JE, Crippa JA, Quevedo J, Roesler R, Schröder N, Nardi AE, **Kapczinski F**. National Science and Technology Institute for Translational

- Medicine (INCT-TM): advancing the field of translational medicine and mental health. Rev Bras Psiquiatr. 2010. 32(1):83-90.
- 159. Lopes FM, Schröder R, da Frota ML Jr, Zanotto-Filho A, Müller CB, Pires AS, Meurer RT, Colpo GD, Gelain DP, **Kapczinski F**, Moreira JC, Fernandes Mda C, Klamt F. Comparison between proliferative and neuron-like SH-SY5Y cells as an in vitro model for Parkinson disease studies. Brain Res. 2010. 14:1337:85-94.
- 160. Goulart BK, de Lima MN, de Farias CB, Reolon GK, Almeida VR, Quevedo J, **Kapczinski F**, Schröder N, Roesler R. Ketamine impairs recognition memory consolidation and prevents learning-induced increase in hippocampal brain-derived neurotrophic factor levels. Neuroscience. 2010. 167(4):969-73.
- 161. Valvassori SS, Moretti M, Kauer-Sant'Anna M, Roesler R, Petronilho F, Schwartsmann G, **Kapczinski F**, Dal-Pizzol F, Quevedo J. Effects of a gastrin-releasing peptide receptor antagonist on D-amphetamine-induced oxidative stress in the rat brain. J Neural Transm. 2010. 117(3):309-16.
- 162. Hauck S, **Kapczinski F**, Roesler R, de Moura Silveira E Jr, Magalhães PV, Kruel LR, Schestatsky SS, Ceitlin LH. Serum brain-derived neurotrophic factor in patients with trauma psychopathology. Prog Neuropsychopharmacol Biol Psychiatry. 2010. 34(3):459-62.
- 163. Réus GZ, Stringari RB, Kirsch TR, Fries GR, Kapczinski F, Roesler R, Quevedo J. Neurochemical and behavioural effects of acute and chronic memantine administration in rats: Further support for NMDA as a new pharmacological target for the treatment of depression? Brain Res Bull. 2010. 81(6):585-9.
- 164. Fortunato JJ, Réus GZ, Kirsch TR, Stringari RB, Fries GR, **Kapczinski F**, Hallak JE, Zuardi AW, Crippa JA, Quevedo J. Effects of beta-carboline harmine on behavioral and physiological parameters observed in the chronic mild stress model: further evidence of antidepressant properties. Brain Res Bull. 2010. 81(4-5):491-6.
- 165. Quarantini LC, Miranda-Scippa A, Nery-Fernandes F, Andrade-Nascimento M, Galvão-de-Almeida A, Guimarães JL, Teles CA, Netto LR, Lira SB, de Oliveira IR, Post RM, **Kapczinski F**, Koenen KC. The impact of comorbid posttraumatic stress disorder on bipolar disorder patients. J Affect Disord. 2010. 123(1-3):71-6.
- 166. Comim CM, Cassol-Jr OJ, Constantino LC, Petronilho F, Constantino LS, Stertz L, Kapczinski F, Barichello T, Quevedo J, Dal-Pizzol F. Depressive-like parameters in sepsis survivor rats. Neurotox Res. 2010. 17(3):279-86.
- 167. Brunetto de Farias C, Rosemberg DB, Heinen TE, Koehler-Santos P, Abujamra AL, **Kapczinski F**, Brunetto AL, Ashton-Prolla P, Meurer L, Reis Bogo M, Damin DC, Schwartsmann G, Roesler R. BDNF/TrkB content and interaction with gastrin-releasing peptide receptor blockade in colorectal cancer. Oncology. 2010. 79(5-6):430-9.
- 168. Campos SB, Miranda DM, Souza BR, Pereira PA, Neves FS, Bicalho MA, Melillo PH, Tramontina J, **Kapczinski F**, Romano-Silva MA, Correa H. Association of polymorphisms of the tryptophan hydroxylase 2 gene with risk for bipolar disorder or suicidal behavior. J Psychiatr Res. 2010. 44(5):271-4.

- 169. Giglio LM, Magalhães PV, Andersen ML, Walz JC, Jakobson L, **Kapczinski F**. Circadian preference in bipolar disorder. Sleep Breath. 2010. 14(2):153-5.
- 170. Grande I, Fries GR, Kunz M, **Kapczinski F**. The role of BDNF as a mediator of neuroplasticity in bipolar disorder. Psychiatry Investig. 2010. 7(4):243-50.
- 171. Gomes F, Magalhães PVS, Kunz M, da Silveira L, Weyne F, Andreazza AC, Ceresér KM, Furlanetto TR, **Kapczinski F**. Insulin resistance and metabolic syndrome in outpatients with bipolar disorder.. Revista de Psiquiatria Clínica. 2010. 37:81 84.
- 172. Fernandes BS, Massuda R, Torres M, Camargo D, Fries GR, Gama CS, Belmonte-de-Abreu PS, **Kapczinski F**, Lobato MI. Improvement of schizophrenia with electroconvulsive therapy and serum brain-derived neurotrophic factor levels: Lack of association in a pilot study. Psychiatry Clin Neurosci. 2010. 64(6):663-5.
- 173. Yatham LN, Kennedy SH, Schaffer A, Parikh SV, Beaulieu S, O'Donovan C, MacQueen G, McIntyre RS, Sharma V, Ravindran A, Young LT, Young AH, ALda M, Miley R, Vieta E, Calabrese JR, Berk M, Ha K, **Kapczinski F**. Canadian Network for Mood and Anxiety Treatments (CANMAT) and International Society for Bipolar Disorders (ISBD) collaborative update of CANMAT guidelines for the management of patients with bipolar disorder: update 2009. Bipolar Disord. 2009.11(3):225-55.
- 174. Dias VV, Brissos S, Frey BN, Andreazza AC, Cardoso C, **Kapczinski F**. Cognitive function and serum levels of brain-derived neurotrophic factor in patients with bipolar disorder. Bipolar Disord. 2009. 11(6):663-71.
- 175. Tohen M, Frank E, Bowden CL, Colom F, Ghaemi SN, Yatham LN, Malhi GS, Calabrese JR, Nolen WA, Vieta E, **Kapczinski F**, Goodwin GM, Suppes T, Sachs GS, Chengappa KR, Grunze H, Mitchell PB, Kanba S, Berk M. The International Society for Bipolar Disorders (ISBD) Task Force report on the nomenclature of course and outcome in bipolar disorders. Bipolar Disord. 2009. 11(5):453-73.
- 176. **Kapczinski F**, Dias VV, Frey BN, Kauer-Sant'Anna M. Brain-derived neurotrophic factor in bipolar disorder: beyond trait and state: comment on 'Decreased levels of serum brain-derived neurtrophic factor in both depressed and euthymic patients with bipolar I and II disorders.' Bipolar Disord. 2009. 11(2):221-2; author reply 222-3.
- 177. Brietzke E, Kauer-Sant'Anna M, Teixeira AL, **Kapczinski F**. Abnormalities in serum chemokine levels in euthymic patients with bipolar disorder. Brain Behav Immun. 2009. 23(8):1079-82.
- 178. Fernandes B, Gamma CS, Kauer-Sant'Anna M, Lobato MI, Belmonte-de-Abreu P, **Kapczinski F**. Serum brain-derived neurotrophic factor in bipolar and unipolar depression: A potential adjunctive tool for differential diagnosis. J Psychiatr Res. 2009. 43(15):1200-4.
- 179. De Oliveira GS, Ceresér KM, Fernandes B, Kauer-Sant'Anna M, Fries GR, Stertz L, Aguiar B, Pfaffenseller B, **Kapczinski F**. Decreased brain-derived neurotrophic factor in medicated and drug-free bipolar patients. J Psychiatr Res. 2009. 43(14):1171-4.
- 180. Jayer-Sant'Anna M, Kapczinski F, Vieta E. Epidemiology and management of

- anxiety in patients with bipolar disorder. CNS Drugs. 2009. 23(11):953-64.
- 181. Rosa AR, Reinares M, Franco C, Comes M, Torrent C, Sanchez-Moreno J, Martinez-Aran A, Salamero M, Kapczinski F, Vieta E. Clincal predictors of functional outcome of bipolar patients in remission. Bipolar Disord. 2009. 11(4):401-9.
- 182. Walz JC, Magalhães PVS, Giglio LM, Cunha A, Stertz L, Fries GR, Andreazza AC, **Kapczinski F**. Increased serum neurotrophin-4/5 levels in bipolar disorder. Journal of Psychiatric Research. 2009. 43(7):721-23.
- 183. Kauer-Sant'Anna M, **Kapczinski F**, Andreazza AC, Bond DJ, Lam RW, Trevor Young L, Yatham LN. Brain-Derived neurotrophic factor and inflammatory markers in patienst with early- vs. late-stage bipolar disorder. Int J Neuropsychopharmacol. 2009. 12(4):447-58.
- 184. Yatham LN, **Kapczinski F**, Andreazza AC, Trevor Young L, Lam RW, Kauer-Sant'Anna M. Accelerated age-related decrease in brain-derived neurotrophic factor levels in bipolar disorder. Int J Neuropsychopharmacol. 2009. 12(1):137-9.
- 185. **Kapczinski F**, Dias VV, Kauer-Sant'Anna M, Frey BN, Grassi-Oliveira R, Colom F, Berk M. Clinical implications of a staging model for bipolar disorders. Expert Rev Neurother. 2009. 9(7):957-66.
- 186. **Kapczinski F**, Dias VV, Kauer-Sant'Anna M, Brietzke E, Vázquez GH, Vieta E, Berk M. The potential use of biomarkers as an adjunctive tool for staging bipolar disorder. Prog Neuropsychopharmacol Biol Psychiatry. 2009. 33(8):1366-71.
- 187. da Silva Magalhães PV, Gomes FA, Kunz M, **Kapczinski F**. Birth-cohort and dual diagnosis effects on age-at-onset in Brazilian patients with bipolar I disorder. Acta Psychiatr Scand. 2009. 120(6):492-5.
- 188. Tramontina JF, Andreazza AC, Kauer-Sant'anna M, Stertz L, Goi J, Chiarani F, **Kapczinski F**. Brain-derived neurotrophic factor serum levels before and after treatment for acute mania. Neurosci Lett. 2009. 13;452(2):111-3.
- 189. Margis R, Donis K, Schönwald SV, Fagondes SC, Monte T, Martín-Martínez P, Chaudhuri KR, **Kapczinski F**, Rieder CRM. Psychometric properties of the Parkinson's Disease Sleep Scale Brazilian version. Parkinsonism Relat Disord. 2009. 15(7):495-9.
- 190. Brietzke E, Stertz L, Fernandes B, Kauer-Sant'anna M, Mascarenhas M, Escosteguy Vargas A, Chies JA, **Kapczinski F**. Comparison of cytokine levels in depressed, manic and euthymic patients with bipolar disorder. J Affect Disord. 2009. 116(3):214-7.
- 191. Cacilhas AA, Magalhães PV, Ceresér KM, Walz JC, Weyne F, Rosa AR, Vieta E, **Kapczinski F**. Validity of a short functioning test (FAST) in Brazilian outpatients with bipolar disorder. Value Health. 2009. 12(4):624-7.
- 192. Giglio LM, Magalhães PV, Andreazza AC, Walz JC, Jakobson L, Rucci P, Rosa AR, Hidalgo MP, Vieta E, **Kapczinski F**. Development and use of a biological rhythm interview. J Affect Disord. 2009. 118(1-3):161-5.
- 193. Andreazza AC, **Kapczinski F**, Kauer-Sant'Anna M, Walz JC, Bond DJ, Gonçalves CA, Young LT, Yatham LN. 3-Nitrotyrosine and glutathione

- antioxidant system in patients in the early and late stages of bipolar disorder. Journal of Psychiatry & Neuroscience. 2009. 34(4):263-71.
- 194. Garcia LS, Comim CM, Valvassori SS, Réus GZ, Stertz L, **Kapczinski F**, Gavioli EC, Quevedo J. Ketamine treatment reverses behavioral and physiological alterations induced by chronic mild stress in rats. Prog Neuropsychopharmacol Biol Psychiatry. 2009. 30;33(3):450-5.
- 195. Fernandes B, Gama CS, Massuda R, Torres M, Camargo D, Kunz M, Belmonte-de-Abreu PS, **Kapczinski F**, de Almeida Fleck MP, Inês Lobato M. Serum brain-derived neurotrophic factor (BDNF) is not associated with response to electroconvulsive therapy (ECT): a pilot study in drug resistant depressed patients. Neurosci Lett. 2009. 453(3):195-8.
- 196. Comim CM, Tuon L, Stertz L, Vainzof M, **Kapczinski F**, Quevedo J. Striatum brain-derived neurotrophic factor levels are decreased in dystrophin-deficient mice. Neurosci Lett. 2009. 459(2):66-8.
- 197. Berk M, Malhi GS, Hallam K, Gama CS, Dodd S, Andreazza AC, Frey BN, **Kapczinski F**. Early intervention in bipolar disorders: Clinical, biochemical and neuroimaging imperatives. J Affect Disord. 2009. 114(1-3):1-13.
- 198. Dias VV, Brissos S, Cardoso C, Andreazza AC, **Kapczinski F**. Serum homocysteine levels and cognitive functioning in euthymic bipolar patients. J Affect Disord. 2009. 113(3):285-90.
- 199. Andersen ML, Margis R, Frey BN, Giglio LM, **Kapczinski F**, Tufik S. Electrophysiological correlates of sleep disturbance induced by acute and chronic administration of d-amphetamine. Brain Research. 2009. 1249: 162-72.
- 200. Ceresér KM, Mascarenhas M., Santin A, Kapczinski F. Pilot-project of implantation of pharmaceutical care close to the program of bipolar mood disorder of the Hospital of Clinics of Porto Alegre.. RBCF. Brazilian Journal of Pharmaceutical Sciences. 2009. 45:249 - 256.
- 201. Cacilhas AA, Magalhães PV, Ceresér KM, Walz JC, Weyne F, Rosa AR, Vieta E, **Kapczinski F**. Bipolar disorder and age-related functional impairment. Rev Bras Psiquiatr. 2009. 31(4):354-7.
- 202. Magalhães PV, **Kapczinski F**, Kauer-Sant'Anna M. Use of contraceptive methods among women treated for bipolar disorder. Arch Womens Ment Health. 2009. 12(3):183-5.
- 203. Giglio LM, Andreazza AC, Andersen M, Ceresér KM, Walz JC, Sterz L, **Kapczinski F**. Sleep in bipolar patients. Sleep Breath. 2009. 13(2):169-73.
- 204. Tramontina JF, Yates D, Magalhães PVS, Trentini C, Fries GR, Bock H, Saraiva-Pereira ML, **Kapczinski F**. Brain-derived neurotrophic factor gene val66met polymorphism and executive functioning in patients with bipolar disorder. Rev Bras Psiquiatr. 2009. 31(2):136-40.
- 205. **Kapczinski F**, Hallak JE, Nardi AE, Roesler R, Quevedo J, Schröder N, Crippa JA. Brazil launches an innovative program to develop the National Institutes for Science and Technology (INCTs): the INCT for Translational Medicine. Rev Bras Psiquiatr. 2009. 31(3):197-9.
- 206. Da Silva Magalhães PV, Manzolli P, **Kapczinski F**. Problems with single-factor solutions in factor analyses of low-end scores. Bipolar Disord. 2009. 11(8):900;

- author reply 901. Comment on Bipolar Disord. 2008. 10(8):900-6.
- 207. Garcia LS, Comim CM, Valvassori SS, Reus GZ, Barbosa LM, Andreazza AC, Stertz L, Fries GR, Gavioli EC, **Kapczinski F**, Quevedo J. Acute administration of ketamine induces antidepressant-like effects in the forced swimming test and increases BDNF levels in the rat hippocampus. Prog Neuropsychopharmacol Biol Psychiatry. 2008. 32(1):104-4.
- 208. Machado-Vieira R, Soares JC, Lara DR, Luckenbaugh DA, Busnello JV, Marca G, Cunha A, Souza DO, Zarate CA Jr, **Kapczinski F**. A double-blind, randomized, placebo-controlled 4-week study on the efficacy and safety of the purinergic agents allopurinol and dipyridamole adjunctive to lithium in acute bipolar mania. J Clin Psychiatry. 2008. 69(8):1237-45.
- 209. Andreazza AC, Kauer-Sant'Anna M, Frey B, Stertz L, Zanotto C, Ribeiro L, Giasson K, Valvassori SS, Reus GZ, Salvador M, Quevedo J, Gonçalves CA, Kapczinski F. Effects of mood stabilizers on DNA damage in an animal model of mania. Journal of Psychiatry & Neuroscience. 2008. 33:516-24.
- 210. Walz JC, Frey BN, Andreazza AC, Ceresér KM, Cacilhas AA, Valvassori SS, Quevedo J, **Kapczinski F**. Effects of lithium and valproate on serum and hippocampal neurotrophin-3 levels in an animal model of mania. J Psychiatry Res. 2008. 42(5):416-21.
- 211. **Kapczinski F**, Vieta E, Andreazza AC, Frey BN, Gomes FA, Tramontina J, Kauer-Sant'anna M, Grassi-Oliveira R, Post RM. Allostatic load in bipolar disorder: implications for pathophysiology and treatment. Neurosci Biobehav Rev. 2008. 32(4):675-92.
- 212. Kauer-Sant'anna M, Yatham LN, Tramontina J, Weyne F, Cereser KM, Gazalle FK, Andreazza AC, Santin A, Quevedo J, Izquierdo I, **Kapczinski F**. Emotional memory in bipolar disorder. Br J Psychiatry. 2008. 192(6):458-63.
- 213. Rosa AR, Franco C, Martínez-Aran A, Sánchez-Moreno J, Reinares M, Salamero M, Arango C, Ayuso-Mateos JL, **Kapczinski F**, Vieta E. Functional impairment in patients with remitted bipolar disorder. Psychother Psychosom. 2008. 77(6):390-2.
- 214. Walz JC, Frey BN, Andreazza AC, Ceresér KMM, Cacilhas A, Valvassori SS, Quevedo J, **Kapczinski F**. Effects of lithium and valproate on serum and hippocampal neurotrophin-3 levels in an animal model of mania. Journal of Psychiatric Research. 2008. 42: 416-421.
- 215. Lucca G, Comim CM, Valvassori SS, Pereira JG, Stertz L, Gavioli EC, **Kapczinski F**, Quevedo J. Chronic mild stress paradigm reduces sweet food intake in rats without affecting brain derived neurotrophic factor protein levels. Curr Neurovasc Res. 2008. 5(4):207-13.
- 216. Aguiar AS Jr, Speck AE, Prediger RD, **Kapczinski F**, Pinho RA. Downhill training upregulates mice hippocampal and striatal brain-derived neurotrophic factor levels. J Neural Transm. 2008. 115(9):1251-5.
- 217. Aguiar AS Jr, Tuon T, Pinho CA, Silva LA, Andreazza AC, **Kapczinski F**, Quevedo J, Streck EL, Pinho RA. Intense exercise induces mitochondrial dysfunction in mice brain. Neurochem Res. 2008. 33(1):51-8.

- 218. Andreazza AC, Kauer-Sant'anna M, Frey BN, Bond DJ, **Kapczinski F**, Young LT, Yatham LN. Oxidative stress markers in bipolar disorder: A meta-analysis. J Affect Disord. 2008. 111(2-3):135-44.
- 219. Brietzke E, **Kapczinski F**. TNF-alpha as a molecular target in bipolar disorder. Prog Neuropsychopharmacol Biol Psychiatry. 2008. 1;32(6):1355-61.
- 220. Brissos S, Dias VV, **Kapczinski F**.Cognitive performance and quality of life in bipolar disorder. Can J Psychiatry. 2008. 53(8):517-24.
- 221. Busnello JV, Oses JP, da Silva RS, Feier G, Barichello T, Quevedo J, Böhmer AE, **Kapczinski F**, Souza DO, Sarkis JJ, Portela LV. Peripheral nucleotide hydrolysis in Rats submitted to a model of electroconvulsive therapy. Prog Neuropsychopharmacol Biol Psychiatry. 2008. 32(8):1829-33.
- 222. Cardoso BM, Kauer Sant'Anna M, Dias VV, Andreazza AC, Ceresér KM, **Kapczinski F**. The impact of co-morbid alcohol use disorder in bipolar patients. Alcohol. 2008. 42(6):451-7
- 223. Cunha AB, Andreazza AC, Gomes FA, Frey BN, da Silveira LE, Gonçalves CA, **Kapczinski F**. Investigation of serum high-sensitive C-reactive protein levels across all mood states in bipolar disorder. Eur Arch Psychiatry Clin Neurosci. 2008. 258(5):300-4.
- 224. Dias VV, Brissos S, Frey BN, **Kapczinski F**. Insight, quality of life and cognitive functioning in euthymic patients with bipolar disorder. J Affect Disord. 2008. 110(1-2):75-83.
- 225. Gama CS, Salvador M, Andreazza AC, Lobato MI, Berk M, **Kapczinski F**, Belmonte-de-Abreu PS. Elevated serum thiobarbituric acid reactive substances in clinically symptomatic schizophrenic males. Neurosci Lett. 2008. 433(3):270-3.
- 226. Garcia LS, Comim CM, Valvassori SS, Reus GZ, Andreazza AC, Stertz L, Fries GR, Gavioli E, **Kapczinski F**, Quevedo J. Chronic administration of ketamine elicits antidepressant-like effects in rats without affecting hippocampal brainderived neurotrophic factor protein levels. Basical & Clinical pharmacology & Toxicology. 2008. 103: 502-506.
- 227. **Kapczinski F**, Frey BN, Kauer-Sant'Anna M, Grassi-Oliveira R. Brain-derived neurotrophic factor and neuroplasticity in bipolar disorder. Expert Rev Neurother. 2008. 8(7):1101-13. Review.
- 228. Guimarães LR, Jacka FN, Gama CS, Berk M, Leitão-Azevedo CL, Belmonte de Abreu MG, Lobato MI, Andreazza AC, Ceresér KM, **Kapczinski F**, Belmonte-de-Abreu P. Serum levels of brain-derived neurotrophic factor in schizophrenia on a hypocaloric diet. Prog Neuropsychopharmacol Biol Psychiatry. 2008 Aug 1;32(6):1595-8.
- 229. Kunz M, Gama CS, Andreazza AC, Salvador M, Ceresér KM, Gomes FA, Belmonte-de-Abreu PS, Berk M, Kapczinski F. Elevated serum superoxide dismutase and thiobarbituric acid reactive substances in different phases of bipolar disorder and in schizophrenia. Prog Neuropsychopharmacol Biol Psychiatry. 2008. 32(7):1677-1681.
- 230. Rosa AR, Andreazza AC, Kunz M, Gomes F, Santin A, Sanchez-Moreno J, Reinares M, Colom F, Vieta E, **Kapczinski F**. Predominant polarity in bipolar

- disorder: Diagnostic implications. Journal of Affective Disorders. 2008. 107: 45-51.
- 231. Streck EL, Amboni G, Scaini G, Di-Pietro PB, Rezin GT, Valvassori SS, Luz G, **Kapczinski F**, Quevedo J. Brain creatine kinase activity in an animal model of mania. Life Sci. 2008. 82(7-8):424-9.
- 232. Valvassori SS, Petronilho FC, Réus GZ, Steckert AV, Oliveira VB, Boeck CR, **Kapczinski F**, Dal-Pizzol F, Quevedo J. Effect of N acetylcysteine and/or deferoxamine on oxidative stress and hyperactivity in an animal model of mania. Prog Neuropsychopharmacol Biol Psychiatry. 2008.32(4):1064-8.
- 233. Valvassori SS, Stertz L, Andreazza AC, Rosa MI, **Kapczinski F**, Streck EL, Quevedo J. Lack of effect of antipsychotics on BNDF and NGF levels in hippocampus of Wistar rats. Metab Brain Dis. 2008. 23(2):213-9.
- 234. Vargas HE, Gama CS, Andreazza AC, Medeiros D, Stertz L, Fries G, Palha J, Cereser KM, Berk M, **Kapczinski F**, Belmonte-de-Abreu PS. Decreased serum neurotrophin 3 in chronically medicated schizophrenic males. Neurosci Lett. 2008. 440(3):197-201.
- 235. **Kapczinski F**, Frey BN, Andreazza AC, Kauer-Sant'Anna M, Cunha ABM, Post RM. Increased oxidative stress as a mechanism for decreased BDNF levels in acute manic episodes. Rev Bras Psiquiatr. 2008. 30(3):243-45.
- 236. Gama CS, Berk M, Andreazza AC, **Kapczinski F**, Belmonte-de-Abreu P. Serum levels of brain-derived neurotrophic factor and thiobarbituric acid reactive substances in chronically medicated schizophrenic patients: a positive correlation. Rev Bras Psiquiatr. 2008. 30(4):337-40.
- 237. Schneider JJ, Candiago RH, Rosa AR, Ceresér KM, **Kapczinski F**. Cognitive impairment in a Brazilian sample of patients with bipolar disorder. Rev Brás Psiguiatr 2008. 30(3):209-14.
- 238. Gonçalves DM, **Kapczinski F**. Mental disorder, demographic variables and life satisfaction]. Rev Saude Pública. 2008. 42(6):1060-66.
- 239. Tramontina J, Frey BN, Andreazza AC, Zandona M, Santin A, **Kapczsinski F**. Val66met polymorphism and serum brain-derived neurotrophic factor levels in bipolar disorder. Mol Psychiatry. 2007. 12(3):230-1.
- 240. Andreazza AC, Cassini C, Rosa AR, Leite MC, de Almeida LM, Nardin P, Cunha AB, Ceresér KM, Santin A, Gottfried C, Salvador M, **Kapczinski F**, Gonçalves CA. Serum S100B and antioxidant enzymes in bipolar patients. J Psychiatr Res. 2007. 41(6):523-9.
- 241. Frey BN, Stanley JA, Nery FG, Monkul ES, Nicoletti MA, Chen HH, Hatch JP, Caetano SC, Ortiz O, **Kapczinski F**, Soares JC. Abnormal cellular energy and phospholipid metabolism in the left dorsolateral prefrontal cortex of medication-free individuals with bipolar disorder: an in vivo 1H MRS study. Bipolar Disord. 2007. Suppl 1:119-27.
- 242. Gazalle FK, Hallal PC, Andreazza AC, Frey BN, Kauer-Sant'Anna M, Weyne F, da Costa SC, Santin A, **Kapczinski F**. Manic symptoms and quality of life in bipolar disorder. Psychiatry Res. 2007.153(1):33-8.
- 243. Kauer-Sant'Anna M, Tramontina J, Andreazza AC, Cereser K, da Costa S, Santin A, Yatham LN, **Kapczinski F**. Traumatic life events in bipolar disorder:

- impact on BDNF levels and psychopathology. Bipolar Disord. 2007. Suppl 1:128-35.
- 244. Kunz M, Gomes FA, Tramontina JF, **Kapczinski F**. Late-onset neuroleptic malignant syndrome in a patient using olanzapine. J Clin Psychopharmacol. 2007. 27(3):303-4.
- 245. Machado-Vieira R, Dietrich MO, Leke R, Cereser VH, Zanatto V, **Kapczinski F**, Souza DO, Portela LV, Gentil V. Decreased plasma brain derived neurotrophic factor levels in unmedicated bipolar patients during manic episode. Biol Psychiatry. 2007. 61(2):142-4.
- 246. Aguiar AS Jr, Tuon T, Pinho CA, Silva LA, Andreazza AC, **Kapczinski F**, Quevedo J, Streck EL, Pinho RA. Mitochondrial IV complex and brain neurothrophic derived factor responses of mice brain cortex after downhill training. Neurosci Lett. 2007. 426(3):171-4.
- 247. Andreazza AC, Frey BN, Erdtmann B, Salvador M, Rombaldi F, Santin A, Gonçalves CA, **Kapczinski F**. DNA damage in bipolar disorder. Psychiatry Res. 2007.153(1):27-32.
- 248. Andreazza AC, Frey BN, Valvassori SS, Zanotto C, Gomes KM, Comim CM, Cassini C, Stertz L, Ribeiro LC, Quevedo J, **Kapczinski F**, Berk M, Gonçalves CA. DNA damage in rats after treatment with methylphenidate. Prog Neuropsychopharmacol Biol Psychiatry. 2007. 31(6):1282-8.
- 249. Berk M, Dodd S, Kauer-Sant'anna M, Malhi GS, Bourin M, **Kapczinski F**, Norman T. Dopamine dysregulation syndrome: implications for a dopamine hypothesis of bipolar disorder. Acta Psychiatr Scand Suppl. 2007. 434:41-9. Review.
- 250. Preissler T, Luft T, **Kapczinski F**, Quevedo J, Schwartsmann G, Roesler R. Basic fibroblast growth factor prevents the memory impairment induced by gastrin-releasing peptide receptor antagonism in area CA1 of the rat hippocampus. Neurochem Res. 2007. 32(8):1381-6.
- 251. Frey BN, Andreazza AC, Kunz M, Gomes FA, Quevedo J, Salvador M, Gonçalves CA, **Kapczinski F**. Increased oxidative stress and DNA damage in bipolar disorder: a twin-case report. Prog Neuropsychopharmacol Biol Psychiatry. 2007. 31(1):283-5.
- 252. Gama CS, Andreazza AC, Kunz M, Berk M, Belmonte-de-Abreu PS, **Kapczinski F**. Serum levels of brain-derived neurotrophic factor in patients with schizophrenia and bipolar disorder. Neurosci Lett. 2007. 420(1):45-48.
- 253. Gazalle FK, Frey BN, Hallal PC, Andreazza AC, Cunha AB, Santin A, **Kapczinski F**. Mismatch between self-reported quality of life and functional assessment in acute mania: a matter of unawareness of illness? J Affect Disord. 2007. 103(1-3):247-52.
- 254. Kauer-Sant'Anna M, Andreazza AC, Valvassori SS, Martins MR, Barbosa LM, Schwartsmann G, Roesler R, Quevedo J, **Kapczinski F**. A gastrin-releasing peptide receptor antagonist blocks D-amphetamine-induced hyperlocomotion and increases hippocampal NGF and BDNF levels in rats. Peptides. 2007. 28(7):1447-52.

- 255. Kauer-Sant'Anna M, Frey BN, Andreazza AC, Ceresér KM, Gazalle FK, Tramontina J, da Costa SC, Santin A, **Kapczinski F**. Anxiety comorbidity and quality of life in bipolar disorder patients. Can J Psychiatry. 2007. 52(3):175-81.
- 256. Machado-Vieira R, Andreazza AC, Viale CI, Zanatto V, Cereser V Jr, da Silva Vargas R, Kapczinski F, Portela LV, Souza DO, Salvador M, Gentil V. Oxidative stress parameters in unmedicated and treated bipolar subjects during initial manic episode: a possible role for lithium antioxidant effects. Neurosci Lett. 2007. 421(1):33-6.
- 257. Ribeiro L, Andreazza AC, Salvador M, da Silveira TR, Vieira S, Nora DB, Bosa C, Di Napoli F, Schaf DV, Souza DO, Portela LV, **Kapczinski F**. Oxidative stress and S100B protein in cirrhotic children. Neurochem Res. 2007. 32(9):1600-3.
- 258. Rosa AR, Marco M, Fachel JM, **Kapczinski F**, Stein AT, Barros HM. Correlation between drug treatment adherence and lithium treatment attitudes and knowledge by bipolar patients. Prog Neuropsychopharmacol Biol Psychiatry. 2007. 31(1):217-24.
- 259. Tramontina F, Leite MC, Cereser K, de Souza DF, Tramontina AC, Nardin P, Andreazza AC, Gottfried C, **Kapczinski F**, Gonçalves CA. Immunoassay for glial fibrillary acidic protein: antigen recognition is affected by its phosphorylation state. J Neurosci Methods. 2007. 162(1-2):282-6.
- 260. Valvassori SS, Frey BN, Martins MR, Réus GZ, Schimidtz F, Inácio CG, Kapczinski F, Quevedo J. Sensitization and cross-sensitization after chronic treatment with methylphenidate in adolescent Wistar rats. Behav Pharmacol. 2007. 18(3):205-12.
- 261. Walz JC, Andreazza AC, Frey BN, Cacilhas AA, Ceresér KM, Cunha AB, Weyne F, Stertz L, Santin A, Gonçalves CA, **Kapczinski F**. Serum neurotrophin-3 is increased during manic and depressive episodes in bipolar disorder. Neurosci Lett. 2007. 415(1):87-9.
- 262. Rosa AR, Sánchez-Moreno J, Martínez-Aran A, Salamero M, Torrent C, Reinares M, Comes M, Colom F, Van Riel W, Ayuso-Mateos JL, **Kapczinski F**, Vieta E. Validity and reliability of the Functioning Assessment Short Test (FAST) in bipolar disorder. Clin Pract Epidemol Ment Health. 2007. 3:5.
- 263. **Kapczinski F**. Quem lê (mas não cita) ciência brasileira? Rev Bras Psiquiatr. 2007 Jun;29(2):198.
- 264. Gazalle FK, Hallal PC, Tramontina J, Rosa AR, Andreazza AC, Zanatto V, Santin A, **Kapczinski F**, Ceresér KM. Polypharmacy and suicide attempts in bipolar disorder. Rev Bras Psiquiatr. 2007. 29(1):35-8.
- 265. Cunha AB, Frey BN, Andreazza AC, Goi JD, Rosa AR, Gonçalves CA, Santin A, **Kapczinski F**. Serum brain-derived neurotrophic factor is decreased in bipolar disorder during depressive and manic episodes. Neurosci Lett. 2006. 398(3):215-9.
- 266. Frey BN, Andreazza AC, Ceresér KM, Martins MR, Valvassori SS, Réus GZ, Quevedo J, **Kapczinski F**. Effects of mood stabilizers on hippocampus BDNF levels in an animal model of mania.Life Sci. 2006. 79(3):281-6.

- 267. Frey BN, Martins MR, Petronilho FC, Dal-Pizzol F, Quevedo J, **Kapczinski F**. Increased oxidative stress after repeated amphetamine exposure: possible relevance as a model of mania. Bipolar Disord. 2006. 8(3):275-80.
- 268. Fonseca M, Soares JC, Hatch JP, Santin AP, **Kapczinski F**. An open trial of adjunctive escitalopram in bipolar depression. J Clin Psychiatry. 2006. 67(1):81-6..
- 269. Chessick CA, Allen MH, Thase M, Batista Miralha da Cunha AB, **Kapczinski F**, de Lima MS, dos Santos Souza JJ. Azapirones for generalized anxiety disorder. Cochrane Database Syst Rev. 2006. 19;3:CD006115.
- 270. Frey BN, Valvassori SS, Réus GZ, Martins MR, Petronilho FC, Bardini K, Dal-Pizzol F, **Kapczinski F**, Quevedo J. Effects of lithium and valproate on amphetamine-induced oxidative stress generation in an animal model of mania. J Psychiatry Neurosci. 2006. 31(5):326-32.
- 271. Rosa AR, Frey BN, Andreazza AC, Ceresér KM, Cunha AB, Quevedo J, Santin A, Gottfried C, Gonçalves CA, Vieta E, Kapczinski F.Increased serum glial cell line derived neurotrophic factor immunocontent during manic and depressive episodes in individuals with bipolar disorder. Neurosci Lett. 2006. 407(2):146-50.
- 272. Busnello JV, Leke R, Oses JP, Feier G, Bruch R, Quevedo J, **Kapczinski F**,Souza DO, Cruz Portela LV. Acute and chronic electroconvulsive shock in rats: effects on peripheral markers of neuronal injury and glial activity. Life Sci. 2006. 78(26):3013-7.
- 273. Ceresér KM, Frey BN, Bernardes FB, Costa SC, Andreazza AC, Feier G, Souza D, Tramontina F, Gonçalves CA, **Kapczinski F**, Quevedo J. Glial fibrillary acidic protein expression after electroconvulsive shocks in rat brain. Prog Neuropsychopharmacol Biol Psychiatry. 2006. 30(4):663-7.
- 274. Frey BN, Andreazza AC, Ceresér KM, Martins MR, Petronilho FC, de Souza DF, Tramontina F, Gonçalves CA, Quevedo J, **Kapczinski F**. Evidence of astrogliosis in rat hippocampus after d-amphetamine exposure.Prog Neuropsychopharmacol Biol Psychiatry. 2006. 30(7):1231-4.
- 275. Frey BN, Andreazza AC, Rosa AR, Martins MR, Valvassori SS, Réus GZ, Hatch JP, Quevedo J, **Kapczinski F**. Lithium increases nerve growth factor levels in the rat hippocampus in an animal model of mania. Behav Pharmacol. 2006. 17(4):311-8.
- 276. Frey BN, Valvassori SS, Gomes KM, Martins MR, Dal-Pizzol F, **Kapczinski F**, Quevedo J. Increased oxidative stress in submitochondrial particles after chronic amphetamine exposure. Brain Res. 2006. 1097(1):224-9.
- 277. Gama CS, Salvador M, Andreazza AC, **Kapczinski F**, Silva Belmonte-de-Abreu P. Elevated serum superoxide dismutase and thiobarbituric acid reactive substances in schizophrenia: a study of patients treated with haloperidol or clozapine. Prog Neuropsychopharmacol Biol Psychiatry. 2006. 30(3):512-5.
- 278. Frey BN, Valvassori SS, Réus GZ, Martins MR, Petronilho FC, Bardini K, Dal-Pizzol F, **Kapczinski F**, Quevedo J. Changes in antioxidant defense enzymes after d-amphetamine exposure: implications as an animal model of mania. Neurochem Res. 2006. 31(5):699-703.
- 279. Rosa AR, Kapczinski F, Oliva R, Stein A, Barros HMT. Monitoramento da

- adesão ao tratamento com lítio. Revista de Psiquiatria Clínica. 2006. 33: 249 261.
- 280. Gazalle FK, Andreazza AC, Hallal PC, Kauer-Sant'anna M, Ceresér KM, Soares JC, Santin A, **Kapczinski F**. Bipolar depression: the importance of being on remission. Rev Bras Psiquiatr. 2006. 28(2):93-6.
- 281. Gazalle FK, **Kapczinski F**. Bipolar disorder: building the path of return to the ideas of Kraepelin. Rev Bras Psiquiatr. 2006. 28(1):82.
- 282. Gazalle FK, **Kapczinski F**. Mogens schou e o uso do lítio em psiquiatria. Rev Bras Psiquiatr. 2006. 28(1):82.
- 283. Rosa AR, Andreazza AC, Gazalle FK, Sanchez-Moreno J, Santin A, Stein A, Barros HM, Vieta E, **Kapczinski F**. Adaptation and validation of the Portuguese version of the Lithium Knowledge Test(LKT) of bipolar patients treated with lithium: cross-over study. Clin Pract Epidemol Ment Health. 2006. 2:34.
- 284. Rosa AR, Andreazza AC, Sanchez-Moreno J, Gazalle FK, Santin A, Stein A, Barros HM, Vieta E, **Kapczinski F**. Validation of the Portuguese version of the Lithium Attitudes Questionnaire (LAQ) in bipolar patients treated with lithium: cross-over study. Clin Pract Epidemol Ment Health. 2006. 2:32.
- 285. **Kapczinski F**, Gentil V. CANMAT guidelines for bipolar disorder: a commentary from South America. Bipolar Disord. 2005;7 Suppl 3:87-8.
- 286. Gazalle FK, Andreazza AC, Ceresér KM, Hallal P, Santin A, **Kapczinski F**. Clinical impact of late diagnose of bipolar disorder. Journal of Affective Disorders 2005. 86: 313-16.
- 287. Frey BN, Folgierini M, Nicoletti M, Machado-Vieira R, Stanley JA, Soares JC, **Kapczinski F**. A proton magnetic resonance spectroscopy investigation of the dorsolateral prefrontal cortex in acute mania. Hum Psychopharmacol. 2005. 20(2):133-9.
- 288. Gazalle FK, Andreazza AC, Kauer-Sant'Anna M, Santin A, **Kapczinski F**. Diagnóstico precoce do Transtorno Bipolar. Revista Brasileira de Psiquiatria. 2005. 27: 83-4.
- 289. Abreu MR, Jackowski AP, Folgerini M, Brenol JC, Xavier RM, **Kapczinski F**. Neuropsychiatric systemic lupus erythematosus: correlation of brain MR imaging, CT and SPECT. Clinic Imaging. 2005. 29: 215-21.
- 290. Schmitt R, Gazalle FK, Lima MS, Cunha A, Souza J, **Kapczinski F**. The efficacy of antidepressants for generalized anxiety disorder: a systematic review and meta-analysis. Revista Brasileira de Psiquiatria. 2005. 27: 18-24.
- 291. **Kapczinski F**, Sherman D, Lader M, Williams R, Curran V. Differential effects of flumazenil in alcoholic and nonalcoholic cirrhotic patients. Psychopharmacology. 2005. 120: 220-6.
- 292. Machado-Vieira R, **Kapczinski F**. Perspectives for the development of animal models of bipolar disorder. Progress in Neuro-Psychopharmacology & Biological Psychiatry. 2004. 28: 209-24.
- 293. Margis R, Zanatto V, Tramontina F, Vinade E, Lhullier F, Portela L, Souza D, Dalmaz C, **Kapczinski F**, Gonçalves C. Changes in S100B cerebrospinal fluid levels of rats subjected to predator stress. Brain Research. 2004. 1028:213-18.
- 294. Machado-Vieira R, Schmidt A, Ávila T, **Kapczinski F**, Soares J, Souza D, Portela L. Increased cerebrospinal fluid levels of S100B protein in rat model of

- mania induced by ouabain. Life Sciences. 2004. 76:805-11.
- 295. Frey BN, Fonseca MMR, Machado-Vieira R, Soares JC, **Kapczinski F**. Anormalidades neuropatológicas e neuroquímicas no transtorno afetivo bipolar. Revista Brasileira de Psiquiatria. 2004. 26: 180-88.
- 296. Issler CK, Sant'Anna MK, **Kapczinski F**, Lafer B. Comorbidade com transtornos de ansiedade em transtorno bipolar. Revista Brasileira de Psiquiatria. 2004. Supl 3: 31-36..
- 297. **Kapczinski F**, Frey BN, Zannatto V. Fisiopatologia do transtorno afetivo bipolar: o que mudou nos últimos 10 anos? Revista Brasileira de Psiquiatria. 2004. Supl 3: 17-21.
- 298. Knijnik DZ, **Kapczinski F**, Chachamovich E, Margis R, Eizirik CL. Psicoterapia psicodinâmica em grupo para fobia social generalizada. Revista Brasileira de Psiguiatria. 2004. 26: 77-81.
- 299. Gomes I, Becker J, Ehlers JA, **Kapczinski F**, Nora DB. Seasonal distribution and demographical characteristics of carpal tunnel syndrome in 1039 patients. Arquivos de Neuro-Psiquiatria. 2004. 62: 596-9.
- 300. **Kapczinski F**, Carvalhal AS, de Abreu PB, Spode A, Correa J. An open trial of reboxetine in HIV-seropositive outpatients with major depressive disorder. Journal of Clinical Psychiatry. 2003. 64: 421-24.
- 301. Volpato Cordioli A, Heldt E, Braga Bochi D, Margis R, Basso de Sousa M, Fonseca Tonello J, Gus Manfro G, **Kapczinski F**. Cognitive-behavioral group therapy in obsessive-compulsive disorder: a randomized clinical trial. Psychother Psychosom. 2003. 72: 211-16.
- 302. Quevedo J, **Kapczinski F**. Differential effects of emotional arousal in short- and long-term memory in healthy adults. Neurobiology of Learning and Memory. 2003. 79: 132- 35.
- 303. De Paris F, Sant'Anna MK, Vianna MR, Barichello T, Busnello JV, **Kapczinski F**, Quevedo J, Izquierdo I. Effects of gabapentin on anxiety induced by simulated public speaking. Journal of Psychopharmacology. 2003. 17: 184-88.
- 304. Szobot CM, Ketzer CC, Cunha RD. Parente MA, Langleben DD, Acton PD, **Kapczinski F**, Rohde LAP. The acute effect of methylphenidate on cerebral blood flow in boys with attention-deficit/hyperactivity disorder. European Journal of Nuclear Medicine and Molecular Imaging. 2003.30: 423-26.
- 305. Roesler R, **Kapczinski F**. Differential involvement of hippocampal and amygdalar NMDA receptors in contextual and aversive aspects of inhibitory avoidance memory in rats. Brain Research. 2003. 975:207-13.
- 306. **Kapczinski F**. An update on posttraumatic stress disorder.. Revista Brasileira de Psiquiatria. 2003. 25: 1- 2.
- 307. **Kapczinski F**. Aspectos éticos envolvidos na seleção de pacientes na psiquiatria. Revista Brasileira de Psiquiatria. 2003. 25: 259.
- 308. Cechin EM, Quevedo J, Barichello T, Machado-Vieira R, Gentil V, **Kapczinski** F. Dose-related effects of propericiazine in rats. Brazilian Journal of Medical and Biological Research. 2003. 36: 227-31.
- 309. **Kapczinski F**, Margis R. Transtorno de estresse pós-traumático: critérios diagnósticos. Revista Brasileira de Psiquiatria. 2003. Supl 1: 3-7.
- 310. Kapczinski F. Comentário sobre 'Quem paga o impacto'. Ver Brás Psiquiatr

- 2003; 25(4):258-63.
- 311. **Kapczinski F**, Shansis F, Izquierdo I, Grevet E, Tietzmann MR, Hastewnpflug G, Santana LC, Forster L. Behavioural effects of acute phenylalanine and tyrosine depletion in healthy male volunteers. Journal of Psychopharmacology. 2002. 16: 51-6.
- 312. Machado-Vieira R, **Kapczinski F**. Elevated serum S100B protein in drug-free bipolar patients during first manic episode: a pilot study. European Neuropsychopharmacology. 2002. 12: 269-72.
- 313. Portela LV, Tort AB, Schaf DV, Ribeiro L, Nora DB, Walz R, Rotta LN, Silva CT, Busnello JV, **Kapczinski F**, Gonçalves CA, Souza DO. The serum S-100 B concentration is age dependent. Clin. Chem. 2002. 48: 950-52.
- 314. Quevedo J, de Paris F, Vianna MR, Barichello T, Roesler R, **Kapczinski F**. Interaction between midazolam-induced anterograde amnesia and memory enhancement by treatments given immediately after training on an inhibitory avoidar task in rats. Behav Pharmacol. 2002. 13: 319-22.
- 315. Machado-Vieira R, Souza DO, **Kapczinski F**. Neuropatologia de células gliais em modelo de integração neurônio-glia no Transtorno de Humor Bipolar. Rev. Psiq.Clin. 2002. 29: 197-203.
- 316. Kauer-Sant'Anna M, Lavinsky M., Aguiar RW, **Kapczinski F**. O papel do sistema dopaminérgico na fobia social. Revista Brasileira de Psiquiatria. 2002. 24: 50-52.
- 317. Machado-Vieira R, **Kapczinski F**. Purinergic dysfunction in mania: an integrative model. Medical Hypotheses. 2002. 58:297-304.
- 318. Machado-Vieira R, Lara DR, **Kapczinski F**. Therapeutic efficacy of allopurinol in mania associated with hyperuricemia. Journal of Clinical Psychopharmacology. 2001. 21: 621-22.
- 319. Machado-Vieira R, **Kapczinski F**, Viale CI. Mania associated with an energy drink: the possible role of caffeine, taurine, and inositol. The Canadian Journal of Psychiatry. 2001. 46: 454-55.
- 320. Petry RD, Reginatto F, de-Paris F, Gosmann G, Salgueiro JB, Quevedo J, **Kapczinski F**, Ortega GG, Schenkel, EP. Comparative pharmacological study of hydroethanol extracts of Passiflora alata and Passiflora edulis leaves. PTR. Phytotherapy Research. 2001. 15: 162- 64.
- 321. Ribeiro L, Busnello JV, Kauer-Sant'Anna M, Madruga M, Quevedo J, Busnello EA, **Kapczinski F**. Mirtazapine versus fluoxetine in the treatment of panic disorder. Brazilian Journal of Medical and Biological Research. 2001. 34: 1303-7.
- 322. Cordioli AV, Margis R, Souza MB, Braga D, **Kapczinski F**. Crenças disfuncionais e o modelo cognitivo-comportamental no transtorno obsessivo-compulsivo. Revista de Psiquiatria Clínica. 2001. 28: 197-206.
- 323. Abreu MGB, Restelato R, Ziegler DR, Abreu P, **Kapczinski F**. Evolução de parâmetros antropométricos em crianças e adolescentes com exposição a medicamentos psicoativos: um estudo controlado em abrigados da Secretaria do Trabalho, Cidadania e Assistência Social STCAS RS. Revista de Psiquiatria do Rio Grande do Sul. 2001. 23:91-8.
- 324. Kapczinski F, Knijnick DZ, Chachamovich E. O uso de inibidores da

- monoaminoxidase no transtorno do pânico. Revista de Psiquiatria Clínica. 2001. 28: 23-4.
- 325. **Kapczinski F**, Amaral OB, Madruga M, Quevedo J, Busnello JV, Lima MS. Use and misuse of benzodiazepines in Brazil: a review. Substance Use & Misuse. 2001. 36: 1053-69.
- 326. Shansis F, Busnello JV, Quevedo J, Forster L, Young S, Izquierdo I, **Kapczinski F**. Behavioural effects of acute tryptophan depletion in healthy male volunteers. Journal of Psychopharmacology. 2000. 14: 157-63.
- 327. Nora DB, Amaral OB, Busnello JV, Quevedo J, Young S, Silveira TR, **Kapczinski F**. Evoked potentials for the evaluation of latent hepatic encephalopathy in pediatric liver transplant candidates. Journal Of Pediatric And Gastroenterology Nutrition. 2000. 31: 371-6.
- 328. de Paris F, Busnello JV, Vianna MR, Salgueiro JB, Quevedo J, Izquierdo I, **Kapczinski F**. The anticonvulsant compound gabapentin possesses anxiolytic but not amnesic effects in rats.. Behavioural Pharmacology. 2000. 11: 169-73.
- 329. **Kapczinski F**, Chachamovich E, Souza RL, Schmitt R. Aplicações em psiquiatria da tomografia por emissão de positrons. Revista de Psiquiatria Clínica. 2000. 27: 191-4.
- 330. **Kapczinski F**, Schmitt R, Knijnick DZ, Chachamovich E. Fobia social: evidências biológicas. Revista de Psiquiatria Clínica. 2000. 27:319-22.
- 331. **Kapczinski F**, Quevedo J, Curran HV, Fleminger S, Toone B, Cluckie A, Lader M. Brain uptake of iomazenil in cirrhotic patients: a single photon emission tomography study. Journal of Psychopharmacology. 1999. 13: 219-25.
- 332. Lara DR, Wolf AL, Lobato MI, Baroni G, **Kapczinski F**. Clozapine-induced neuroleptic malignant syndrome: an interaction between dopaminergic and purinergic systems? Journal of Psychopharmacology. 1999. 13: 318-19.
- 333. Amaral O, Quevedo J, Walz R, **Kapczinski F**. Flumazenil and hepatic encephalopathy. Hepatology. 1999. 29: 1338-9.
- 334. Cumming P, Yokoi F, Chen A, Deep P, Dagher A, Reutens D, **Kapczinski F**, Wong DF, Gjedde A. Pharmacokinetics of radiotracers in human plasma during positron emission tomography. Synapse (New York). 1999. 34: 124-34.
- 335. **Kapczinski F**, Mabilde LC, Ribeiro L, Tocchetto A. Considerações sobre o tratamento farmacológico e psicodinâmico dos transtornos de ansiedade. Revista de Psiquiatria do Rio Grande do Sul. 1999. 21: 41-51.
- 336. Salvi R, Dias RD, **Kapczinski F**. Redução do tempo de latência para o efeito antidepressivo pela administração de pindolol. Revista de Psiquiatria Clínica. 1999. 26: 76-83.
- 337. **Kapczinski F**, Silveira R, Picon P, Fichbein B, Gauer GC, Juruena MF, Fitjmann RP, Pereira MO. Terapia cognitivo-comportamental e farmacológica da fobia social: uma revisão. Revista de Psiquiatria do Rio Grande do Sul. 1999. 21:52-65.
- 338. Roesler R, Quevedo J, Walz R, Pizzol F, **Kapczinski F**. Drugs acting at the glycine site on the NMDA receptor as cognitive enhancers in patients with Alzheimer's disease. Neurology. 1998. 50: 1195.
- 339. **Kapczinski F**, Campagnolo AM, Barcaro M, Guerin YLS. Antidepressivos no tratamento farmacológico da bulimia nervosa. Revista de Psiquiatria do Rio

- Grande do Sul. 1998. 20: 61-8.
- 340. Ribeiro L, **Kapczinski F**, Busnello E. O uso da mirtazapina no transtorno do pânico. Psiguiatria Clínica 1998. 25: 194 5.
- 341. **Kapczinski F**, Curran V, Przemioslo R, Williams R, Fluck E, Fernandes C, File S. Cognitive impairments of alcoholic cirrhotic patients: correlation with endogenous benzodiazepine receptor ligands and increased affinity of platelet receptors. Journal of Neurology, Neurosurgery and Psychiatry. 1996. 60: 676-80.
- 342. **Kapczinski F**, Mintegui D, Brondani R, Chaves MLF. Mild depression levels alter self-perceptions of future but not the recall of verbal information in elderly inpatients. Brazilian Journal of Medical and Biological Research. 1996. 29: 259-65.
- 343. Okocha C, **Kapczinski F**, Lassen N, Lader M. Central benzodiazepine receptor imaging and quantification with single photo emission computerized tomography (SPECT). Journal of Psychopharmacology. 1995. 9: 379-80.
- 344. **Kapczinski F**, Curran V, Gray J, lader M. Flumazenil has an anxiolytic effect in simulated stress. Psychopharmacologia (Heidelberg). 1994. 114: 187-9.
- 345. Ceitlin L, **Kapczinski F**, Facca G, Conceição C, Lorenzon S, Izquierdo I, Chaves M. Influência da idade e o nível de instrução na escala de autovaliação do funcionamento da memória (metamemória) em uma amostra de pacientes internados em hospital geral. Jornal Brasileiro de Psiquiatria. 1992. 41: 317-25.
- 346. Eizirik C, Costa F, **Kapczinski F**, Piltcher R, Gauer R, Liberman Z. Observing countertransference in brief dynamic psychotherapy. Psychotherapy and Pychosomatics. 1991. 56: 174-81.
- 347. Almeida M, **Kapczinski F**, Izquierdo I. Memory modulation by post-training intraperitoneal, but not intracerebroventricular, administration of ACTH or epinephrine. Behavioural and Neural Biology. 1983. 39: 277-83.

Chapters

- 1. Eizirik C, Kapczinski F. Psicoterapia na velhice. In: Psicoterapias: abordagens atuais. Porto Alegre: Artes Médicas; 1993. p. 420-32.
- 2. Eizirik C, Kapczinski F, Knijnik J, Vasconcellos M. Psicoterapia na velhice. In: Psicoterapias. Porto Alegre: Artes Médicas; 1998. p. 485-93.
- 3. Kapczinski F, Eizirik CL, Bassols AMS. Noções básicas sobre o funcionamento psíquico. In: O ciclo da vida humana: uma perspectiva psicodinâmica. Porto Alegre: Artes Médicas; 2001. cap. 1, p. 15-28.
- 4. Kapczinski F. Phobias. In: Maj M, Akiskal HS, López-Ibor JJ, Okasha A, editors. Psychotherapy in the treatment of phobias: a perspective from Latin America. USA: Philadelphia: John Wiley & Sons; 2004. chap. 4.11.
- 5. Gonçalves D, Santin A, Kapczinski F. Intervenções psicoterápicas : novos horizontes para o tratamento de transtorno bipolar. : Psicoterapias: abordagens atuais. Porto Alegre: Artes Médicas; 2008. p. 641-59.
- 6. Kapczinski F, Dractu L. Aspectos do funcionamento do sistema nervoso central. In: Manual de psiquiatria. Rio de Janeiro: Guanabara Koogan; 1996. p. 32-42.

- 7. Ribeiro L, Busnello JV, Kapczinski F. Neurofisiologia dos transtornos de ansiedade. In: Benzodiazepínicos: quatro décadas de experiência. São Paulo: EDUSP; 1999. p. 45-58.
- 8. Ribeiro L, Kapczinski F. Ansiedade. In: Bases biológicas dos transtornos psiquiátricos. Porto Alegre: Artes Médicas; 2000. p. 133-42.
- 9. Busnello JV, Kapczinski F. Transtornos alimentares. In: Bases biológicas dos transtornos psiquiátricos. Porto Alegre: Artes Médicas; 2000. p. 165-70.
- 10. Kapczinski F, Kauer-Sant'Anna M, da Fonseca MMR. Transtorno de ansiedade generalizada. In: Bases biológicas dos transtornos psiquiátricos. 2ª ed. Porto Alegre: Artmed; 2003. v. 1, p. 211-20.
- 11. Schmitt R, Chachamovich E, Kapczinski. Delirium: avaliação e manejo. In: Emergências psiquiátricas. Porto Alegre: Artes Médicas; 2001. cap. 1, p. 77-87.
- 12. Chachamovich E, Schmitt R, Kapczinski F. Agressividade e agitação psicomotora. In: Emergências psiquiátricas. Porto Alegre: Artes Médicas; 2001. cap. 1, p. 90-7.
- 13. Vieira RM, Trevisan J, Quevedo J, Kapczinski F. Intoxicação e efeitos adversos graves dos psicofármacos. In: Emergências psiquiátricas. Porto Alegre: Artes Médicas; 2001. cap. 1, p. 99-115.
- 14. Schmitt R, Chachamovich E, Kapczinski F. Risco de suicídio: avaliação e manejo. In: Emergências psiquiátricas. Porto Alegre: Artes Médicas; 2001. cap. 1, p. 149-62.
- 15. Ribeiro L, Busnello JV, Quevedo J, Kapczinski F. Ansiedade aguda. In: Emergências psiquiátricas. ed. Porto Alegre: Artes Médicas; 2001. cap. 1, p. 166-72.
- 16. Chachamovich E, Schmitt R, Kapczinski F. Vítimas de violência sexual. In: Emergências psiquiátricas. Porto Alegre: Artes Médicas; 2001. cap. 1, p. 250-2.
- 17. Schmitt R, Quevedo J, Kapczinski F. Risco de suicídio. In: Emergências psiquiátricas. Porto Alegre: Artes Médicas; 2008. cap. 9, p. 181-96.
- 18. Gazalle F, Kapczinski F. Qualidade de vida em pacientes bipolares. In: A avaliação de qualidade de vida: guia para profissionais da saúde. Porto Alegre: Artes Médicas; 2008. cap. 13, p. 140-6.
- 19. Frey BN, Andreazza AC, Quevedo J, Kapczinski F. Fisiopatologia do transtorno bipolar. In: Transtorno bipolar: teoria e clínica. Porto Alegre: Artes Médicas; 2009. cap. 2, p. 28-43.
- 20. Gavioli EC, Streck EL, Kapczinski F, Quevedo J. Modelos animais do transtorno bipolar. : Transtorno bipolar: teoria e clínica. Porto Alegre: Artes Médicas; 2009. cap. 3. p. 44-60.
- 21. Gonçalves DM, Santin A, Kapczinski F. Tratamento psicoterápico do transtorno bipolar. In: Transtorno bipolar: teoria e clínica. Porto Alegre: Artes Médicas; 2009. cap. 15, p. 267-85.
- 22. Fries GR, Kunz M, Kapczinski F. Transtornos do humor. In: Izquierdo I, Kapczinski F, Quevedo J. Bases biológicas dos transtornos psiquiátricos: uma abordagem translacional. 3ª ed. Porto Alegre: Artes Médicas; 2011. cap. 12, p. 183-93.

23. Kapczinski F. An Introduction to the Neurobiology of bipolar illness onset, recurrence and progression In: Bipolar Disorder – Clinical and Neurobiological Foundations., 2011

Books

- Bases biológicas dos transtornos psiquiátricos (primeira edição) Flávio Kapczinski, João Quevedo, Ivan Izquierdo e colaboradores. Porto Alegre: Artes Médicas, 2000.
- 2. Emergências psiquiátricas (primeira edição) Flávio Kapczinski, João Quevedo, Ricardo Schmitt, Eduardo Chachamovich. Porto Alegre: Artes Médicas, 2001.
- 3. O ciclo da vida humana: uma perspectiva psicodinâmica *(única edição) Cláudio Laks Eizirik*, *Flávio Kapczinski* e *Ana Margareth Siqueira Bassols*. Porto Alegre: Artes Médicas, 2001.
- Transtorno do pânico. O que é? Como ajudar? Um guia de orientação para pacientes e familiares (única edição) Flávio Kapczinski, Luciana Ribeiro, João Vicente Busnello e Márcia Kauer Sant'Anna. . Porto Alegre: Artes Médicas, 2003.
- 5. Bases biológicas dos transtornos psiquiátricos (segunda edição) Flávio Kapczinski, João Quevedo, Ivan Izquierdo e colaboradores. Porto Alegre: Artes Médicas, 2003.
- 6. Emergências psiquiátricas (segunda edição) João Quevedo, Ricardo Schmitt, Flávio Kapczinski e colaboradores. Porto Alegre: Artes Médicas, 2008.
- 7. Transtorno bipolar: teoria e clínica *(única edição) Flávio Kapczinski, João Quevedo e colaboradores. .* Porto Alegre: Artes Médicas, 2009.
- 8. Bases biológicas dos transtornos psiquiátricos: uma abordagem translacional (terceira edição) Flávio Kapczinski, João Quevedo, Ivan Izquierdo e colaboradores. . Porto Alegre: Artes Médicas, 2011.

Other Professional Communications

Presentations

- 1. Disciplina Diagnóstico e terapêutica. Tema: Transtornos Cerebrais Orgânicos. Hospital Psiquiátrico São Pedro, 1990.
- 2. Sociedade de Psiquiatria do Rio Grande do Sul. Jornada Gaúcha de Psiquiatria. Comorbidades no transtorno hiperativo por déficit de atenção. Gramado, 1997.
- 3. Associação Médica de Caxias do Sul. Mirtazapina. Caxias do Sul, 1997.
- 4. Curso de Pós-Graduação em Ciências Biológicas: Fisiologia. Psicofarmacologia do Receptor Benzodiazepínico. Porto Alegre, 1997.
- 5. Fundação Faculdade Federal de Ciências Médicas de Porto Alegre. Encontro Científico "Novos Psicotrópicos". Porto Alegre, 1997.
- 6. Jornada Gaúcha de Psiquiatria. Hormônios e Comportamento. Gramado, 1997.
- 7. Disciplina Seminários em Neurociências do Curso de Pós-Graduação em CB. Psicofarmacologia da Ansiedade. Porto Alegre, 1997.
- 8. Curso sobre Terapia Cognitiva Comportamental: Ênfase no Transtorno Obsessivo-Compulsivo. São Paulo, 1997.

- 9. XIX Jornada Sul-Riograndense de Psiquiatria Dinâmica. Fobia social: diagnóstico e tratamento. Gramado, 1998.
- 10. XIX Jornada Sul-Riograndense de Psiquiatria Dinâmica. Novas drogas em psiquiatria. Gramado, 1998.
- 11. CELG-II Simpósio do Curso de Extensão em Clínica Psiquiátrica Fobia Social: da timidez à evitação. Diagnóstico e tratamento farmacológico. Porto Alegre, 1998
- 12. Simpósio "Fobia Social Interface entre a biologia e o comportamento". Alterações serotonérgicas na fobia social. São Paulo, 1998.
- 13.16° Congresso Brasileiro de Psiquiatria. Diagnóstico e Tratamento dos Transtornos de Ansiedade. São Paulo, 1998.
- 14.16° Congresso Brasileiro de Psiquiatria. Métodos de Indução de Ansiedade em Humanos. São Paulo, 1998.
- 15. Il Congresso de Psicoterapias Cognitivas Latino-Americanas. Psicoterapia cognitiva na ansiedade. Gramado, 1998.
- 16. Universidade Federal de Pelotas. Fobia social: diagnóstico e tratamento. Pelotas, 1998.
- 17. Simpósio de Transtorno de Pânico na Prática Médica. Princípios de tratamento farmacológico: IMAO e pânico. São Paulo, 1998.
- 18. Simpósio Internacional de Transtornos Afetivos. Farmacoterapia x psicoterapia em depressão. Fortaleza, 1998.
- 19. Simpósio Internacional de Transtornos Afetivos. Mecanismos moleculares em transtornos afetivos. Fortaleza, 1998.
- 20.XXVII Congresso Brasileiro de Radiologia e VI Congresso Brasileiro de Ultrasonografia. Uso de PET e SPECT em Psiquiatria: diagnóstico x acompanhamento terapêutico no Módulo I – Neuropsiquiatria. Belo Horizonte, 1998.
- 21. Sábados de Formação Continuada: Neurofisiologia, Neuroimagem, Neuropsicologia. Belo Horizonte, 1998.
- 22.16º Congresso Brassileiro de Psiquiatria Cidadania e Direito à Saúde Mental. Integração da Pesquisa na Prática Psiquiátrica. São Paulo, 1998.
- 23. Curso de Atualização Farmacológica e Prática Clínica dos Antidepressivos. Porto Alegre, 1998.
- 24. I Jornada sobre Hormonioterapia e Psicofarmacologia no Climatério. Porto Alegre, 1998.
- 25. I Curso de Extensão Universitária em Clínica Psiquiátrica. Diagnóstico da Distimia. Porto Alegre, 1998.
- 26. I Curso de Extensão Universitária em Clínica Psiquiátrica. Tratamento Farmacológico e Psicoterápico da Distimia. Porto Alegre, 1998.
- 27. Primeiro Simpósio Internacional de Medicina Baseada em Evidências. Pelotas, 1998.
- 28. XI Ciclo de Avanços em Clínica Psiquiátrica. Porto Alegre, 1998.
- 29. Curso de Atualização Farmacológica e Prática Clínica dos Antidepressivos. Santa Maria, 1998.

- 30. V Jornada de Serviço de doenças afetivas da Santa Casa. Correlações entre Transtorno de Déficit de Atenção/Hiperatividade e Transtorno Bipolar. Porto Alegre, 2000.
- 31. Associação Mineira de Psiquatria. Simpósio de atualização em Transtorno de Ansiedade Generalizada. Belo Horizonte, 2000.
- 32. XVIII Congresso Brasileiro de Psiquiatria. Transtorno de ansiedade generalizada: um novo conceito. Rio de Janeiro, 2000.
- 33. Simpósio Transtornos de Ansiedade. Quadro Clínico. Ribeirão Preto, 2000.
- 34. XIX Congresso Brasileiro de Psiquiatria. Estratégias para alcançar remissão TAG. Recife, 2001.
- 35. Sociedade Paranaense de Psiquiatria Clínica. Remissão: a sua importância no tratamento psiquiátrico. Curitiba, 2001.
- 36. Global Neuroscience Summit. México, 2001.
- 37. I Jornada Joinvillense de Psiquiatria. Joinville, 2001.
- 38. Simpósio UNESC. Transtornos de Ansiedade. Criciúma, 2001.
- 39. RWJ Pharmaceutical Research Institute. Flórida, 2001.
- 40. XX Congresso Brasileiro de Psiquiatria. Tratamento do paciente com transtorno de ansiedade. Florianópolis, 2002.
- 41. XX Congresso Brasileiro de Psiquiatria. Transtorno de Ansiedade Generalizada. Florianópolis, 2002.
- 42. XX Congresso Brasileiro de Psiquiatria. Neurobiologia da Ansiedade. Florianópolis, 2002.
- 43. XX Congresso Brasileiro de Psiquiatria. Neurobiologia dos Transtornos de Humor e Ansiedade. Florianópolis, 2002.
- 44. III Diálogo Latino-Americano Integracional entre Homens e Mulheres. Distúrbios da Sexualidade. Porto Alegre, 2002.
- 45.XXI Congresso Brasileiro de Psiquiatria. Estados mistos e ciclagem rápida. Goiânia, 2003.
- 46.XXI Congresso Brasileiro de Psiquiatria. Tratamento farmacológico da ansiedade. Goiânia, 2003.
- 47. Il Simpósio do Instituto Cérebro e Mente. Avanços diagnósticos e terapêuticos dos transtornos do humor. Criciúma, 2003.
- 48. XXI Congresso Brasileiro de Psiquiatria. Simpósio da Indústria do Wyeth. Goiânia, 2003.
- 49. Mestrado em Saúde e Comportamento da Universidade Católica de Pelotas. Tratamento da Ansiedade e Depressão: Uma Abordagem Baseada em Evidências. Pelotas, 2003.
- 50. Fourth European Stanley Conference on Bipolar Disorder. Dinamarca, 2004.
- 51. Curso de Extensão em Clínica Psiquiátrica IV Turma. Simpósios. Porto Alegre, 2004.
- 52. XXIII Congresso Brasileiro de Psiquiatria. Transtorno Bipolar: da neurobiologia às diretrizes clínicas e de saúde pública. Belo Horizonte, 2005.
- 53. XXIII Congresso Brasileiro de Psiquiatria. Prevenção de suicídio no transtorno bipolar. Belo Horizonte, 2005.
- 54. I Simpósio de Transtornos de Humor do CETTA (UFBA). Fisiopatologia e avaliação laboratorial dos transtornos do humor. Salvador, 2005.

- 55. III Simpósio do Programa de Pós-Graduação em Ciências da Saúde. O papel das neurotrofinas no transtorno bipolar. Criciúma, 2007.
- 56. VI Simpósio do Instituto Cérebro e Mente II Jornada Sul Catarinense de Psiquiatria Bipolaridade e seu Espectro. Fisiopatologia. Criciúma, 2008.
- 57. X Simpósio sobre Trastornos Bipolares Avances diagnósticos y terapêuticos. Barcelona, 2009.
- 58. XIII Congreso Nacional de Psiquiatría Investigación traslacional en los trastornos bipolares. Madrid, 2009.
- 59. XII Jornada Sul-Brasileira de Psiquiatria. Estadiamento no transtorno bipolar: evidências clínicas e laboratoriais. Ribeirão Preto, 2009.
- 60. IX Jornada Gaúcha de Psiquiatria. Toxicidade celular nos transtornos do humor. Porto Alegre, 2009.
- 61.29ª Semana Científica do HCPA. Toxicidade sistêmica em episódios de depressão e mania. Porto Alegre, 2009.
- 62. Ciclo Regular de Seminários do Centro de Biotecnologia da Universidade Federal do Rio Grande do Sul. Toxicidade celular no transtorno bipolar. Porto Alegre, 2009.
- 63. III Semana Acadêmica de Biomedicina da Universidade Federal do Rio Grande do Sul. 2009.
- 64. V Simpósio Internacional "Diálogos entre a Clínica e as Neurociências". O transtorno afetivo bipolar: modelos de estadiamento no transtorno bipolar. Belo Horizonte, 2009.
- 65.6° Encontro de Endocrinologia Feminina, 3ª Reunião do Núcleo de Pesquisa e Desenvolvimento em PCOS/UFRGS/HCPA. Distúrbios do humor e do sono no ciclo reprodutivo feminino: Depressão. Porto Alegre, 2009.
- 66. Grand Round Hospital de Clínicas de Porto Alegre. Medicina Translacional: Do laboratório à beira do leito. Porto Alegre, 2009.
- 67. UBC IMH MasterClass 2010. Biomarkers as a Means to Assess Illness Activity in Bipolar Disorders. Vancouver, 2010.
- 68.4th Biennial Conference of the International Society for Bipolar Disorder. GSK Satellite Symposia. Neuroprotective role of mood stabilizers: the rational behind maintenance treatment. São Paulo, 2010.
- 69.4th Biennial Conference of the International Society for Bipolar Disorder. Allostatic load in bipolar disorder. 2010.
- 70. IV Jornadas Iberoamericanas de Trastornos Afectivos. Clinical Staging in Bipolar Disorder. Argentina, 2011.
- 71. Congreso de Psiquiatría del Uruguay. Estadificación del trastorno bipolar y el modelo de carga alostática. Uruguai, 2011.
- 72. Congreso de Psiquiatría del Uruguay. Marcadores biológicos del trastorno bipolar. Uruguais, 2011.
- 73.10th World Congress of Biological Psychiatry (WCBP). Bipolar Disorder and the brain-derived neurotrophic factor. Prague, 2011.
- 74.10th World Congress of Biological Psychiatry (WCBP). Translational research in biomarkers in bipolar disorder. Prague, 2011.
- 75.15th World Congress of Psychiatry. The future is the future? Neurobiology and Genetic. Argentina, 2011.

- 76.15th World Congress of Psychiatry. Nuevas perspectivas en trastorno bipolar: Estadificacion y guias de tratamiento para los trastornos bipolares. Argentina, 2011.
- 77. LXVI Congresso Chileno de Neurologia, Psiquiatria y Neurocirurgía. Staging em trastorno bipolar: de la investigación a la clínica. Chile, 2011.
- 78. ECNP Target Expert Meeting on Basic and Clinical Neuroscience. The impact of new biomarkers on prognosis and treatment outcome in bipolar disorder. França, 2011.
- 79.31ª Semana Científica do HCPA. Novas fronteiras pesquisa no HCPA Cenário Nacional e Internacional. 2011
- 80.31ª Semana Científica do HCPA. O cientista médico: nossa tradição e nosso futuro. 2011
- 81. A cognição corporificada: the embodied cognition. Workshop Unisinos. Embodied mental disorders. 2011.
- 82. Ciência e Inovação em Psiquiatria. Transtorno de Humor Bipolar. Porto Alegre, 2011.
- 83.4º Congresso Brasileiro de Cérebro, Comportamento e Emoções. Transtorno de humor bipolar: homeostase versus alostase? Bento Gonçalves, 2008.
- 84. X Jornada Gaúcha de Psiquiatria. Perspectivas emergentes na pesquisa psicofarmacológica. Porto Alegre, 2011.
- 85. X Jornada Gaúcha de Psiquiatria. Conversando com o especialista sobre Transtorno Afetivo Bipolar. Porto Alegre, 2011.
- 86.XXX Congresso Brasileiro de Psiquiatria. Oficina de Ensino de Residência Médica em Psiquiatria. Coordenador: *Flavio Kapczinski*, 2012.
- 87.25th ECNP Congress. Biomarkers and new treatment targets. Viena, 2012.
- 88. 25th ECNP Congress. Staging and biomarkers in bipolar disorders. Viena, 2012.
- 89.20º Congreso Internacional de Psiquiatría. Estadiaje clínico en el trastorno bipolar. 2012. Buenos Aires.
- 90.3er Congreso Mexicano de Trastornos Bipolares. Pródromos, Estadíos y Deterioro. 2012. Mexico.
- 91.NIN Update 2012. Clinical and neurobiological staging of bipolar affective illness. 2012. Poznan.
- 92. Universitê Paris Est Créteil Val de Marne. Biomarkers and staging in bipolar disorders. 2012. Paris.
- 93. São Paulo School of Advanced Sciences: Y-Mind: Cutting-Edge Science for Mental, Emotional and Behavioral Prevention. Staging and neuroprogression in psychiatry. 2013. São Paulo.
- 94. Internacional Conference of Bipolar Disorders, Latino America. Allostatic Load: Implications for Treatment. 2013. Miami.
- 95. Internacional Conference of Bipolar Disorders. Staging Models in Bipolar Disorders. 2013. Miami.
- 96.XV Congresso Mineiro de Psiquiatria. Neuroprogressão e Estadiamento no TB. 2013. Belo Horizonte.
- 97. V Jornadas Iberoamericanas de trastorno bipolar. El estadiaje Clinico: Una nueva dimensión en psiquiatria? 2013. Buenos Aires.

- 98.II Simpósio Labnet USP. Neuroprogressão e transtorno bipolar. 2013. São Paulo.
- 99. XI Jornada da APRS. Caminhos da Psicopatologia. 2013. Gramado.