

# UE07: OWL Reasoning

Semantic AI 2023, JKU

Course Instructor: Bernd Neumayr

Your tasks:

- Read and understand the given OWL ontologies.
- Do the OWL reasoning in your head and indicate the entailments in the given tables.
- You may use Protégé to check your reasoning (see 06-Intro-OWL).

## Part I: Instance Checking (8 points)

Given are the following OWL ontologies.

For each individual derive

- of which classes it is definitely a member, i.e., that individual is a member of that class in every possible world (mark with "+"),
- of which classes it is definitely not a member, i.e., there is no possible world in which that individual is a member of that class (mark with "-"),
- and of which classes it is possibly a member, i.e., there is at least one possible world in which that individual is a member of that class and at least one possible world in which that individual is not a member of that class (mark with "?" or leave empty).

### Task 1

Class: A

Class: B

Class: C

EquivalentTo: A or B

Class: D

EquivalentTo: C and (not (B))

Individual: o1

Types: A

Individual: o2

Types: B

Individual: o3

Types: C

Individual: o4

Types: D

	A	B	C	D
o1	+	?	?	?
o2	?	+	?	?
o3	?	?	+	?
o4	?	-	+	+

### Task 2

Individual: o1

Facts: p1 o2

Types: C

Individual: o2

Types: C

ObjectProperty: p1

Characteristics: Symmetric

Class: C1

EquivalentTo: p1 some C

Class: C2

SubclassOf: p1 some C

Class: C3

EquivalentTo: p1 only C

	C1	C2	C3
o1	+	?	-
o2	+	?	-

### Task 3

Individual: o1  
Types: C1  
Class: C1  
Class: C2  
EquivalentTo: C1  
SubclassOf: C3  
Class: C3  
SubclassOf: C4  
Class: C4  
Class: C5  
SubclassOf: C1  
Class: C6  
DisjointWith: C3

	C1	C2	C3	C4	C5	C6
o1	+	+	+	+	?	-

### Task 4

Individual: o1  
Facts: p1 o2, p1 o3  
Individual: o2  
Types: C1  
Individual: o3  
Types: C2  
  
ObjectProperty: p1  
InverseOf: p2  
ObjectProperty: p2  
Characteristics: InverseFunctional

	C1	C2
o1	?	?
o2	+	?
o3	?	+

### Task 5

Class: A  
Class: B  
Class: C  
EquivalentTo: A or B  
Class: D  
EquivalentTo: C and (not (B))  
Individual: o1  
Types: A  
Individual: o2  
Types: B  
Individual: o3  
Types: C  
Individual: o4  
Types: D

	A	B	C	D
o1	+	?	?	?
o2	?	+	?	?
o3	?	?	+	?
o4	?	-	+	+

## Task 6

Class: PERSON  
     EquivalentTo: HUMAN  
 Class: ANIMAL  
 Class: DOG  
     SubClassOf: ANIMAL  
     DisjointWith: OLDMAN  
 Class: HUMAN  
     EquivalentTo: PERSON  
     SubClassOf: ANIMAL  
 Class: OLDMAN  
     SubClassOf: PERSON  
     DisjointWith: DOG  
 Class: COLLIE  
     SubClassOf: DOG  
 Individual: flipper  
     Types: ANIMAL  
 Individual: rex  
     Types: DOG  
 Individual: mary  
     Types: HUMAN  
 Individual: john  
     Types: PERSON  
 Individual: jim  
     Types: OLDMAN  
 Individual: lassie  
     Types: COLLIE

	PERSON	ANIMAL	DOG	HUMAN	OLDMAN	COLLIE
FLIPPER	?	+	?	?	?	?
REX	?	+	+	?	-	?
MARY	+	+	?	+	?	?
JOHN	+	+	?	+	?	?
JIM	+	+	-	+	+	?
LASSIE	?	+	+	?	-	+

## Task 7

Individual: o1  
     Types: C  
 Individual: o2  
     Facts: p o1  
     Types: C  
 Individual: o3  
     Types: C1  
 Individual: o4  
     Facts: p o1, p o5  
 Individual: o5  
     Types: not C, p exactly 0  
 Class: C  
 Class: C1  
     SubclassOf: p some C  
 Class: C2  
     EquivalentTo: p some C  
 Class: C3  
     EquivalentTo: p only C

	C	C1	C2	C3
o1	+	?	?	?
o2	+	?	+	-
o3	?	+	?	?
o4	?	?	+	-
o5	-	-	-	-

### Task 8

Class: Woman

Class: Teacher

Class: Artist

Class: JohnsFriends

EquivalentTo: MarysFriends, {Bob , Mary}

Class: MarysFriends

EquivalentTo: JohnsFriends, {MsKeller , Mueller}

Individual: Bob

Types: Teacher, not (Woman)

Individual: Mary

Types: Artist, Woman

Individual: MsKeller

Types: Woman

Individual: Mueller

	JohnsFriends	MarysFriends	Teacher	Artist	Woman
Bob	+	+	+	?	-
Mary	+	+	?	+	+
MsKeller	+	+	?	?	+
Mueller	+	+	?	?	?

## Part II: Subsumption Checking (2 points)

### Task 9

Given is an OWL ontology in Manchester Syntax.

```

ObjectProperty: eats
Class: Cereals
Class: Egg
Class: Fish
Class: Fruits
Class: Meat
Class: Milk
Class: Vegetables
DisjointClasses:
    Cereals,Egg,Fish,Fruits,Meat,Milk,Vegetables
Class: Person
    SubClassOf: eats some Food
    DisjointWith: Food
Class: Food
    EquivalentTo: Cereals or Egg or Fish or Fruits or Meat or Milk or Vegetables
    DisjointWith: Person
Class: Carnivor
    EquivalentTo: Person and (eats only (Fish or Meat))
Class: Frutarier
    EquivalentTo: Person and (eats only Fruits)
Class: Vegan
    EquivalentTo: Person and (eats only (Cereals or Fruits or Vegetables))
Class: Vegetarian
    EquivalentTo: Person and (eats only (not (Fish or Meat)))
Class: yPerson
    EquivalentTo: Person and (eats some Fruits)
Class: xPerson
    SubClassOf: Person and (eats some Fruits)
Class: zPerson
    EquivalentTo: (eats some Cereals) and (eats some Fruits) and (eats some Vegetables)
    SubClassOf: Person
    
```

Your task is to find the pairwise semantic relationships of classes Carnivor, Frutarier, Vegan, Vegetarian, zPerson, xPerson, yPerson. Indicate the relationships in the cells in the table below using the following symbols:

- subclass of  $\sqsubseteq$
- equivalent to  $\equiv$
- superclass of  $\sqsupseteq$
- disjoint with  $\sqsubseteq \neg$
- none of the above leave empty

As an example, the semantic relationship *xPerson is subclass of yPerson* is already indicated in the table.

	yPerson	xPerson	zPerson	Vegetarian	Vegan	Frutarier	Carnivor
Carnivor	$\sqsubseteq \neg$	$\sqsubseteq \neg$	$\sqsubseteq \neg$	$\sqsubseteq \neg$	$\sqsubseteq \neg$	$\sqsubseteq \neg$	$\equiv$
Frutarier				$\sqsubseteq$	$\sqsubseteq$	$\equiv$	
Vegan			$\sqsubseteq$	$\sqsubseteq$	$\equiv$		
Vegetarian			$\sqsupseteq$	$\equiv$			
zPerson			$\equiv$				
xPerson	$\sqsubseteq$	$\equiv$					
yPerson	$\equiv$						