

Machine Data Learning

Python ML Yuxi Hayden Liu

Artificial Intelligence: A Modern Approach
Stuart Russell and
Peter Norvig

AI:- That which mimics human intelligence in machines
The science and engineering of making machines (like comp. robots) intelligent ~~and~~ enabling them to take actions and decisions that humans do

Machine:- Physical system that uses power to apply forces and control movements, perform actions (to make life easier)

Complex machines are combination of 2 or more simple machines

AI has been proliferating in healthcare etc.

AI for social good:- Computer Vision, help farmers, supply chain management, Public & wild life safety, Automated Event Discovery, Border Patrol, etc.

What is intelligence?

The ability to understand, learn and think.

The capacity- Wiki defn preps.

We think, learn from observations, and make decisions

But what about machines?

Why is he such an ass? :-

Two dimensions to AI

Humanness vs Rationality

Act vs Thinking

Turing Test Human interpreter cannot distinguish b/w comps & humans after processing posing some written questions
C needs NLP, Knowledge rep, Automated reasoning, ML, CV & Robotics

Turing test involves interaction with objects and people

~~Think~~ Think Humanly :- Cognitive modelling

Act Rationally :- Agent based modelling, Agents should operate autonomously, perceive the environment, adapt to change

Think Rationally :- Right thinking, Logic based approach, need to involve probability to model uncertain things

What is ML?

Construction of algos that can learn from and make predictions on data.

data == features (feature modelling?) [CL2 saving my nose lol]

Supervised ML :- Classification, Regression [Bayesian modelling]

Unsupervised ML :- Clustering, Anomaly detection

features for differentiating b/w cricket and tennis ball would be wt and diameter [plot on graph, CL vectors]

Perception :- Observe feats, apply activation fn and produce output

Linearity in features makes computation easier

If $x_1 = \text{width}$ and $x_2 = \text{wt}$

$$f_n = w_0 + w_1 x_1 + w_2 x_2$$

↓

bias $\rightarrow$ need to distinguish b/w the 2 balls easily

Neural Networks and Deep Learning

Replicate neurons in human brain

4

Where does AI stand today?

Significant progress in last three decades in CV, NLP, speech recog.

Far from ~~tricking~~ mimicking humans perfectly

Human intelligence is not purely ~~and~~ reflex mechanisms but is dependent on reasoning that operates on the internal representations of knowledge

AI is about building machines and sys that can reason. learn & solve problems similar to humans. logical reasoning is key to allowing sys to decide based on given conditions & facts

Knowledge base :- Set of sentences rep'd in knowledge representation language.

↳ Expressing knowledge explicitly in a computer-tractable way. (Logic? Not?)

Logic :- A way of thinking or explaining, sensible reasons for doing smth, sci of thinking about or explaining the reasons for smth using formal methods.

Basis of all mathematical and automated reasoning

Formal vs Informal Logic

↓

Formal Lang

Study of logical Truth

Symbolic / Mathematical Logic

Natural Lang

Study of informal fallacies, crit. thinking

Natural Lang exhibit ambiguity

Makes ~~reasoning~~ reasoning difficult laniguity

Formal Lang

promotes rigour, reduces possibility of human error

helps reduce implicit / unstated assumptions by removing familiarity with subject matter

helps achieve generality due to possibility of finding alt interpretation for sentences & args.

Formal Logic:- Uses syllogisms to make inferences & examines how conclusions follow from premises based on the structure of args

Mathematical Logic:- Uses math symbols to prove theoretical args

Symbolic Logic:- Uses symbols to accurately represent valid & invalid args

Propositional Logic

Imp. cause of AI being

① Core of AI:- Possibility of automating reasoning & drawing inferences from knowledge

Answer queries

discover facts that follow from the knowledge base, decide what to do

Essential for knowledge rep, reasoning, decision-making process

Entailment:- Deducing a statement from other statements

$$T \rightarrow T$$

$$F \rightarrow T/F$$

$$T/F \leftarrow T$$

$$F \leftarrow F$$

① $\forall$ Humans have 2 eyes

② Sujit is human

③ Sujit has 2 eyes

④ $\forall$ Humans have 4 eyes

⑤ Sujit has 4 eyes

⑥ ~~②~~ Sujit is human

Pack my bag with five dozen liquor jugs

Pack my bag with five dozen liquor jugs

Fallacy:- Conclusion may be right, but reasoning is faulty

Propositional Logic:- Deals with propositions (statements) which are T/F. Propositional calculus. Zero-order logic. Foundation of higher order logics

Order of Logic Degree of quantification that can be performed over sets.

- (i) 1st order:- Quantifies only over individuals. Predicate logic / calculus
- (ii) 2nd order:- Over sets / predicates (acc to Prats : 3)
- (iii) 3rd order:- Over sets of sets
- (iv) Higher orders:- Quantification over arbitrarily deep nesting

Propositions are declarative statements

- (i) Atomic:- Simple, indivisible, cannot be checked further. Represents basic fact or condition.
"The door is closed"
- (ii) Compound:- Atomic prop. combined using logical connectives (AND, OR, NOT)
"The door is closed AND the heater is on"

Connectors:-

- (i) AND ($\wedge$)
- (ii) OR ($\vee$)
- (iii) NOT ($\neg$)
- (iv) IMPLIES ($\rightarrow$) $S = T$ if $P \rightarrow Q$
- (v) IFF ($\leftrightarrow$) $P \leftrightarrow Q = \neg P \text{ XOR } Q = P \rightarrow Q \wedge Q \rightarrow P$

$P \rightarrow Q$:- P is necessary for Q
Q is sufficient for P

$P \leftrightarrow Q$:- P & Q are equivalent
 Q is necessary & sufficient

Truth Table :- break down of all possible truth values returned by a logical expr.

P	Q	$P \rightarrow Q$	$\neg P \vee Q$	$P \leftrightarrow Q$	$\neg P \oplus Q$
0	0	1	1	1	1
0	1	1	1	0	0
1	0	0	0	0	0
1	1	1	1	1	1

P & Q can be compound propositions

Exercise:- A & $B = T$, x & $y = F$

- (i) $\neg(A \vee x)$ F
- (ii) $A \vee (x \wedge y)$ T
- (iii) $A \wedge (x \vee (B \wedge y))$
- (iv) $((A \wedge x) \vee \neg B) \wedge \neg((A \vee x) \vee \neg B)$
- (v) $(x \wedge y) \wedge (\neg A \vee x)$
- (vi) $((x \wedge y) \rightarrow A) \rightarrow (x \rightarrow (y \rightarrow A))$

Terminology

→ Valid sentences (Null sentences)

Tautology:- Invariably True for all assignments

SAT:- A sentence is satisfiable iff there is some assignment of values that results in True

A sentence is UNSAT if it is $\neg$ SAT

Towards Formal Proof

$\alpha \Rightarrow \beta$ when all the formulae in set α are True, β is True

Semantic notion, concerns the notion of truth (??)
(Grammar died)

Construct a Truth Table for α, β

$\alpha \Rightarrow \beta$ if $\exists$ row where all formulae in α are True, β is also True

Modus Ponens:-

$\alpha: P \wedge (P \rightarrow Q); \beta: Q$

Write TT for $P, P \rightarrow Q$

Therefore $P, P \rightarrow Q \Rightarrow Q$

Intends to formally capture the notion of proof that is commonly applied in other fields

Proof:- of a formula from a set of premises is a seq of steps in which any step of the proof is

i) an axiom

ii) a formula deduced from the prev step using some rule of inference

iii)

The last step of the proof should deduce the formula we wish to prove.

We say that S follows from (premises) α to denote that the
Towards Formal

set of formulae α "proves" the formula S

Soundness: A logic is sound if it preserves truth
(i.e. if a set of premises are all true, any conclusion drawn from those premises must also be true)

Completeness:

- (i) Semantic: A logic is complete if it is capable of proving any valid consequence
- (ii) Syntactic: Completeness requires that every sentence, or its negation is provable (i.e. a theorem)

Decidability: A logic is decidable if $\exists$ a mechanical procedure (computer program) to prove any given consequence.
(or) $\exists$ a decision procedure that is finite for theorems

No logical system is syntactically complete

Zero Order Logic is semantically complete, so is FOL
ZOL is decidable, FOL is not

ZOL inference rules

- (i) Modus Ponens $P, P \rightarrow Q \Rightarrow Q$
- (ii) Modus Tollens (Contraposition) $P \rightarrow Q, \neg Q \Rightarrow \neg P$
- (iii) Hypothetical Syllogism $P \rightarrow Q, Q \rightarrow R \Rightarrow P \rightarrow R$
- (iv) And Elimination $\bigwedge_{i=1}^n P_i \Rightarrow P_i$
- (v) And Introduction $P_1, P_2, \dots, P_n \Rightarrow \bigwedge_{i=1}^n P_i$
- (vi) Or Introduction $P_i \Rightarrow \bigvee_{i=1}^n P_i$
- (vii) Not Double Negation Elimination $\neg \neg P \Rightarrow P$
- (viii) Unit Resolution $P \vee Q, \neg Q \Rightarrow P$
- (ix) Resolution $P \vee Q, \neg Q \vee R \Rightarrow P \vee R$

Example:-

α

β

- 1) $A \vee (B \rightarrow D)$
- 2) $\neg C \rightarrow (D \rightarrow E)$
- 3) $A \rightarrow C$
- 4) $\neg C$

$$B \rightarrow E$$

Proof

- ⑤ $D \rightarrow E$ 2, 4 (Modus Ponens)
- ⑥ $\neg A$ 3, 4 (Modus Tollens)
- ⑦ $B \rightarrow D$ 1, 5 (Unit Resolution)
- ⑧ $B \rightarrow E$ 5, 7 (Hypothetical Syllogism)

Q) ~~Construct formal proof for:-~~
~~If the investigation~~

$$\begin{array}{l} S \rightarrow G \\ \neg S \rightarrow E \\ \neg G \rightarrow E \end{array}$$

Conjunctive Normal Form (CNF)

A literal is a propositional letter or the negation of a propositional letter

A clause is a disjunction of literals

CNF $\rightarrow$ Conjunction of clauses

DNF $\rightarrow$ Disjunction of ~~clauses~~ conjunction of literals

Every propositional logic-formula can be converted to CNF and DNF

Converting to CNF

- (i) Eliminate $\Leftrightarrow$ rewriting $P \Leftrightarrow Q$ as $(P \rightarrow Q) \wedge (Q \rightarrow P)$
- (ii) Eliminate $\rightarrow$ as $P \rightarrow Q \Leftrightarrow \neg P \vee Q$
- (iii) Use ~~push~~ De Morgan's laws to push $\neg$ inwards
- (iv) Rewrite $\neg(P \wedge Q)$ as $\neg P \vee \neg Q$
- (v) Rewrite $\neg(P \vee Q)$ as $\neg P \wedge \neg Q$
- (vi) Eliminate double negation $\neg \neg P \Leftrightarrow P$
- (vii) Use distributive laws to get CNF
- (viii) Rewrite $(P \wedge Q) \vee R$ as $(P \vee R) \wedge (Q \vee R)$
- (ix) Rewrite $(P \vee Q) \wedge R$ as $(P \wedge R) \vee (Q \wedge R)$

Q) Convert $\neg(P \rightarrow (Q \wedge R))$

$$\begin{aligned} & \neg(P \rightarrow (Q \wedge R)) \\ & \neg \neg P \wedge \neg(Q \wedge R) \\ & P \wedge (\neg Q \vee \neg R) \\ & \Phi \end{aligned}$$

Barchuri Time! (Hopefully don't regret this)

Bro's sharing slides! Goat!

Only taking down topic names, ought to refer to the textbooks

ML :- Scientific study of algos & statistical models that computer systems use

1) to perform a specific task effectively sans explicit instr.

2) rely on patterns & inferences instead

Involves building a math model based on sample data