

Neural Network


$x_1 = 2$
 $x_2 = 1$
 $w_1 = 0.4$
 $w_2 = 0.6$
 $b = -0.2$

Q1.

=> to calculate the output(y) the formula is:
 $= (x_1 \cdot w_1) + (x_2 \cdot w_2) + b$
 $= 0.8 + 0.6 - 0.2$
 $= 1.2$

Q2.

=>



Q.3

=> if the both weight get double then, the final o/p also get double

• Inferencing:


A model needs 2 GB to store and a total of 8 GB is present; then how many model copies can run at a time, ignoring the overload on the system

Q.1

=> Total memory / model total memory

= 8GB / 2GB

= 4 copies can run at once



Q.2

=>

Q.3

=> it can run multiple batches at once by simply merging them and running them on the GPU with different weights by forming their layer matrix instead of running one layer at a time.

. LLMS:

Take the sentence "Attention lets the model focus on relevant words."

Q.1

=> Attention, lets, the, model ,focus on, relevant, words

8 words = 8 tokens

Q.2

=>

Q.3

=> Attention for transformers is the method that makes the system focus on a single task at a time.

• LinkedIn:

We're Hiring | AI Engineer - Fresher

Aptino, Inc. is looking for fresh graduates / 0-1 year professionals passionate about building a career in AI & Generative AI.

Location: Viman Nagar, Pune

Work Mode: Work From Office

Experience: 0-1 Year

Joining: Immediate Joiners preferred

Key Skills: Python | AI/ML | GenAI | Agentic AI | MLOps |
LLMs | AI Frameworks

Who Can Apply?

Recent graduates in CS, AI/ML, Data Science, or related fields

Candidates with relevant internships or AI/ML projects preferred

Strong interest in emerging AI technologies

Share your updated resume:

aditi.akulwar@aptino.com

My Current Status:

So I am not prepared for this job. I haven't learned about Gen AI, agentic AI, or MLOps, and I haven't built projects with them yet. But I also haven't studied it by myself.

Also I didn't go for any exp....