



NUMINUS

Prior Authorization Packet

- You have been referred by your provider for Spravato therapy.

Please complete all the documents in this packet. Once these are received by Cedar Psychiatry, we will start the prior authorization request with your insurance company.

Treatment Schedule:

Weeks 1-4: 2x/week

Weeks 5-8: 1x/week

Maintenance: Please discuss this with your provider

Preferred location:

☐ Springfield

☐ Draper

☒ Murray

☐ Layton

** Please keep in mind, that the location you choose will be the same location throughout your treatment.*

Appointment Instructions


- Arrive 15 minutes early
- No food for 6 hours
- Clear liquids ok until 2 hours prior
- Do not drive or participate in any other potentially hazardous activities for 8 hour
- You can expect a call from the specialty pharmacy to verify the prescription ★ The prescription is subject to your RX co-pay

If you have questions or need assistance, please call our office @ 801-369-8989 and ask for the prior authorization team.

Spravato Informed Consent

By signing this form, I agree that:

- Even after agreeing to undertake Spravato therapy, you or your provider may decide to withdraw from treatment at any time, up until the time of actual medication given. Once Spravato has been administered, I agree to remain at the clinic under the supervision of medical staff until the acute effects of the medication have worn off.
- I understand that I am to have no food or drink six (6) hours prior to my Spravato session.
- I understand that I need to have someone drive me home from the sessions, and not engage in any driving hazardous activity for at least eight (8) hours or more, depending on the continued presence of effects after my session has concluded.
- I have had the opportunity to raise questions and have received satisfactory answers.
- I fully understand that the ketamine session(s) can result in a profound change in mental state and may result in unusual psychological effects.
- I give my consent to the use of benzodiazepines if deemed necessary for agitation, to ondansetron for nausea, and labetalol for high blood pressure.
- I have been instructed and I understand the risks and benefits of Spravato therapy.
- I freely give my consent to participate in Spravato Therapy as outlined in this form.
-

Patient/Parent Signature: 

Printed Name: Harry Davis III Date: 9/3/2026

Patient Name (if different from above):

Relationship to Patient: ☒ Self ☐ Spouse ☐ Guardian ☐ Parent ☐ Temporary Caregiver



NUMINUS

Transportation Liability Waiver

In order to be transported by any ride-sharing service (such as Uber or Lyft) from Numinus clinics, I agree to assume all risks and hazards associated with transportation. I understand that there are risks and dangers inherent in transportation by ride-sharing services. In the event of any injury to person or property during such transportation, I further release, absolve, and hold harmless Numinus Wellness Inc. and its employees (collectively the "Released Parties").

I intend by the Transportation Liability Waiver to release, in advance, and to waive my rights to hold responsible or indemnify the Released Parties with respect to any and all claims and any cost, expense, liability or damage, including attorneys' fees and expenses related to the investigation or defense of any claims, resulting from the activities related to transportation of Numinus clients.

I have carefully read this Transportation Liability Waiver and fully understand its contents. I understand and consent to its terms. I am aware that this is a RELEASE OF LIABILITY and a contract between myself and the person and entities mentioned above. I sign of my own free will.

Name (printed): Harry Davis III

Signature: [Handwritten Signature]

Date: 9/3/2026



SPRAVATO® REMS
Patient Enrollment Form - Outpatient Use Only

Johnson & Johnson

INSTRUCTIONS:

This form is intended only for use by outpatient medical offices or clinics, excluding emergency departments

1. Complete this form online at www.SPRAVATorems.com.

This section is to be completed by the Prescriber

* Indicates required field

Healthcare Setting Information			
Healthcare Setting Name*: <u>Numinus</u>			
Healthcare Setting DEA License Number* (associated with the Healthcare Setting address): <u>FS0546501</u>			
Address 1*: <u>154 E Myrtle Ave</u>		Address 2*: <u>Ste 104</u>	
City*: <u>Murray</u>	State*: <u>UT</u>	ZIP*: <u>84107</u>	
Phone*: <u>801-369-8989</u>		Fax*: <u>801-704-9741</u>	
Prescriber Information			
First Name*: <u>Scott</u>		Last Name*: <u>Salomone</u>	
Credentials*: ☒ Physician ☐ Physician Assistant ☐ Nurse ☐ Pharmacist ☐ Other _____		Prescriber DEA License Number*: <u>FS0546501</u>	
Specialty*: ☒ Psychiatry ☐ Internal Medicine ☐ Family Practice ☐ Other _____			
Phone*: <u>801-369-8989</u>	Fax*: <u>801-704-9741</u>	Email*: <u>Contact @numinus.com</u>	
Prescriber Signature*: <u>[Signature]</u>		Date*: _____	
Referring Healthcare Provider – if different from Prescriber			
First Name: _____		Last Name: _____	
Relevant Clinical Information			
List all pre-existing medical and psychiatric conditions*: _____ _____			
List concomitant medications (e.g., CNS depressants, adjunctive depression medications, sedative hypnotics, psychostimulants, monoamine oxidase inhibitors [MAOIs]): _____ _____			

Healthcare providers should report suspected adverse events or product quality complaints associated with SPRAVATO® to Janssen Pharmaceuticals, Inc., a Johnson & Johnson Company at 1-800-526-7736 or the FDA at 1-800-FDA-1088 or online at www.fda.gov/medwatch.

Phone: 1-855-382-6022

www.SPRAVATorems.com

Fax: 1-877-778-0091

© Janssen Pharmaceuticals, Inc. 2025 06/25

Page 1 of 2




SPRAVATO® REMS
Patient Enrollment Form - Outpatient Use Only

Johnson & Johnson

This section is to be completed by the Patient

Your healthcare provider will help you complete this form and provide you with a copy.

* Indicates required field

Patient Information			
First Name*: Harry	MI: B	Last Name*: Davis III	Birthdate*: (MM/DD/YYYY) 04/10/1996
Email*: (Email is required for online enrollment only) davis3.harry@gmail.com			Sex: ☒ Male ☐ Female ☐ Other
Address 1*: 1924 S 300 E		Phone Number*: 801-505-1270	
City*: SLC		State*: UT	ZIP*: 84115
Patient Agreement			
By signing this form, I understand and acknowledge that: <u>Before my treatment begins, I will:</u> • Receive counseling from a healthcare provider on: - The risk of sedation, dissociation, and respiratory depression. - The need for monitoring for resolution of sedation, dissociation, respiratory depression, and other changes in vital signs. - The need to have arrangements to safely leave the healthcare setting and not engage in potentially hazardous activities. • For outpatients: Enroll in the REMS by completing the Patient Enrollment Form with a healthcare provider. Enrollment information will be provided to the REMS. <u>During treatment, before each dose I will:</u> • Receive counseling from a healthcare provider on the requirement for monitoring for resolution of sedation, dissociation, respiratory depression, and other changes in vital signs, and the need to have arrangements to safely leave the healthcare setting and not engage in potentially hazardous activities. <u>During treatment, during and after administration for at least two hours I will:</u> • Be monitored for taking SPRAVATO®, resolution of sedation, dissociation, respiratory depression, and other changes in vital signs at the healthcare setting. <u>I understand:</u> • I understand that my protected health information will be stored in a secure and confidential database and shared for the management of the REMS. • I understand that Janssen Pharmaceuticals, Inc. and its agents, may contact me or my prescriber via phone, mail, fax, or email to support administration of the REMS. • I give permission to Janssen Pharmaceuticals, Inc. and its agents to use and share my personal health information for the purposes of enrolling me into the REMS and administering the REMS, coordinating the dispensing of SPRAVATO®, and releasing my personal health information to the Food and Drug Administration (FDA) as necessary.			
Patient Name (please print): Harry Davis III			
Patient Signature*: 			Date*: 9/3/2026



NUMINUS

Medication	Approximate Start Date	Approximate End Date	Dosage	Reason for Stopping	
Amoxapine (Asendin)				☐ Ineffective	☐ Weight Gain Other:
Amitriptyline (Elavil)				☐ Ineffective	☐ Weight Gain Other:
Citalopram (Celexa)				☐ Ineffective	☐ Weight Gain Other:
Clomipramine (Anafranil)				☐ Ineffective	☐ Weight Gain Other:
Clomipramine (Anafranil)				☐ Ineffective	☐ Weight Gain Other:
Desipramine (Norpramin)				☐ Ineffective	☐ Weight Gain Other:
Desvenlafaxine (Pristiq)	11/2025	9/2026	100mg	☒ Ineffective	☐ Weight Gain Other:
Doxepin (Silenor)				☐ Ineffective	☐ Weight Gain Other:
Duloxetine (Cymbalta)				☐ Ineffective	☐ Weight Gain Other:
Escitalopram (Lexapro)	3/2024	11/2025	20mg	☒ Ineffective	☐ Weight Gain Other:
Fluoxetine (Prozac)	6/2020	7/2021		☒ Ineffective	☐ Weight Gain Other:
Fluvoxamine (Luvox)				☐ Ineffective	☐ Weight Gain Other:
Imipramine (Tofranil)				☐ Ineffective	☐ Weight Gain Other:
Levomilnacipran (Fetzima)				☐ Ineffective	☐ Weight Gain Other:



NUMINUS

Maprotiline (Ludiomil)				☐ Ineffective	☐ Weight Gain	Other:
Mirtazapine (Remeron)				☐ Ineffective	☐ Weight Gain	Other:
Nefazodone (Serzone)				☐ Ineffective	☐ Weight Gain	Other:
Nortriptyline (Pamelor)				☐ Ineffective	☐ Weight Gain	Other:
Paroxetine (Paxil)				☐ Ineffective	☐ Weight Gain	Other:
Protriptyline (Vivactil)				☐ Ineffective	☐ Weight Gain	Other:
Sertraline (Zoloft)	7/2021	3/2024		☒ Ineffective	☐ Weight Gain	Other:
Trimipramine (Surmontil)				☐ Ineffective	☐ Weight Gain	Other:
Venlafaxine (Effexor)				☐ Ineffective	☐ Weight Gain	Other:
Vilazodone (Viibryd)	9/2026	-	40mg	☐ Ineffective	☐ Weight Gain	Other:
Vortioxetine (Trintellix)				☐ Ineffective	☐ Weight Gain	Other:
Wellbutrin (Bupropion)	10/2022	3/2024		☒ Ineffective	☐ Weight Gain	Other:
Other				☐ Ineffective	☐ Weight Gain	Other:



NUMINUS

Patient Health Questionnaire

Name: Harry Davis IIIDate: 9/3/2026

Over the last 2 weeks, how often have you been bothered by any of the following problems?
(use ✓ to indicate your answer)

	Not at all	Several days	More than half the days	Nearly every day
1. Little interest or pleasure in doing things	0	1	2	③
2. Feeling down, depressed, or hopeless	0	1	2	③
3. Trouble falling or staying asleep, or sleeping too much	0	1	2	③
4. Feeling tired or having little energy	0	1	2	③
5. Poor appetite or overeating	0	1	②	3
6. Feeling bad about yourself or that you are a failure or have let yourself or your family down	0	1	2	③
7. Trouble concentrating on things, such as reading the newspaper or watching television	0	1	2	③
8. Moving or speaking so slowly that other people could have noticed. Or the opposite - being so fidgety or restless that you have been moving around a lot more than usual	0	1	2	③
9. Thoughts that you would be better off dead, or of hurting yourself	0	①	2	3

Add Columns:

1 + 2 + 21

(Healthcare professional: for interpretation of
TOTAL, please refer to accompanying scoring card)

TOTAL:

24

10. If you checked off ANY problems, how difficult have these problems made it for you to do your work, take care of things at home, or get along with other people?

- ☐ Not difficult at all
☐ Somewhat difficult
☐ Very difficult
☒ Extremely difficult

Copyright © 1999 Pfizer Inc. All rights reserved. Reproduced with permission. PRIME-MD is a trademark of Pfizer Inc. A2663B 10-04-2005



NUMINUS

Clinician-Rated Quick Inventory Of Depressive Symptomatology (Qids-C)

Name: Harry Davis III

Today's Date: 9/3/2026

Please circle one response to each item that best describes the patient for the last seven days.

1. Sleep Onset Insomnia:

- 0 Never takes longer than 30 minutes to fall asleep.
- 1 Takes at least 30 minutes to fall asleep, less than half the time.
- ☒ 2 Takes at least 30 minutes to fall asleep, more than half the time.
- 3 Takes more than 60 minutes to fall asleep, more than half the time.

2. Mid-Nocturnal Insomnia:

- 0 Does not wake up at night.
- 1 Restless, light sleep with few awakenings.
- 2 Wakes up at least once a night, but goes back to sleep easily.
- ☒ 3 Awakens more than once a night and stays awake for 20 minutes or more, more than half the time.

3. Early Morning Insomnia:

- ☒ 0 Less than half the time, awakens no more than 30 minutes before necessary.
- 1 More than half the time, awakens more than 30 minutes before need be.
- 2 Awakens at least one hour before need be, more than half the time.
- 3 Awakens at least two hours before need be, more than half the time.

4. Hypersomnia:

- 0 Sleeps no longer than 7-8 hours/night, without naps.
- 1 Sleeps no longer than 10 hours in a 24 hour period (include naps).
- 2 Sleeps no longer than 12 hours in a 24 hour period (include naps).
- ☒ 3 Sleeps longer than 12 hours in a 24 hour period (include naps).

5. Mood (Sad):

- 0 Does not feel sad.
- 1 Feels sad less than half the time.
- ☒ 2 Feels sad more than half the time.
- 3 Feels intensely sad virtually all the time.

6. Appetite (Decreased):

- 0 No change from usual appetite.
- ☒ 1 Eats somewhat less often and/or lesser amounts than usual.
- 2 Eats much less than usual and only with personal effort.
- 3 Eats rarely within a 24-hour period, and only with extreme personal effort or with persuasion by others.

7. Appetite (Increased):

- ☒ 0 No change from usual appetite.
- 1 More frequently feels a need to eat than usual.
- 2 Regularly eats more often and/or greater amounts than usual.
- 3 Feels driven to overeat at and between meals.

8. Weight (Decrease) Within The Last Two Weeks:

- 0 Has experienced no weight change.
- 1 Feels as if some slight weight loss occurred.
- ☒ 2 Has lost 2 pounds or more.
- 3 Has lost 5 pounds or more.

9. Weight (Increase) Within the Last Two Weeks:

- ☒ 0 Has experienced no weight change.
- 1 Feels as if some slight weight gain has occurred.
- 2 Has gained 2 pounds or more.
- 3 Has gained 5 pounds or more.

Enter the highest score on any 1 of the 4 sleep items
(1-4 above) 3

Enter the highest score on any 1 of the 4
appetite/weight change items (6-9 above) 2



NUMINUS

10. Concentration/Decision Making:

- 0 No change in usual capacity to concentrate and decide.
- 1 Occasionally feels indecisive or notes that attention often wanders.
- 2 Most of the time struggles to focus attention or make decisions.
- 3 Cannot concentrate well enough to read or cannot make even minor decisions.

11. Outlook (Self):

- 0 Sees self as equally worthwhile and deserving as others.
- 1 Is more self-blaming than usual.
- 2 Largely believes that he/she causes problems for others.
- 3 Ruminates over major and minor defects in self.

12. Suicidal Ideation:

- 0 Does not think of suicide or death.
- 1 Feels life is empty or is not worth living.
- 2 Thinks of suicide/death several times a week for several minutes.
- 3 Thinks of suicide/death several times a day in depth, or has made specific plans, or attempted suicide.

13. Involvement:

- 0 No change from usual level of interest in other people and activities.

- 1 Notices a reduction in former interests/activities.
- 2 Finds only one or two former interests remain.
- 3 Has virtually no interest in formerly pursued activities.

14. Energy/Fatiguability:

- 0 No change in usual level of energy.
- 1 Tires more easily than usual.
- 2 Makes significant personal effort to initiate or maintain usual daily activities.
- 3 Unable to carry out most of usual daily activities due to lack of energy.

15. Psychomotor Slowing:

- 0 Normal speed of thinking, gesturing, and speaking.
- 1 Patient notes slowed thinking, and voice modulation is reduced.
- 2 Takes several seconds to respond to most questions; reports slowed thinking.
- 3 Is largely unresponsive to most questions without strong encouragement.

16. Psychomotor Agitation:

- 0 No increased speed or disorganization in thinking or gesturing.
- 1 Fidgets, wrings hands and shifts positions often.
- 2 Describes impulse to move about and displays motor restlessness.
- 3 Unable to stay seated. Paces about with or without permission.

Enter the highest score on either of the 2 psychomotor items (15 or 16 above) _____

Scoring		Interpretation	
Enter the highest score on any 1 of the 4 sleep items (1 - 4)	3	Normal	0-5
Item 5	2	Mild	6-10
Enter the highest score on any 1 appetite / weight item (6 - 9)	2	Moderate	11-15
Item 10	2	Severe	16-20
Item 11	3	Very Severe	21+
Item 12	2		
Item 13	2		
Item 14	2		
Enter the highest score on either of the 2 psychomotor items (15 and 16)	1		
Total Score (Range 0 - 27)	19		

© 1988, 2000 UT Southwestern Medical Center, Dallas