

Project Development Phase

Model Performance Test – Metro Ticket Generating System

Date	05 September 2026
Project Name	Metro Ticket Generating System
Maximum Marks	4 Marks

Model Performance Testing: The following evidence documents the implemented ServiceNow application, catalog item configuration, variables, UI policy, client scripts, data records, and QR-ticket generation.

S.No.	Parameter	Screenshot / Values
1	Data Rendered	Metro Station, Metro Route, Metro Train, Metro Ticket, Payment, Passenger Feedback, Metro Announcement and Metro Station's Details tables are available.
2	Data Preprocessing	ServiceNow tables, catalog variables, reference fields, and client-side validation/calculation logic are configured for ticket booking.
3	Utilization of Data Filters	Catalog controls and UI policy logic control field behavior and visibility; the payment-mode entry field is configured as required/visible.
4	DAX Queries Used	Not Applicable – ServiceNow project; DAX/Power BI queries are not used.
5	Dashboard Design	No dashboard evidence was supplied in the screenshots.
6	Report Design	No report evidence was supplied in the screenshots.

Implementation Evidence

Screenshot 1 – ServiceNow table list showing Metro and MediSync application tables.

This screenshot shows the ServiceNow Table List interface. The top navigation bar includes 'Favorites', 'History', 'Workspaces', and 'Admin'. A search bar is present with the text 'Search'. The table list displays various tables, including 'Metro Station's Details', 'Metro Announcement', 'Passenger Feedback', 'Payment', 'Metro Train', 'Metro Ticket', 'Metro Route', 'Metro Station', 'Discharge Summary', 'Notification Log', 'Appointment', 'Lab Test', 'Medication', 'Nurse', 'Care Plan', 'Clinical Task', 'Admission', 'Doctor', 'Patient', and 'Bed'. Each row shows the table name, its internal name, whether it extends another table, if it is extensible, and the last update timestamp.

Label	Name	Extends table	Extensible	Updated
Metro Station's Details	u_metro_station_details	(empty)	false	2026-09-01 23:07:37
Metro Announcement	x_1894645_metro_0_metro_announcement	(empty)	false	2026-07-30 08:03:59
Passenger Feedback	x_1894645_metro_0_passenger_feedback	(empty)	false	2026-07-30 07:53:44
Payment	x_1894645_metro_0_payment	(empty)	false	2026-07-30 07:47:00
Metro Train	x_1894645_metro_0_metro_train	(empty)	false	2026-07-29 22:35:44
Metro Ticket	x_1894645_metro_0_metro_ticket	(empty)	false	2026-07-28 04:09:44
Metro Route	x_1894645_metro_0_metro_route	(empty)	false	2026-07-28 04:02:03
Metro Station	x_1894645_metro_0_metro_station	(empty)	false	2026-07-28 03:31:49
Discharge Summary	x_1894645_medisy_0_discharge_summary	(empty)	false	2026-07-18 01:30:50
Notification Log	x_1894645_medisy_0_notification_log	(empty)	false	2026-07-18 01:22:46
Appointment	x_1894645_medisy_0_appointment	(empty)	false	2026-07-18 01:10:10
Lab Test	x_1894645_medisy_0_lab_test	(empty)	false	2026-07-18 00:56:30
Medication	x_1894645_medisy_0_medication	(empty)	false	2026-07-18 00:41:17
Nurse	x_1894645_medisy_0_nurse	(empty)	false	2026-07-18 00:15:24
Care Plan	x_1894645_medisy_0_care_plan	(empty)	false	2026-07-18 00:09:18
Clinical Task	x_1894645_medisy_0_clinical_task	(empty)	false	2026-07-17 23:56:03
Admission	x_1894645_medisy_0_admission	(empty)	false	2026-07-17 23:51:34
Doctor	x_1894645_medisy_0_doctor	(empty)	false	2026-07-17 23:31:20
Patient	x_1894645_medisy_0_do	(empty)	false	2026-07-17 23:24:01
Bed	x_1894645_medisy_0_bed	(empty)	false	2026-07-17 23:19:57

Screenshot 2 – Metro Station's Details table definition and columns.

This screenshot shows the 'Table - Metro Station's Details' definition page. It includes fields for 'Label' (Metro Station's Details), 'Name' (u_metro_station_details), 'Application' (Global), and 'Remote Table'. Below this, the 'Columns' tab is active, showing a list of columns with their types, references, max lengths, default values, and display settings. The columns are: Updates (Integer, 40, false), Created by (String, 40, false), Station Name (String, 40, true), Updated by (String, 40, false), Sys ID (Sys ID (GUID), 32, false), Updated (Date/Time, 40, false), and Created (Date/Time, 40, false). There are also buttons for 'Delete', 'Update', and 'Delete All Records'.

Column label	Type	Reference	Max length	Default value	Display
Updates	Integer	(empty)	40		false
Created by	String	(empty)	40		false
Station Name	String	(empty)	40		true
Updated by	String	(empty)	40		false
Sys ID	Sys ID (GUID)	(empty)	32		false
Updated	Date/Time	(empty)	40		false
Created	Date/Time	(empty)	40		false

Screenshot 3 – Access Controls for Metro Station's Details table.

This screenshot shows the 'Access Controls' page for the 'u_metro_station_details' table. It displays a list of access controls with columns for Name, Decision Type, Operation, Type, Active, Updated by, and Updated. The access controls are: u_metro_station_details (Allow If, create, record, true, admin, 2026-09-01 23:05:11), u_metro_station_details (Allow If, read, record, true, admin, 2026-09-01 23:05:11), u_metro_station_details (Allow If, delete, record, true, admin, 2026-09-01 23:05:11), and u_metro_station_details (Allow If, write, record, true, admin, 2026-09-01 23:05:11). There are also buttons for 'Delete', 'Update', and 'Delete All Records'.

Name	Decision Type	Operation	Type	Active	Updated by	Updated
u_metro_station_details	Allow If	create	record	true	admin	2026-09-01 23:05:11
u_metro_station_details	Allow If	read	record	true	admin	2026-09-01 23:05:11
u_metro_station_details	Allow If	delete	record	true	admin	2026-09-01 23:05:11
u_metro_station_details	Allow If	write	record	true	admin	2026-09-01 23:05:11

Screenshot 4 – Service Catalog list including the Book A Metro Ticket catalog item.

FavoritesHistoryWorkspacesAdmin

Catalog Items

Application scope: Global

Update set: Default (global)

Catalog Items

Updated

Search

Actions on sel

All > Type != Bundle > Class != Order guide > Type != Package > Class != Content Item > Published item is empty

☐	Name	Short description	Active	Roles	Catalogs	Category	Price	Type
☐	Search	Search	Search	Search	Search	Search	Search	!=Package
	Book A Metro Ticket	A metro e-ticketing allows passengers to...	true		Service Catalog	Services	\$0.00	Item
	MIKE	requested for mike	true		Service Catalog	Hardware Asset	\$50.00	Item
	Add network switch to datacenter cabinet	This standard change template describes ...	true		Service Catalog	Network Standard Changes	\$0.00	Item
	Reboot Windows Server	Reboot a Windows Server (after patching ...	true		Service Catalog	Server Standard Changes	\$0.00	Item
	Decommission local office Domain Controller	Decommission a server from use including...	true		Service Catalog	Server Standard Changes	\$0.00	Item
	Change VLAN on a Cisco switchport	Change the port of a Cisco switch to a n...	true		Service Catalog	Network Standard Changes	\$0.00	Item
	Clear BGP sessions on a Cisco router	Resend the complete BGP table to neighbo...	true		Service Catalog	Network Standard Changes	\$0.00	Item
	Create a Standalone Schema	Create an Avro Schema on the instance ba...	true		Service Catalog	(empty)	\$0.00	Item
	Register a Business Application	Register a new business application into...	true		Service Catalog	Business Application Lifecycle Management	\$0.00	Item
	New LDAP Server	Create a new LDAP server record	true		Service Catalog	(empty)	\$0.00	Item
	Create a new Export Set	Create a new Export Set to export data f...	true		Service Catalog	(empty)	\$0.00	Item
	Manage Knowledge Ownership Group	Catalog item for managing knowledge own...	true			(empty)	\$0.00	Item

Screenshot 5 – Book A Metro Ticket catalog item configuration.

Catalog Item Configuration

Application scope: Global
Update set: Default [Global]

< = Catalog Item Book A Metro Ticket

Build and modify items faster with the improved [Catalog Builder](#).

Name:

Application: ⓘ

Catalogs: ⓘ

Active: ☒

Categories: 🔍 ⓘ

Roles: ⓘ

State:

Fulfillment automation level:

Checked out:

Owner: 🔍 ⓘ

Secondary owners:

Item Details | Process Engine | Picture | Pricing | Portal Settings

Short description:

Description:

Meta:

Copy Try It Update Edit in Catalog Builder Delete

Related Links

[Item Diagnostic](#)

Screenshot 6 – Catalog variables configured for the ticket booking form.

Screenshot 6 – Catalog variables configured for the ticket booking form.

The screenshot displays the 'Catalog Variables' configuration interface. At the top, there are tabs for 'Variables (8)', 'Variable Sets', 'Catalog UI Policies (1)', 'Catalog Client Scripts (2)', 'Available For', 'Not Available For', 'Categories (1)', 'Catalogs (1)', 'Catalog Data Lookup Definitions', 'Related Articles', 'Related Catalog Items', and 'Assigned Topics'. Below the tabs is a search bar and a 'New' button. The main content area shows a table of variables for the catalog item 'Book A Metro Ticket'.

Type	Question	Order
Reference	Starting Form	100
Reference	Going To	200
Multiple Choice	Type of journey	300
Select Box	No of Passengers	400
Single Line Text	Amount for single journey	500
Single Line Text	Amount including return	600
Multiple Choice	Mode of Payment	700
Single Line Text	Enter payment mode	800

At the bottom of the table, there is a pagination control showing '1 to 8 of 8'.

Screenshot 7 – Catalog UI Policy controlling field visibility/mandatory behavior.

Application scope: Global
Update set: Default (Global)

Catalog UI Policy
Files Visibility

Applies to: A Catalog Item
Catalog Item: Book A Metro Ticket
Active: ☒
Short description: Files Visibility

When to Apply | Script

Catalog UI policies are similar to standard UI policies. Catalog UI policies dynamically change variables that are part of a catalog item or change how variable sets are handled. Policies can also be applied when the variables are present in a Requested Item or Catalog Task form. [More Info](#)

Catalog Conditions: [Add Filter Condition](#) [Add OR Clause](#)

Applies on a Catalog Item view ☒
Applies on Catalog Tasks ☐
Applies on Requested Items ☐

Apply the catalog UI policy actions when the form is loaded or when the user changes values on the form
On load ☒
Reverse the effects of the catalog UI policy actions when the Conditions evaluate to false
Reverse if false ☒

[Update](#) [Delete](#)

Related Links
[Run Point Scan](#)

Catalog UI Policy Actions Order Search

UI policy = Files Visibility	Name	Read only	Mandatory	Visible	Order
☐	enter_payment_mode	Leave alone	True	True	100

Screenshot 8 – Catalog Client Scripts list showing Fare auto-calculation and QR Generation.

Variables (8) | **Variable Sets** | **Catalog UI Policies (1)** | **Catalog Client Scripts (2)** | **Available For** | **Not Available For** | **Categories (1)** | **Catalogs (1)** | **Catalog Data Lookup Definitions** | **Related Articles** | **Related Catalog Items** | **Assigned Topics**

for text Search

Catalog Item = Book A Metro Ticket

Name	Active	Table	View	Type	Updated
Fare auto-calculation	true			onChange	2026-09-03 06:26:21
QR Generation	true			onSubmit	2026-09-02 00:04:53

Screenshot 9 – Fare auto-calculation Catalog Client Script.

Application scope: Global
Update set: Default (Global)

Catalog Client Scripts
Fare auto-calculation

Name: Fare auto-calculation
Applies to: A Catalog Item
Active: ☒
UI Type: All

Application: Global
Type: onChange
Catalog Item: Book A Metro Ticket
Variable name: no_of_passengers

Applies on a Catalog Item view ☒
Applies on Requested Items ☒
Applies on Catalog Tasks ☒

Script

```
1 function onChange(control, oldValue, newValue, isLoading) {
2   if (isLoading || newValue == '') {
3     return;
4   }
5   // Get Source and Destination
6   var source = g_form.getValue('starting_from');
7   var destination = g_form.getValue('going_to');
8
9   // Passenger Count
10  var numPassengers = Number(newValue);
11
12  // Get Journey Type
13  var journeyType = g_form.getValue('type_of_journey');
14
15  // Ameerpet -> Madhapur
16  if (source == 'a7cc5f4683b60b143f98f065eead356' &&
17      destination == 'f4ec9f4683b60b143f98f065eead37a') {
18
19    if (journeyType == '1') {
20
21      // ₹30 per passenger
22      g_form.setValue(
23        'amount_for_single_journey',
```

Screenshot 10 – QR Generation Catalog Client Script.

Home
>
Service Catalog
>
Office
>
Services
>
Book A Metro Ticket

Search Catalog

Book A Metro Ticket

A metro e-ticketing allows passengers to purchase and use tickets digitally, typically via a mobile app or website.

* Indicates required

Starting Form

i
Kukatpally
x
v

Going To

i
L B Nagar
x
v

Type of journey

☒ Single journey(1)
☐ Return journey(2)

No of Passengers

2
v

Amount for single journey

100

Amount including return

Mode of Payment

☐ Card
☒ Others
☐ Upi

* Enter payment mode

Add attachments

Quantity: 1 v

Delivery Time: 2 Days

Add to Cart

Save as Draft

Order Now

Required information

Enter payment mode

Conclusion

The supplied screenshots provide implementation evidence for the Metro Ticket Generating System in ServiceNow, including database tables, access controls, service catalog configuration, variables, UI policy, client scripts, fare calculation and QR-code generation.