

Project Development Phase

User Acceptance Testing (UAT) Execution & Report Submission – Metro Ticket Generating System

Date	05 September 2026
Project Name	Metro Ticket Generating System
Maximum Marks	4 Marks

1. Purpose of Document

The purpose of this document is to record the UAT coverage and implementation evidence available for the Metro Ticket Generating System at the time of release to User Acceptance Testing. The supplied screenshots are used as the test evidence.

2. UAT Test Case Analysis

S.N o.	Test Case / Scenario	Expected Result	Evidence	Status
1	Open Book A Metro Ticket	Booking form loads with configured fields.	Screenshot 12	Pass
2	Select Starting Form and Going To	Station values can be selected/displayed.	Screenshot 12	Pass
3	Select Single/Return journey	Journey type can be selected.	Screenshot 12	Pass
4	Enter number of passengers	Passenger count is accepted by fare logic.	Screenshots 9, 12	Pass
5	Fare auto-calculation	Fare is calculated by client-side logic.	Screenshots 9, 12	Pass
6	Select payment mode	Payment options are available.	Screenshot 12	Pass
7	Payment mode validation	Entry field is controlled by Catalog UI Policy.	Screenshots 7, 12	Pass
8	Submit / QR generation	Metro ticket QR code is generated/displayed.	Screenshots 10, 11	Pass
9	Verify catalog configuration	Catalog item and variables are configured.	Screenshots 5, 6	Pass
10	Verify table/access configuration	Tables and CRUD access controls are configured.	Screenshots 1–3	Pass

3. Defect Analysis

No separate defect log or severity-wise defect counts were included in the supplied screenshots. To avoid inventing test data, the statistics below are recorded as Not Provided (N/P).

Resolution	Severity 1	Severity 2	Severity 3	Severity 4	Subtotal
By Design	N/P	N/P	N/P	N/P	N/P
Duplicate	N/P	N/P	N/P	N/P	N/P
External	N/P	N/P	N/P	N/P	N/P
Fixed	N/P	N/P	N/P	N/P	N/P
Not Reproduced	N/P	N/P	N/P	N/P	N/P
Skipped	N/P	N/P	N/P	N/P	N/P
Won't Fix	N/P	N/P	N/P	N/P	N/P
Totals	N/P	N/P	N/P	N/P	N/P

4. UAT Evidence Screenshots

Evidence 1 – ServiceNow application table list.

FavoritesHistoryWorkspacesAdmin

Tables

Application scope: Global
Update set: Default (Global)

Updated

Search

All > Update name is not empty

Label	Name	Extends table	Extensible	Updated
Search	Search	Search	Search	Search
Metro Station's Details	u_metro_station_details	(empty)	false	2026-09-01 23:07:37
Metro Announcement	x_1894645_metro_0_metro_announcement	(empty)	false	2026-07-30 08:03:59
Passenger Feedback	x_1894645_metro_0_passenger_feedback	(empty)	false	2026-07-30 07:53:44
Payment	x_1894645_metro_0_payment	(empty)	false	2026-07-30 07:47:00
Metro Train	x_1894645_metro_0_metro_train	(empty)	false	2026-07-29 22:35:44
Metro Ticket	x_1894645_metro_0_metro_ticket	(empty)	false	2026-07-28 04:09:44
Metro Route	x_1894645_metro_0_metro_route	(empty)	false	2026-07-28 04:02:03
Metro Station	x_1894645_metro_0_metro_station	(empty)	false	2026-07-28 03:31:49
Discharge Summary	x_1894645_medisy_0_discharge_summary	(empty)	false	2026-07-18 01:30:50
Notification Log	x_1894645_medisy_0_notification_log	(empty)	false	2026-07-18 01:22:46
Appointment	x_1894645_medisy_0_appointment	(empty)	false	2026-07-18 01:10:10
Lab Test	x_1894645_medisy_0_lab_test	(empty)	false	2026-07-18 00:56:30
Medication	x_1894645_medisy_0_medication	(empty)	false	2026-07-18 00:41:17
Nurse	x_1894645_medisy_0_nurse	(empty)	false	2026-07-18 00:15:24
Care Plan	x_1894645_medisy_0_care_plan	(empty)	false	2026-07-18 00:09:18
Clinical Task	x_1894645_medisy_0_clinical_task	(empty)	false	2026-07-17 23:56:03
Admission	x_1894645_medisy_0_admission	(empty)	false	2026-07-17 23:51:34
Doctor	x_1894645_medisy_0_doctor	(empty)	false	2026-07-17 23:31:20
Patient	x_1894645_medisy_0_do	(empty)	false	2026-07-17 23:24:01
Bed	x_1894645_medisy_0_bed	(empty)	false	2026-07-17 23:19:57

Evidence 2 – Metro Station's Details table configuration and columns.

FavoritesHistoryWorkspacesAdmin

Table - Metro Station's Details

Application scope: Global
Update set: Default (Global)

Metro Station's Details

DeleteUpdateDelete All Records

A table is a collection of records in the database. Each record corresponds to a row in a table, and each field on a record corresponds to a column on that table. Applications use tables and records to manage data and processes. [More Info](#)

* LabelMetro Station's Details

ApplicationGlobal

* Nameu_metro_station_details

Remote Table

ColumnsControlsApplication Access

Table Columns

for text

Search

1 to 7 of 7

New

Column label	Type	Reference	Max length	Default value	Display
Updates	Integer	(empty)	40		false
Created by	String	(empty)	40		false
Station Name	String	(empty)	40		true
Updated by	String	(empty)	40		false
Sys ID	Sys ID (GUID)	(empty)	32		false
Updated	Date/Time	(empty)	40		false
Created	Date/Time	(empty)	40		false

DeleteUpdateDelete All Records

Related Links

[Form Builder](#)[Design Form](#)[Layout List](#)[Show Form](#)[Show List](#)[Show Schema Info](#)[Add to Service Catalog](#)[Run Point Scan](#)[Explore REST API](#)[\[SN UHIS\] Collection Dictionary Entry](#)[\[SN UHIS\] Versions \[3\]](#)

Evidence 3 – Table access controls for create/read/delete/write.

Access Controls (4)Security Data FiltersLabels (1)Database Indexes (1)Table Subscription Configuration (1)

Name

Actions on selected rows...

Access Controls

Name	Decision Type	Operation	Type	Active	Updated by	Updated
u_metro_station_details	Allow If	create	record	true	admin	2026-09-01 23:05:11
u_metro_station_details	Allow If	read	record	true	admin	2026-09-01 23:05:11
u_metro_station_details	Allow If	delete	record	true	admin	2026-09-01 23:05:11
u_metro_station_details	Allow If	write	record	true	admin	2026-09-01 23:05:11

1 to 4 of 4

Evidence 4 – Service Catalog list showing Book A Metro Ticket.

FavoritesHistoryWorkspacesAdmin

Catalog Items

Application scope: Global
Update set: Default (global)

All > Type != Bundle > Class != Order guide > Type != Package > Class != Content Item > Published item is empty

☐	Name	Short description	Active	Roles	Catalogs	Category	Price	Type
☐	Search	Search	Search	Search	Search	Search	Search	!=Package
	Book A Metro Ticket	A metro e-ticketing allows passengers to...	true		Service Catalog	Services	\$0.00	Item
	MIKE	requested for mike	true		Service Catalog	Hardware Asset	\$50.00	Item
	Add network switch to datacenter cabinet	This standard change template describes ...	true		Service Catalog	Network Standard Changes	\$0.00	Item
	Reboot Windows Server	Reboot a Windows Server (after patching ...	true		Service Catalog	Server Standard Changes	\$0.00	Item
	Decommission local office Domain Controller	Decommission a server from use including...	true		Service Catalog	Server Standard Changes	\$0.00	Item
	Change VLAN on a Cisco switchport	Change the port of a Cisco switch to a n...	true		Service Catalog	Network Standard Changes	\$0.00	Item
	Clear BGP sessions on a Cisco router	Resend the complete BGP table to neighbo...	true		Service Catalog	Network Standard Changes	\$0.00	Item
	Create a Standalone Schema	Create an Avro Schema on the instance ba...	true		Service Catalog	(empty)	\$0.00	Item
	Register a Business Application	Register a new business application into...	true		Service Catalog	Business Application Lifecycle Management	\$0.00	Item
	New LDAP Server	Create a new LDAP server record	true		Service Catalog	(empty)	\$0.00	Item
	Create a new Export Set	Create a new Export Set to export data f...	true		Service Catalog	(empty)	\$0.00	Item
	Manage Knowledge Ownership Group	Catalog item for managing knowledge own...	true			(empty)	\$0.00	Item

Book A Metro Ticket catalog item configuration.

Application scope: Global
Update set: Default (Global)

Build and modify items faster with the improved [Catalog Builder](#).

Name:

Application:

Catalogs:

Active: ☒

Categories:

Roles:

State:

Fulfillment automation level:

Checked out:

Owner:

Secondary owners:

Item Details | Process Engine | Picture | Pricing | Portal Settings

Short description:

Description:

Meta:

Copy Try It Update **Edit in Catalog Builder** Delete

Related Links
[Item Diagnostic](#)

Variables (8) Variable Sets Catalog UI Policies (1) Catalog Client Scripts (2) Available For Not Available For Categories (1) Catalogs (1) Catalog Data Lookup Definitions Related Articles Related Catalog Items Assigned Topics

Order Search Actions on selected rows... New

Catalog Item = Book A Metro Ticket

Type	Question	Order
Reference	Starting Form	100
Reference	Going To	200
Multiple Choice	Type of journey	300
Select Box	No of Passengers	400
Single Line Text	Amount for single journey	500
Single Line Text	Amount including return	600
Multiple Choice	Mode of Payment	700
Single Line Text	Enter payment mode	800

1 to 8 of 8

Catalog UI Policy
Files Visibility

Applies to: Application: Active: ☒

* Catalog Item: * Short description:

When to Apply Script

Catalog UI policy actions are applied only if all the following conditions are met:

1. The catalog UI policy is Active
2. The items in the Conditions field evaluate to true
3. The field specified in the catalog UI policy is present on the specified catalog item

Catalog Conditions:

Applies on a Catalog Item view: ☒ Apply the catalog UI policy actions when the form is loaded or when the user changes values on the form

Applies on Catalog Tasks: ☐ On load: ☒

Applies on Requested Items: ☐ Reverse the effects of the catalog UI policy actions when the Conditions evaluate to false

Reverse if false: ☒

Related Links
[Run Point Scan](#)

Catalog UI Policy Actions Order Search Actions on selected rows...

UI policy = Files Visibility	Name	Read only	Mandatory	Visible	Order
☐	enter_payment_mode	Leave alone	True	True	100

1 to 1 of 1

Evidence 8 – Catalog Client Scripts list.

Variables (8) Variable Sets Catalog UI Policies (1) **Catalog Client Scripts (2)** Available For Not Available For Categories (1) Catalogs (1) Catalog Data Lookup Definitions Related Articles Related Catalog Items Assigned Topics

for text Search Actions on selected rows...

Catalog Item = Book A Metro Ticket

Name	Active	Table	View	Type	Updated
Fare auto-calculation	true			onChange	2026-09-03 06:26:21
QR Generation	true			onSubmit	2026-09-02 00:04:53

1 to 2 of 2

Evidence 9 – Fare auto-calculation script.

Catalog Client Scripts
Fare auto-calculation

New client-scripts are run in strict mode, with direct DOM access disabled. Access to jQuery, prototype and the window object are likewise disabled. To disable this on a per-script basis, configure this form and add the "Isolate script" field. To disable this feature for all new globally-scoped client-side scripts set the system property "glide.script.block.client.globals" to false.

Name: Application: Type:

Applies to: Catalog Item: Variable name:

Active: ☒ Applies on a Catalog Item view: ☒

UI Type: Applies on Requested Items: ☒

Applies on Catalog Tasks: ☒

Script

```

1 function onChange(control, oldValue, newValue, isLoading) {
2   if (isLoading || newValue === '') {
3     return;
4   }
5   // Get Source and Destination
6   var source = g_form.getValue('starting_from');
7   var destination = g_form.getValue('going_to');
8
9   // Passenger Count
10  var numPassengers = Number(newValue);
11
12  // Get Journey Type
13  var journeyType = g_form.getValue('type_of_journey');
14
15  // Ameerpet -> Madhapur
16  if (source == 'a7cc5f4683b68b143f98f065eead356' &&
17      destination == 'f4ec9f4683b68b143f98f065eead37a') {
18
19    if (journeyType == '1') {
20
21      // ₹30 per passenger
22      g_form.setValue(
23        'amount_for_single_journey',

```

Related Links
[Run Point Scan](#)

Evidence 10 – QR Generation script.

Application scope: Global
Update set: Default (Global)

Script Editor: Catalog Client Scripts - QR Generation

Message: This catalog client script is not VA supported due to the presence of the following variables in the script: spModal.open.then

Message: New client-scripts are run in strict mode, with direct DOM access disabled. Access to jQuery, prototype and the window object are likewise disabled. To disable this on a per-script basis, configure this form and add the "Isolate script" field. To disable this feature for all new globally-scoped client-side scripts set the system property "glide.script.block.client.globals" to false.

Form Fields:

- Name: QR Generation
- Applies to: A Catalog Item
- Active: ☒
- UI Type: All
- Application: Global
- Type: onSubmit
- Catalog Item: Book A Metro Ticket
- Applies on a Catalog Item view: ☒
- Applies on Requested Items: ☒
- Applies on Catalog Tasks: ☒

Script Editor:

```
function onSubmit() {  
  // title: "Your metro QR ticket - click checkout once more to confirm",  
  widget: "metro_qr_widget",  
  widgetInput: { qr_url: qrImage1 }  
}.then(function() {  
  metroQrDone = true;  
});  
return false; // block only the first Checkout click  
}
```

Buttons: Update, Delete

Related Links: Run Point Scan

Versions Table:

Name	Recorded at	State	Source	Reverted from
catalog_script_client_f3c11c20fcb83d0d98840d530d1b249	2026-09-02 00:04:53	Current	Update Set: Default	(empty)
catalog_script_client_f3c11c20fcb83d0d98840d530d1b249	2026-09-01 23:47:19	Previous	Update Set: Default	(empty)

Evidence 11 – Generated Metro Ticket QR Code.

Employee Center is available to you

peer organizations in creating a better employee experience with Employee Center, ServiceNow's new employee

Service Catalog > Office

Book A Metro Ticket

A metro e-ticketing allows passengers to purchase a metro ticket online.

Starting Form: Kukatpally

Going To: L B Nagar

Type of journey: ☒ Single journey(1) ☐ Return journey(2)

No of Passengers: 2

Amount for single journey: 100

Amount including return:

Mode of Payment: ☐ Card ☐ Others ☒ Upi

Add attachments: Choose a file or drag it here. Copy and paste clipboard files here.

Quantity: 1

Delivery Time: 2 Days

Buttons: Add to Cart, Save as Draft, Order Now

Modal: Your Metro QR Ticket — click Checkout once more to confirm

Your Metro Ticket QR Code

Scan this QR code at the metro station gate

Buttons: Cancel, OK

Evidence 12 – Ticket booking form with entered test data.

Home > Service Catalog > Office > Services > Book A Metro Ticket

Search Catalog

Book A Metro Ticket

A metro e-ticketing allows passengers to purchase and use tickets digitally, typically via a mobile app or website.

* Indicates required

Starting Form

i

Kukatpally

x

v

Going To

i

L B Nagar

x

v

Type of journey

☒ Single journey(1)

☐ Return journey(2)

No of Passengers

2

v

Amount for single journey

100

Amount including return

Mode of Payment

☐ Card

☒ Others

☐ Upi

* Enter payment mode

Add attachments

Quantity: 1

Delivery Time: 2 Days

Add to Cart

Save as Draft

Order Now

Required information

Enter payment mode

5. UAT Summary

Based on the supplied implementation screenshots, the core ticket-booking flow is evidenced from catalog configuration through fare calculation and QR-code generation. Formal defect counts, tester names/signatures, and an independent UAT approval record were not supplied and are not fabricated.