<u>User Control Panel (0 new messages)</u> • <u>View your posts</u> • <u>Logout [potto216]</u>

Skip to content

- FAQ
- Members
- Search
- Board index \(\cdot\) Platforms \(\cdot\) SonixTOUCH Research
- Change font size E-mail friend Print view

Post a reply

First unread post • 2 posts • Page 1 of 1

Can Compound be Turned into BMode data

- Edit post
- Report this post
- Reply with quote

Can Compound be Turned into BMode data

□ by **potto216** » Mon Nov 25, 2013 6:21 pm

I was wondering if Compound mode set to a line density of 128, with a focus of 1, persistence set to 0, compound method set to 0, the same as bmode with a line density of 128, focus of 1? We need this for a possible workaround where we cannot same data in bmode?

Thanks, Paul

potto216

Posts: 21

Joined: Thu Feb 18, 2010 4:52 am

Private message

Top

- Report this post
- Reply with quote

Re: Can Compound be Turned into BMode data

by <u>reza</u> » Fri Dec 13, 2013 11:19 pm

The answer is yes, just set those parameter as you wish.

Reza Zahiri Azar, PhD | Research Manager
Ultrasonix Medical Corporation | #130 - 4311 Viking Way, BC, Canada V6V2K9
T 604.279.8550 x 185 | Skype reza.zahiri| http://www.ultrasonix.com

<u>reza</u>

Posts: 362

Joined: Tue Dec 13, 2005 9:34 pm **Location:** University of British Columbia

- Private message
- Website
- AIM

Top

Display posts from previous: All posts ▼ Sort by Post time ▼ Ascending ▼ Go

Post a reply

2 posts • Page 1 of 1

Return to SonixTOUCH Research

Who is online

Users browsing this forum: potto216 and 0 guests

• <u>Subscribe topic</u> • <u>Bookmark topic</u> • <u>Bump topic</u> • <u>The team</u> • <u>Delete all board cookies</u> • All times are UTC

Powered by phpBB® Forum Software © phpBB Group Cerulean Style by Daniel St. Jules of Gamexe.net