

Cybersecurity Project: Phishing Email Investigation & IOC Analysis

By

Poul Mhiripiri

1. Introduction

Phishing remains one of the most prevalent and effective attack vectors used by cybercriminals to compromise organizations. Despite the implementation of advanced email security solutions, many phishing attempts continue to bypass filters and reach end users, often resulting in credential theft, malware infections, or data breaches. This project focuses on investigating and analysing a set of reported phishing emails to identify Indicators of Compromise (IOCs) and recommend preventive measures.

The investigation simulates a real-world cybersecurity engagement, providing hands-on experience with email forensic analysis, threat intelligence, and incident response. As a Cybersecurity Consultant, the goal is to apply analytical techniques and open-source tools to detect malicious intent, assess the risk level of each email, and develop actionable mitigation strategies for the organization.

This exercise closely aligns with the day-to-day responsibilities of a Security Operations Center (SOC) analyst or cybersecurity incident responder, offering practical exposure to phishing detection workflows and digital forensics.

2. Project Objectives

The primary objectives of this project are as follows:

1. **Investigate Suspicious Emails** – Analyse the structure and content of reported phishing emails, focusing on headers, sender details, links, and attachments to determine authenticity.
2. **Identify Indicators of Compromise (IOCs)** – Extract and validate potential IOCs such as:
 - Malicious URLs or spoofed domains
 - Suspicious or blacklisted IP addresses
 - Harmful file attachments or embedded payloads
 - Sender anomalies (mismatched “From” and “Return-Path” addresses, failed SPF/DKIM authentication)

3. **Generate a Phishing Analysis Report** – Document findings, include snapshots of analysis tools, and provide mitigation and prevention recommendations based on evidence gathered.

By the end of the project, the analysis should demonstrate a clear understanding of phishing detection techniques, threat intelligence correlation, and best practices in email security governance.

3. Methodology

The project follows a structured, step-by-step approach inspired by professional incident response frameworks:

Step 1 – Collection

Three sample phishing emails were downloaded from the provided shared folder. Each email was preserved in its original format to maintain forensic integrity during analysis.

Step 2 – Header and Metadata Analysis

Each email header was extracted and analyzed using **MXToolbox Email Header Analyzer** and **PhishTool**. The goal was to identify anomalies such as:

- Mismatched sender domains and originating IP addresses
- Failed or missing **SPF**, **DKIM**, or **DMARC** authentication checks
- Abnormal “Return-Path” or “Received” chain entries

Step 3 – IOC Extraction and Verification

Potential Indicators of Compromise (IOCs) were extracted and verified using a combination of online threat intelligence tools:

- **VirusTotal** – For domain, URL, and file reputation checks
- **AbuseIPDB** – For IP address abuse history and trust level
- **Talos Intelligence** – For threat classification and confidence score
- **URLScan.io** – For visual and behavioral inspection of URLs and landing pages
- **Hybrid Analysis** – For sandbox detonation of suspicious attachments or payloads.

Step 4 – Threat Assessment

Based on the results from the tools, each IOC was categorized (e.g., *malicious*, *suspicious*, or *benign*). The findings were correlated with known phishing tactics such as domain spoofing, credential harvesting, or malware delivery.

Step 5 – Mitigation & Recommendations

A detailed set of recommendations was developed to help the organization improve its email security posture. These include technical controls, user awareness training, and email authentication best practices.

4. Tools and Technologies

- **Email Analysis Sandboxing: PhishTool:** (<https://app.phishtool.com/signup/community>)
- **Email Header Analysis** (<https://mxtoolbox.com/EmailHeaders.aspx>)
- **File/URL/ IP Reputation: VirusTotal** (<https://www.virustotal.com/>)
- **IP Reputation: VirusTotal** (<https://www.abuseipdb.com/>)
- **File/Attachment Analysis: Hybrid Analysis** (<https://www.hybrid-analysis.com/>)
- **IP Reputation: Talos Intelligence** (<https://www.talosintelligence.com/>)
- **URL and Domain Analysis: URLScan** (<https://urlscan.io/>)

5. Expected Outcomes

Upon completing the investigation, the following deliverables are expected:

- **Phishing Analysis Report:** A documented summary of findings including:
 - Email header snapshots and extracted IOCs
 - URLs, IPs, and domains categorized by risk level
 - Tool screenshots evidencing the analysis process
 - Detailed mitigation and prevention recommendations
- **Awareness Recommendations:**
 - Implementation of SPF, DKIM, and DMARC policies
 - Regular phishing simulation and awareness training
 - Enhanced endpoint detection and response (EDR) monitoring

This project reinforces practical cybersecurity competencies, particularly in threat intelligence, incident response, and phishing detection. It demonstrates the ability to apply analytical reasoning, investigative methods, and technical reporting within a professional cybersecurity environment.

Before diving into the actual email analysis project, the author thought of sharing a bit of information on email, how it works and the terminology used on email and email security.


EMAIL – Electronic Mail

Email, or electronic mail, is the most common method of exchanging digital messages and remains one of the most popular services currently available via the Internet.

Email systems consist of computer servers that process and store messages on behalf of users who connect to the email infrastructure via an email client or web interface.

When someone sends an email, the message is transferred from his or her computer to the server associated with the recipient's address, usually via several other servers.

How Email Appears to work vs How it really works



Email Servers

Email servers are responsible for receiving, storing, forwarding, and delivering messages to and from email users. Messages are exchanged between servers using the SMTP protocol with various MTAs (Mail Transfer Agents) such as Sendmail, Postfix, qmail, or Exim (**for Linux based system**) and Microsoft Exchange for (**Windows based systems**). Messages can be stored on the server for the user to access, they can be downloaded and stored in the email client for offline use, or stored both places.

When an email server accepts a message, **it is obliged to deliver it, or otherwise return a delivery failure message to the sender**. This ensures that an email message cannot disappear into thin air and implies that the sender of an email can trust the integrity of the email system.

Email Clients

A user can access the email messages stored on an email server using an email client or **Mail User Agent** (MUA) such as Outlook, Thunderbird, and Eudora.

The **MUA** connects to the email server via POP to download messages from a folder, or the more advanced IMAP protocol to synchronize all messages in the folders that exist on the server. When the user sends a message, the client connects to the server using the SMTP protocol.

Webmail

A Webmail interface is a web-based email service that is accessible in a web browser such as Internet Explorer or Firefox. Most email services offer web interfaces to the email stored on the server.

So-called webmail services are often faster because they access the stored data more directly via a web browser without the user having to download a piece of software that must be set up and configured locally. e.g **Yahoo mail, Gmail, Hotmail, etc**

Three main types of email servers:

- **SMTP servers:** A Simple Mail Transfer Protocol server can refer to either a physical computer or a Mail Transfer Agent (MTA), which is a software program running on the machine. The MTA receives and delivers messages to and from other email servers, and from email users (also known as “relaying”).

- **POP servers:** A **P**ost **O**ffice **P**rotocol server is a piece of software that gives an email user access to the email stored in the user's account on that server. The user can download the messages using a MUA (email client) and store the email locally for later viewing.
- **IMAP servers:** An **I**nternet **M**essage **A**ccess **P**rotocol server is a software program running on a server that provides full access to all the folders the user has created on the server. The email user can synchronize all the folders and messages on the server with the data stored locally using a MUA with IMAP capabilities.

SMTP Related DNS Records

The most Important part about SMTP or email security is to know about the DNS Records as they have a vital role in Email flow.

- **MX Record** -It is a DNS Record which is created to show which server will receive emails for an organization. It is very Important for any organization. Without an MX Record, you can't receive emails for your domain/organization.
- **MX Record Priority** is very important too. The Smaller it is, The Higher the Priority is. Here is a Sample MX Record for gmail.com. Mail Servers will send emails to the Servers which are on lower priority of 5. If they are not available, they will try to servers with priority of 5, 10 and so on. All the servers with same mx priority will be load balancing the incoming emails.
- **SPF Record:** It is a DNS Record which will show which IP Addresses are authorized to send email on an organization's behalf.
- **DKIM (DomainKeys Identified Mail):** DKIM means digitally Signing all outgoing emails with a Private Key to ensure that Email is actually sent by the Sender Domain itself and it is not spoofed. Domain Key (Public Part) is Published as a TXT Record so that Servers can verify it.
- **DMARC (Domain-based Message Authentication, Reporting & Conformance):** It is an Email Authentication, policy, and reporting protocol. It builds on the widely deployed SPF and DKIM protocols.

Pref	Hostname	IP Address	TTL		
5	gmail-smtp-in.l.google.com	173.194.68.26 Google LLC (AS15169)	60 min	Blacklist Check	SMTP Test
5	gmail-smtp-in.l.google.com	2607:f8b0:400d:c0c::1a	60 min	Blacklist Check	
10	alt1.gmail-smtp-in.l.google.com	64.233.186.26 Google LLC (AS15169)	60 min	Blacklist Check	SMTP Test
10	alt1.gmail-smtp-in.l.google.com	2800:3f0:4003:c00::1a	60 min	Blacklist Check	
20	alt2.gmail-smtp-in.l.google.com	209.85.203.26 Google LLC (AS15169)	60 min	Blacklist Check	SMTP Test
20	alt2.gmail-smtp-in.l.google.com	2a00:1450:400b:c03::1a	60 min	Blacklist Check	
30	alt3.gmail-smtp-in.l.google.com	64.233.184.26 Google LLC (AS15169)	60 min	Blacklist Check	SMTP Test
30	alt3.gmail-smtp-in.l.google.com	2a00:1450:400c:c0b::1a	60 min	Blacklist Check	
40	alt4.gmail-smtp-in.l.google.com	142.250.27.26 Google LLC (AS15169)	60 min	Blacklist Check	SMTP Test
40	alt4.gmail-smtp-in.l.google.com	2a00:1450:4025:401::1a	60 min	Blacklist Check	

MX

TOOLBOX

SUPERTOOL

PricingToolsDelivery CenterMoni

SuperToolMX LookupBlacklistsDMARCDiagnosticsEmail HealthDNS LookupAnalyze Headers

SuperTool Beta9

google.comMX Lookup

mx:google.comFind ProblemsSolve Email Delivery Problemsmx

Microsoft Outlook.com now requires DMARC - Get SPF, DKIM and DMARC setup and maintain compliance with Delivery Center

Pref	Hostname	IP Address	TTL		
10	smtp.google.com	172.253.63.26 Google LLC (AS15169)	5 min	Blacklist Check	SMTP Test
10	smtp.google.com	2607:f8b0:4004:c08:1b	5 min	Blacklist Check	

	Test	Result
✓	DNS Record Published	DNS Record found
✓	DMARC Record Published	DMARC Record found
✓	DMARC Policy Not Enabled	DMARC Quarantine/Reject policy enabled

Your email service provider is "Google" Need Bulk Email Provider Data?

MX

TOOLBOX

SUPERTOOL

SuperToolMX LookupBlacklistsDMARCDiagnosticsEmail HealthDNS LookupAnalyze Headers

SuperTool Beta9

poulmhiripiri.co.ukMX Lookup

mx:poulmhiripiri.co.ukFind ProblemsSolve Email Delivery Problems

Pref	Hostname	IP Address	TTL		
10	mx1.privateemail.com	162.255.118.7 Namecheap, Inc. (AS22612)	5 min	Blacklist Check	SMTP Test
10	mx2.privateemail.com	162.255.118.8 Namecheap, Inc. (AS22612)	5 min	Blacklist Check	SMTP Test

	Test	Result
✗	DMARC Record Published	No DMARC Record found
✗	DMARC Policy Not Enabled	It is recommended to use a quarantine or reject policy. To enable BIMI, it is required to have one of these at 100%.
✓	DNS Record Published	DNS Record found

MX TOOLBOX
SUPERTOOL

SuperTool | MX Lookup | Blacklists | DMARC | Diagnostics | Email Health | DNS Lookup | Analyze Headers

SuperTool Beta9

yahoo.com MX Lookup

mx:yahoo.com Find Problems Solve Email Delivery Problems

Microsoft Outlook.com now requires DMARC - Get SPF, DKIM and DMARC setup and maintain compliance with Delivery Center

Pref	Hostname	IP Address	TTL	
1	mta5.am0.yahoodns.net	67.195.204.72 Yahoo Holdings Inc. (AS28101)	30 min	Blacklist Check SMTP Test
1	mta6.am0.yahoodns.net	67.195.204.72 Yahoo Holdings Inc. (AS28101)	30 min	Blacklist Check SMTP Test
1	mta7.am0.yahoodns.net	67.195.204.72 Yahoo Holdings Inc. (AS28101)	30 min	Blacklist Check SMTP Test

	Test	Result
✓	DNS Record Published	DNS Record found
✓	DMARC Record Published	DMARC Record found
✓	DMARC Policy Not Enabled	DMARC Quarantine/Reject policy enabled

Alternatively, you can use **dig command**

```
(kali㉿kali)-[~]
$ dig poulmhiripiri.co.uk mx

; <<>> DiG 9.19.21-1+b1-Debian <<>> poulmhiripiri.co.uk mx
;; global options: +cmd
;; Got answer:
;; ->HEADER<- opcode: QUERY, status: NOERROR, id: 13168
;; flags: qr rd ra; QUERY: 1, ANSWER: 2, AUTHORITY: 0, ADDITIONAL: 1

;; OPT PSEUDOSECTION:
; EDNS: version: 0, flags:; udp: 512
;; QUESTION SECTION:
;poulmhiripiri.co.uk.          IN      MX

;; ANSWER SECTION:
poulmhiripiri.co.uk.    300     IN      MX      10 mx2.privateemail.com.
poulmhiripiri.co.uk.    300     IN      MX      10 mx1.privateemail.com.

;; Query time: 55 msec
;; SERVER: 8.8.8.8#53(8.8.8.8) (UDP)
;; WHEN: Fri Oct 10 16:18:45 EDT 2025
;; MSG SIZE rcvd: 104
```

```
(kali㉿kali)-[~]
$ dig google.com mx

; <<>> DiG 9.19.21-1+b1-Debian <<>> google.com mx
;; global options: +cmd
;; Got answer:
;; ->HEADER<- opcode: QUERY, status: NOERROR, id: 40319
;; flags: qr rd ra; QUERY: 1, ANSWER: 1, AUTHORITY: 0, ADDITIONAL: 1

;; OPT PSEUDOSECTION:
; EDNS: version: 0, flags:; udp: 512
;; QUESTION SECTION:
;google.com.                IN      MX

;; ANSWER SECTION:
google.com.                60      IN      MX      10 smtp.google.com.

;; Query time: 59 msec
;; SERVER: 8.8.8.8#53(8.8.8.8) (UDP)
;; WHEN: Fri Oct 10 16:20:10 EDT 2025
;; MSG SIZE rcvd: 60
```

```

(kali@kali)-[~]
$ dig google.com spf

;<>> DiG 9.19.21-1+b1-Debian <>> google.com spf
;; global options: +cmd
;; Got answer:
;; ->HEADER<- opcode: QUERY, status: NOERROR, id: 16916
;; flags: qr rd ra; QUERY: 1, ANSWER: 0, AUTHORITY: 1, ADDITIONAL: 1

;; OPT PSEUDOSECTION:
;; EDNS: version: 0, flags:; udp: 512
;; QUESTION SECTION:
;google.com.                IN      SPF

;; AUTHORITY SECTION:
google.com.                60      IN      SOA     ns1.google.com. dns-admin.google.com. 817101668 900 900 1800 60

;; Query time: 79 msec
;; SERVER: 8.8.8.8#53(8.8.8.8) (UDP)
;; WHEN: Fri Oct 10 16:30:00 EDT 2025
;; MSG SIZE rcvd: 89

```

```

(kali@kali)-[~]
$ dig google.com txt

;; communications error to 8.8.8.8#53: timed out
;; communications error to 8.8.8.8#53: timed out

;<>> DiG 9.19.21-1+b1-Debian <>> google.com txt
;; global options: +cmd
;; Got answer:
;; ->HEADER<- opcode: QUERY, status: NOERROR, id: 64772
;; flags: qr rd ra; QUERY: 1, ANSWER: 12, AUTHORITY: 0, ADDITIONAL: 1

;; OPT PSEUDOSECTION:
;; EDNS: version: 0, flags:; udp: 512
;; QUESTION SECTION:
;google.com.                IN      TXT

;; ANSWER SECTION:
google.com.                3600    IN      TXT     "google-site-verification=wD8N7i1JNTKzJ49swvWW48f8_9xveREV4oB-0Hf5o"
google.com.                3600    IN      TXT     "google-site-verification=4ibFug8-wXLQ_57vsXVomSTVamuOXBiVAzpR5IZ87D0"
google.com.                3600    IN      TXT     "google-site-verification=TV9-DBe4R80X4v0M4U_bd_39cp0JM0nikft0jAgjmsQ"
google.com.                3600    IN      TXT     "docuSign-1b0a6754-49b1-4db5-8540-d2c12664b289"
google.com.                3600    IN      TXT     "MS=EaA68B9A828B96708CE15412F62916164C0820B8"
google.com.                3600    IN      TXT     "docuSign=05958488-4752-4ef2-95eb-aa7ba8a3bd0e"
google.com.                3600    IN      TXT     "onetrust-domain-verification=de01ed21f2fa4d8781cbc3ffb89cf4ef"
google.com.                3600    IN      TXT     "facebook-domain-verification=22rm551cu4k0ab0bxsw536tlds4h95"
google.com.                3600    IN      TXT     "globalsign-smime-dv=CDYX+XFHUw2wml6/Gb8+59BsH31KzUr6c1L2BPvqKX8="
google.com.                3600    IN      TXT     "apple-domain-verification=30afIBcvSuDV2PLX"
google.com.                3600    IN      TXT     "cisco-ci-domain-verification=a7c38bc8c4b74b7233e9053220c1bbe76bcc1cd33c7acf7acd36cd6a5332004b"
google.com.                3600    IN      TXT     "v=spf1 include:_spf.google.com ~all"

;; Query time: 135 msec
;; SERVER: 8.8.8.8#53(8.8.8.8) (UDP)
;; WHEN: Fri Oct 10 16:30:27 EDT 2025
;; MSG SIZE rcvd: 886

```

The Email Message

The actual email message contains text and characters that represent delivery information and content, and must adhere to certain standards defined by IETF ([The Internet Engineering Task Force](#)) to ensure that it can be properly handled by the various computer systems that will process it.

An email message consists of two main sections: The header and the body.

Header

The header can be thought of as the email equivalent of a regular envelope and is structured into fields (lines) containing information about **the sender, receiver, subject, date, etc of the message**. It also includes one entry for each server that has processed the message on its way from sender to recipient, which is very useful for tracking its origin — especially if the message looks suspicious (for instance in [phishing](#) attempts).

Body

The message body constitutes the content of the message and can include several parts and attachments in many different formats.

In the early days email only contained plain text in ASCII format, but as email usage has evolved it has become necessary to support both HTML and other types of content.

Today, email messages are usually encoded with the MIME (Multipurpose Internet Mail Extensions) standard that allows email to support text in various character sets, attached files, multimedia content, etc.

Since such messages can contain both information and small pieces of software not apparent to the user, care should be taken by the recipient when opening HTML messages or attachments in a client — or use Webmail which is more secure as possible malicious software in the message can't easily be run on the local computer.

Email Abuse and Spam

Because email is an extremely cost-effective means of communication that allows a user to send large amounts of messages to a great number of recipients, it has become a very popular tool for spreading information and software programs that are unsolicited and/or malicious.

There are several challenges that both email administrators and email users should be aware of:

Spamming

Spamming is the act of sending unsolicited commercial (or bulk) email, often to large numbers of recipients. Today it is very inexpensive to send millions of email messages, and only a few positive responses to an email advertisement can make spamming worthwhile to the individuals that send spam.

Email worms

In recent years spammers have increasingly banded with malicious software makers, creating so-called email worms that infect vulnerable computers through email, multiply, and spread to other computers (often using contacts from the infected system's address book), causing a constant barrage of junk email.

It is always advisable to use updated anti-virus software on your computer to avoid being infected.

Email spoofing

Email spoofing is a technique to alter the header information of an email to make the message appear to come from a known or trusted source. Spoofing is often used in so-called phishing where individuals attempt to collect personal information in order to access bank accounts or other sensitive services.


Because the SMTP protocol was created in a time when email abuse was not yet conceived, it is easy to falsify the content of a message and equally difficult to verify its origin. Several efforts are being made to standardize the verification of email messages such that sources of criminal email activity can be uncovered.

Email Hosting Options

Companies can host emails either by self-hosting on their own servers or by using an external ISP or third-party provider, which is known as cloud-hosted email. Self-hosting gives complete control but requires significant technical expertise, maintenance, and infrastructure costs, while third-party hosting is more common as it is managed by a provider who specializes in email and handles the technical burden, making it more convenient for most businesses

Email Security

Enterprises prefer to host their emails on-prem for security or compliance reasons or on cloud for high availability reasons



Phishing Email Investigation & IOC Analysis


The author went to carry out the email investigation and IOC Analysis using the steps below.

Phishing Email Samples:

- The author downloaded and analyzed 3 sample phishing emails from the following folder:

 <https://drive.google.com/drive/folders/1FcJyGIOFlTP8kthpbTo4-plpWQPpLL-h>

The author created a PhishTool account as per screenshot below;



PhishTool
Forensic Email Analysis
Get PhishTool

PhishTool Community
Create a free PhishTool Community account.

Email address*
pmhiripiri@gmail.com

Password*

Re-enter password*




Legal*
☒ I agree to PhishTool's Terms of Service
☒ I agree to PhishTool's Privacy Policy
☒ I agree to PhishTool's Proof of Value Agreement

Contact preferences
☐ Occasionally send me feature updates and announcements


Create Account

Already have an account? Login

Copyright © 2025 PhishTool Limited. All rights reserved.



After the email was verified, I managed to login on PhishTool



Sample emails from Google drive

drive.google.com/drive/folders/1j0AJQ3RLGYRW9KG5_vyj3VSVyJNE56N

McAfee The Cyber Range Login | Networking Ac... Sign in to your account Cisco Talos Intelligenc... Managed SIEM Security Blue Team - e... Online Portal Council ... Server Not Found ThreatZone - Holistic ... VirusTotal - URL Foundations of Cyber...

Search in Drive

Shared with me > Phishing email > Emails


Type People Modified Source

Name	Owner	Date modified	File size	Sort
sample-340.eml	jeffrealblog	5 Oct	37 KB	
sample-471.eml	jeffrealblog	5 Oct	24 KB	
sample-494.eml	jeffrealblog	5 Oct	18 KB	
sample-608.eml	jeffrealblog	5 Oct	20 KB	
sample-901.eml	jeffrealblog	5 Oct	38 KB	
sample-954.eml	jeffrealblog	5 Oct	14 KB	
sample-1092.eml	jeffrealblog	5 Oct	18 KB	
sample-1111.eml	jeffrealblog	5 Oct	24 KB	
sample-1283.eml	jeffrealblog	5 Oct	9 KB	
sample-1288.eml	jeffrealblog	5 Oct	16 KB	
sample-1477.eml	jeffrealblog	5 Oct	16 KB	
sample-1478.eml	jeffrealblog	5 Oct	16 KB	
sample-1507.eml	jeffrealblog	5 Oct	20 KB	
sample-1533.eml	jeffrealblog	5 Oct	25 KB	


Sample emails downloaded

View

Name	Date modified	Type
sample-1092.eml	08/10/2025 16:50	Outlook.File.eml.15
sample-608.eml	08/10/2025 16:50	Outlook.File.eml.15
sample-1533.eml	08/10/2025 16:51	Outlook.File.eml.15
...	...	...



After uploading the email sample on PhishTool, it was flagged under Details and Authentication as per email below



From the screenshot below

The From and return path have different paths

PhishTool

DashboardUploadsIn-trayNotificationsMy AccountUpgradeCommunity

Uploads > Seus pontos Livelo expiram em breve - PROTOCOLO: 160197781.

Seus pontos Livelo expiram em breve - PROTOCOLO: 160197781.

DetailsAuthenticationURLsAttachmentsTransmissionX-headersRenderedHTMLSource

From

pontos@bradesco.com.br

...

Display name

Bradesco

...

Sender

None

...

To

phishing@pot

...

Cc

None

...

In-Reply-To

None

...

Timestamp

2023-09-08T01:59:22Z

...

Reply-To

None

...

Message-ID

<20230508015922.1AC2E7FA37@ubuntu-s-1vcpu-512mb-10gb-sfo3-01>

...

Return-Path

root@ubuntu-s-1vcpu-512mb-10gb-sfo3-01

...

Originating IP

137.184.186.12 (Hop 2)

...

rDNS

None

...

Quanto mais pontos melhor

Oi, rodrigo-f-p@hotmail.com

Você tem pontos acumulados disponíveis para resgate que estão bem próximos de expirar, você cliente Banco Bradesco tem pontos em dobro. Acesse [Sua conta](#) para Resgatar seus PONTOS LIVelo BRADESCO.

117.749

Troque seus pontos por milhas aéreas, Descontos de até 35% na fatura do cartão ou milhares de prêmios em nosso Catálogo.

Pontos expiram em: 17/05/2023

Cliente Banco Bradesco tem pontos em dobro.

RESGATAR AGORA

É muito fácil ter seus pontos creditados na sua conta todo mês! Ao fazer uma compra com cartão BRADESCO ou utilizar seu token em nossos canais digitais, você ganha pontos Livelo

*Após efetuar o resgate, aguarde o prazo de até 24 horas, Acompanhe seu extrato.

PhishTool

DashboardUploadsIn-trayNotificationsMy AccountUpgradeCommunity

Uploads > Seus pontos Livelo expiram em breve - PROTOCOLO: 160197781.

Seus pontos Livelo expiram em breve - PROTOCOLO: 160197781.

DetailsAuthenticationURLsAttachmentsTransmissionX-headersRenderedHTMLSource

From

pontos@bradesco.com.br

...

Display name

Bradesco

...

Sender

None

...

To

phishing@pot

...

Cc

None

...

In-Reply-To

None

...

Timestamp

2023-05-08T01:59:22Z

...

Reply-To

None

...

Message-ID

<20230508015922.1AC2E7FA37@ubuntu-s-1vcpu-512mb-10gb-sfo3-01>

...

Return-Path

root@ubuntu-s-1vcpu-512mb-10gb-sfo3-01

...

Originating IP

137.184.186.12 (Hop 2)

...

rDNS

137.184.186.12 (Hop 2)
2603:10b6:5:114:cafe::9a (Hop 3)
2603:10b6:5:114:48 (Hop 4)

...

Quanto mais pontos melhor

Oi, rodrigo-f-p@hotmail.com

Você tem pontos acumulados disponíveis para resgate que estão bem próximos de expirar, você cliente Banco Bradesco tem pontos em dobro. Acesse [Sua conta](#) para Resgatar seus PONTOS LIVelo BRADESCO.

117.749

Troque seus pontos por milhas aéreas, Descontos de até 35% na fatura do cartão ou milhares de prêmios em nosso Catálogo.

Pontos expiram em: 17/05/2023

Cliente Banco Bradesco tem pontos em dobro.

RESGATAR AGORA

É muito fácil ter seus pontos creditados na sua conta todo mês! Ao fazer uma compra com cartão BRADESCO ou utilizar seu token em nossos canais digitais, você ganha pontos Livelo

*Após efetuar o resgate, aguarde o prazo de até 24 horas, Acompanhe seu extrato.

Authentication failed

PhishTool

DashboardUploadsIn-trayNotificationsMy AccountUpgradeCommunity

Uploads > Seus pontos Livelo expiram em breve - PROTOCOLO: 160197781.

Seus pontos Livelo expiram em breve - PROTOCOLO: 160197781.

DetailsAuthenticationURLsAttachmentsTransmissionX-headersRenderedHTMLSource

SPF

...

Originating IP

137.184.186.12 (Hop 2)

...

rDNS

None

...

Return-Path domain

ubuntu-s-1vcpu-512mb-10gb-sfo3-01

...

SPF record

None

...

DKIM

None

...

Verification(s)

0 Signatures

...

Selector

None

...

Signing domain

None

...

Algorithm

None

...

Verification

NONE

...

DMARC

1 FAIL

...

From domain

bradesco.com.br

...

DMARC record

v=DMARC1;p=reject;fo=1;rua=mailto:rua@bradesco.com.br;uf=mailto:uf@bradesco.com.br

...

Quanto mais pontos melhor

Oi, rodrigo-f-p@hotmail.com

Você tem pontos acumulados disponíveis para resgate que estão bem próximos de expirar, você cliente Banco Bradesco tem pontos em dobro. Acesse [Sua conta](#) para Resgatar seus PONTOS LIVelo BRADESCO.

117.749

Troque seus pontos por milhas aéreas, Descontos de até 35% na fatura do cartão ou milhares de prêmios em nosso Catálogo.

Pontos expiram em: 17/05/2023

Cliente Banco Bradesco tem pontos em dobro.

RESGATAR AGORA

É muito fácil ter seus pontos creditados na sua conta todo mês! Ao fazer uma compra com cartão BRADESCO ou utilizar seu token em nossos canais digitais, você ganha pontos Livelo

When an email **fails DMARC**, it means the message did **not pass authentication checks** required by the recipient's domain policy. Here's a simple breakdown:

What DMARC Is

DMARC (Domain-based Message Authentication, Reporting & Conformance) is a protocol that helps protect domains from being used in phishing or spoofing.

It works with two other checks:

- **SPF (Sender Policy Framework)** – verifies if the email was sent from an authorized mail server.
- **DKIM (DomainKeys Identified Mail)** – verifies if the email's content hasn't been tampered with.

DMARC ties SPF and DKIM together to say:

"If neither SPF nor DKIM align properly with my domain, reject or quarantine the email."

⚠️ Why an Email Might Fail DMARC

1. SPF or DKIM didn't align

- Example: Email was sent through a third-party service (like Mailchimp or Salesforce) not included in your domain's SPF record.
- Or DKIM signing used another domain.

2. Email was forwarded

- Forwarding can break SPF, since the forwarder's IP isn't in your SPF record.

3. The sender domain doesn't match the "From" domain

- If someone spoofs your address, DMARC will likely fail.

4. No valid DKIM signature


- The email wasn't signed properly or the public DKIM key in DNS is missing.
-

What Happens After a DMARC Fail?

It depends on the **domain's DMARC policy**:


- p=none → Just report the failure (no blocking).
- p=quarantine → Send to spam/junk folder.
- p=reject → Block the email entirely.

URLs on the email



The email contains suspicious malicious urls. Checking the embedded urls on Virus Total, it was flagged **Phishing** by 3 security vendors namely alphaMountain.ai, BitDedfender & G-Data. The same URL was flagged **malicious** by CyRadar.

The URL was also flagged



Checking URL from urlscan.io platform

The screenshot displays the urlscan.io platform interface. The URL being scanned is `https://lvlt06-n57cit6yma-ue.a.run.app/`. The main IP address is `34.143.77.2`, located in the United States and belonging to `GOOGLE-CLOUD-PLATFORM, US`. The scan was performed on October 10th, 2025, at 4:23:30 pm UTC. The summary section indicates that the website contacted 1 IP in 1 country across 1 domain to perform 2 HTTP transactions. The domain & IP information table shows the IP address `34.143.77.2` and the autonomous system `396982 (GOOGLE-CLOUD-PLATFORM)`. The screenshot section shows a 404 error: "Page not found". The page statistics section shows 2 requests, 100% HTTPS, 0% IPv6, 1 domain, and 1 subdomain.

urlscan.io/result/0199ceef-4161-72e4-9284-48d1d1e2ed0f/#summary

34.143.77.2 Public Scan

URL: `https://lvlt06-n57cit6yma-ue.a.run.app/`
Submission: On October 10 via manual [October 10th 2025, 4:23:30 pm UTC] from GB → Scanned from UK

Summary HTTP Redirects Behaviour Indicators Similar DOM Content API Verdicts

Summary

This website contacted 1 IPs in 1 countries across 1 domains to perform 2 HTTP transactions.
The main IP is 34.143.77.2, located in United States and belongs to `GOOGLE-CLOUD-PLATFORM, US`. The main domain is `lvlt06-n57cit6yma-ue.a.run.app`.
TLS certificate: Issued by WR2 on September 22nd 2025. Valid for: 3 months.

`lvlt06-n57cit6yma-ue.a.run.app` scanned 2 times on urlscan.io Show Scans: 2

urlscan.io Verdict: No classification

Live information

Google Safe Browsing: No classification for `lvlt06-n57cit6yma-ue.a.run.app`
Current DNS A record: 34.143.73.2 (AS396982 - GOOGLE-CLOUD-PLATFORM, US)

Domain & IP information

IP/ASNs	IP Detail	Domains	Domain Tree	Links	Certs	Frames
2	IP Address	AS Autonomous System				
2	34.143.77.2	396982 (GOOGLE-CLOUD-PLATFORM)				
2	1					

Screenshot Live screenshot Full image

Error: Page not found
The requested URL was not found on this server.

Page Title

404 Page not found

Page Statistics

2	100 %	0 %	1	1
Requests	HTTPS	IPv6	Domains	Subdomains
1	1	1 kB	1 kB	0
IPs	Countries	Transfer	Size	Cookies

Behavioural partten

urlscan.io

HomeSearchLiveAPIBlogDocsPricingLogin

Powered by SecurityTrails
A Recorded Future Company

34.143.77.2Public Scan

URL: https://lvht06-n57cit6yma-ue.a.run.app/
Submission: On October 10 via manual (October 10th 2025, 4:23:30 pm UTC) from GB - Scanned from UK

SummaryHTTP 2RedirectsBehaviourIndicatorsSimilarDOMContentAPIVerdicts

0 JavaScript Global Variables
These are the non-standard "global" variables defined on the window object. These can be helpful in identifying possible client-side frameworks and code.

0 Cookies
Cookies are little pieces of information stored in the browser of a user. Whenever a user visits the site again, he will also send his cookie values, thus allowing the website to re-identify him even if he changed locations. This is how permanent logins work.

2 Console Messages
A page may trigger messages to the console to be logged. These are often error messages about being unable to load a resource or execute a piece of JavaScript. Sometimes they also provide insight into the technology behind a website.

Source	Level	URL	Text
network	error	URL: https://lvht06-n57cit6yma-ue.a.run.app/ Message: Failed to load resource: the server responded with a status of 404 ()	
network	error	URL: https://lvht06-n57cit6yma-ue.a.run.app/favicon.ico Message: Failed to load resource: the server responded with a status of 404 ()	

urlscan.io

HomeSearchLiveAPIBlogDocsPricingLogin

Powered by SecurityTrails
A Recorded Future Company

urlscan.io

HomeSearchLiveAPIBlogDocsPricingLogin

Powered by SecurityTrails
A Recorded Future Company

34.143.77.2Public Scan

URL: https://lvht06-n57cit6yma-ue.a.run.app/
Submission: On October 10 via manual (October 10th 2025, 4:23:30 pm UTC) from GB - Scanned from UK

SummaryHTTP 2RedirectsBehaviourIndicatorsSimilarDOMContentAPIVerdicts

2 HTTP transactions
0 data transactions

EverythingHTMLScriptAJAXCSSImageExpand all

Method	Protocol	Status	Resource	Path	Size	x-fer	Time	Latency	Type	MIME-Type	IP	Location
GET	H2	404	Primary Request	/	272 B	387 B	205ms	108ms	Document	text/html	34.143.77.2	GOOGLE-CLOUD-PLAT...
GET	H2	404	favicon.ico	lvht06-n57cit6yma-ue.a.run.app/	272 B	319 B	111ms	109ms	Other	text/html	34.143.77.2	GOOGLE-CLOUD-PLAT...

This email sample did not have any attachments

PhishTool

Dashboard

Uploads

In-tray

Notifications

My Account

Upgrade

Community

Uploads

Seus pontos Livelo expiram em breve - PROTOCOLO: 160197781.

Seus pontos Livelo expiram em breve - PROTOCOLO: 160197781.

Details

Authentication

URLs

Attachments

Transmission

X-headers

RenderedHTMLSource

There's nothing to analyse here

Quanto mais pontos melhor

Oi, rodrigo-f-p@hotmail.com

Você tem pontos acumulados disponíveis para resgate que estão bem próximos de expirar, você cliente Banco Bradesco tem pontos em dobro. Acesse Sua conta para Resgatar seus PONTOS LIVELO BRADESCO.

117.749Troque seus pontos por milhas aéreas, Descontos de até 35% na fatura do cartão ou milhares de prêmios em nosso Catálogo.

Pontos expiram em: 17/05/2023

Cliente Banco Bradesco tem pontos em dobro.

RESGATAR AGORA

É muito fácil ter seus pontos creditados na sua conta todo mês! Ao fazer uma compra com cartão BRADESCO no utilizar seu token em nossos canais digitais, você ganha pontos Livelo

*Após efetuar o resgate, aguarde o prazo de até 24 horas. Acompanhe seu extrato.

Email hops

This shows the email servers that the email passed through from the sender’s host to reach the recipient email server.

PhishTool

Uploads

Seus pontos Livelo expiram em breve - PROTOCOLO: 160197781.

Seus pontos Livelo expiram em breve - PROTOCOLO: 160197781.

Details

Authentication

URLs

Attachments

Transmission

X-headers

RenderedHTMLSource

Hop 1

Mon, 8 May 2023 01:59:22 +0000

Received by ubuntu-s-1vcpu-512mb-10gb-sfo3-01

Hop 2

Mon, 8 May 2023 03:11:15 +0000

Received from 137.184.186.12

Received by DM6NAM04FT040.mail.protection.outlook.com (10.13.158.95)

MoreShow raw

Hop 3

Mon, 8 May 2023 03:11:15 +0000

Received from DM6NAM04FT040.eop-NAM04.prod.protection.outlook.com (2603:10b6:5:1f4:cafe::9a)

Received by DM6PR02CA0107.outlook.office365.com (2603:10b6:5:1f4::48)

MoreShow raw

Hop 4

Mon, 8 May 2023 03:11:16 +0000

Received from DM6PR02CA0107.namprd02.prod.outlook.com (2603:10b6:5:1f4::48)

Received by CO6PR19MB4785.namprd19.prod.outlook.com (2603:10b6:5:34c::11)

MoreShow raw

Hop 5

Mon, 8 May 2023 03:11:17 +0000

Received from CO6PR19MB4785.namprd19.prod.outlook.com (::1)

Received by MN0PR19MB6312.namprd19.prod.outlook.com

MoreShow raw

Recipient mailbox

Mon, 8 May 2023 01:59:22 +0000 (UTC)

Sender IP Reputation [137.184.186.12] results from Cisco Talos is listed by sbl.spamhaus.

talosintelligence.com/reputation_center/lookup?search=137.184.186.12

Lookup data results for IP Address 137.184.186.12

IP & Domain Reputation Overview | Email & Spam Trends

LOCATION DATA

SANTA CLARA, UNITED STATES

OWNER DETAILS

IP ADDRESS	137.184.186.12
FWD/REV DNS MATCH	No data
HOSTNAME	b95361ed-9f2a-4aa7-e988-11383699c6b2.movespokers.com
DOMAIN	lucidlink.com
NETWORK OWNER	DIGITAL OCEAN, INC.

CONTENT DETAILS

CONTENT CATEGORY No established content categories

Think these category details are incorrect?

Submit Content Categorization Ticket

REPUTATION DETAILS

SENDER IP REPUTATION Poor Submit SENDER IP Reputation Ticket

WEB REPUTATION Unknown Submit Web Reputation Ticket

EMAIL VOLUME DATA

	LAST DAY	LAST MONTH
EMAIL VOLUME	0.0	1.8
VOLUME CHANGE	0%	

BLOCK LISTS

BL.SPAMCOP.NET	Not Listed
CB.LABUSEAT.ORG	Not Listed
PBL.SPAMHAUS.ORG	Not Listed
SBL.SPAMHAUS.ORG	Listed

TALOS SECURITY INTELLIGENCE BLOCK LIST

ADDED TO THE BLOCK LIST No

Email reputation is also flagged as poor.

talosintelligence.com/reputation_center/lookup?search=137.184.186.12

ADDED TO THE BLOCK LIST No


ADDITIONAL INFORMATION

IP ADDRESSES WHOIS EMAIL VOLUME HISTORY

Top IP Addresses used to send emails in 137.184.186.12 /24

IP ADDRESS	HOSTNAME	FWD/REV DNS MATCH	LAST DAY VOL.	LAST MONTH VOL.	BLOCK LISTS	EMAIL REP.
137.184.186.6	-	No	0.0	1.8	1	Poor
137.184.186.8	-	No	0.0	1.9	1	Poor
137.184.186.12	b95361ed-9f2a-4aa7-e988-11383699c6b2...	No	0.0	1.7	1	Poor
137.184.186.34	-	No	0.0	1.9	1	Poor
137.184.186.35	-	No	0.0	1.8	1	Poor
137.184.186.140	-	No	0.0	1.7	1	Poor
137.184.186.157	-	No	0.0	1.9	1	Poor
137.184.186.163	-	No	0.0	1.8	1	Poor
137.184.186.190	-	No	0.0	1.7	1	Poor
137.184.186.198	eth-d2-mongo00b-st03-49e4758a.mongo.0n...	No	0.0	1.8	1	Poor
137.184.186.245	-	No	0.0	1.8	1	Poor
137.184.186.252	-	No	0.0	1.7	1	Poor
137.184.186.0	-	No	0.0	1.7	0	Neutral
137.184.186.1	-	No	0.0	1.8	0	Neutral
137.184.186.2	1112135.cloudwaysapp.com	No	0.0	1.8	0	Neutral
137.184.186.3	-	No	0.0	1.8	0	Neutral
137.184.186.4	-	No	0.0	1.8	0	Neutral
137.184.186.5	-	No	0.0	1.7	0	Neutral
137.184.186.7	host.credidiez.com	Yes	0.0	1.8	0	Neutral
137.184.186.9	-	No	0.0	1.3	0	Neutral
137.184.186.10	-	No	0.0	1.8	0	Neutral

Email volume



Email headers

PhishTool

Dashboard Uploads In-tray Notifications My Account Upgrade

Uploads > Seus pontos Livelo expiram em breve - PROTOCOLO: 160197781.

Seus pontos Livelo expiram em breve - PROTOCOLO: 160197781.

Details Authentication URLs Attachments Transmission X-headers Rendered HTML Source

Search X-headers 37 results clear

x-incomingtopheadermarker OriginalChecksum:3F0B7CBE89C332B4E148D77A9FFAC03E4315B83BCF36058D92B5D5CCCEFEUpperCasedChecksum:070A2743E35CB29A775A680C149A68B027A4BCAACF872D8AD976AF3BD41CF957;SizeAsReceived:485;Count:9

x-incomingheadercount 9

x-ms-exchange-organization-expirationstarttime 08 May 2023 03:11:15.7715 (UTC)

x-ms-exchange-organization-expirationstarttimereason OriginalSubmit

x-ms-exchange-organization-expirationinterval 1:00:00:00.0000000

x-ms-exchange-organization-expirationintervalreason OriginalSubmit

x-ms-exchange-organization-network-message-id 415f57ff-7aae-4b1d-05a1-08db4f71e2c8

x-opattributedmessage 0

x-eoptenantattributedmessage 84df9e7f-e9f6-40af-b435-aaaaaaaaaaaaa0

x-ms-exchange-organization-messagedirectionality Incoming

x-ms-publictraffictype Email

x-ms-traffictypediagnostic DM6NAM04FT040:EE_IC06PR19MB4785:EE_IMNOPR19MB6312:EE_

x-ms-exchange-organization-authsource DM6NAM04FT040.eop-NAM04.prod.protection.outlook.com

x-ms-exchange-organization-authas Anonymous

x-ms-userlastlogontime 5/8/2023 2:59:21 AM

Quanto mais pontos melhor

Oi, [rodrigo-f@hotmail.com](#)

Você tem pontos acumulados disponíveis para resgate que estão bem próximos de expirar, você cliente Banco Bradesco tem pontos em dobro. Acesse [Sua conta](#) para Resgatar seus PONTOS LIVelo BRADESCO.

117.749 Troque seus pontos por milhas aéreas, Descontos de até 35% na fatura do cartão ou milhares de prêmios em nosso Catálogo.


Pontos expiram em: 17/05/2023


Cliente Banco Bradesco tem pontos em dobro.

RESGATAR AGORA


É muito fácil ter seus pontos creditados na sua conta todo mês! Ao fazer uma compra com cartão BRADESCO ou utilizar seu token em nossos canais digitais, você ganha pontos Livelo

*Após efetuar o resgate, aguarde o prazo de até 24 horas. Acompanhe seu extrato.





Pulling reports from CAPE Sandbox and Zenbox



Results

Zenbox Results

Overview

Zenbox Verdict

23/100

Non Malicious

Report generated: 08/10/2025 18:12:14

Guest System: Windows 11 Ultimate

File Info

File name: sample-608.eml

File type: RFC 822 mail, ASCII text, with CRLF line terminators

File size: 19.76 KB

SHA256: 33be76f011b8b279bdb5d5c9bfa963b3f4bea69d2d42f12bb80569b098bcc328

SHA1: 391b4d2b718e2db95d6568a9cc46894f5b0d5521

MD5: 382d118f2b1f3c06f6fd8c5c67681ba7

SHA512: 6763b45f07cea9fca05ae0fd2127710a30a34ae044d1ad120ff6c520afdce9edd322b5784e241b10e3c84f903

Entropy: 22c86374f617229c4c96c0e9088bb17f0b1abe6

6.065674809124575

Submission path: C:\Users\User\desktop\

SSDEEP: 384 8CeOEuhuxZze10rayEUJw0c9I7+Azk3DlavSavi8DKU8J0 o1Xi10IEUJw1H+Azk3MavSadk10

Preview: Received: from CO6PR19MB4785.namprd19.prod.outlook.com [] by MN0PR19MB6312.namprd19.prod.outlook.com with HTTPS, Mon, 8 May 2023 03:11:17. +0000. Received: from DM6PR02CA0107.namprd02.prod.outlook.com (2603:10b6:5:1f4:48) by CO6PR19MB4785.namprd1

Indicators

System Summary (16)

1.0 Deletes files inside the Windows folder

1.0 Creates files inside the system directory

1.0 Sigma detected: Potential WWlib DLL Sideloadng

1.0 Sigma detected: Office Macro File Download

0.0 Parts of this applications are using the .NET runtime (Probably coded in C#)

0.0 Uses an in-process (OLE) Automation server

0.0 Sigma detected: Office Autorun Keys Modification

0.0 Creates files inside the user directory

0.0 Creates temporary files

0.0 Classification label

0.0 Sigma detected: Suspicious Office Outbound Connections

0.0 Reads ini files

Overview

Overview

Indicators

Mitre Attack

Network Info

Dropped Info

Processes Extra Info

Screenshots

Overview

Zenbox Verdict

23/100

Non Malicious

Report generated: 08/10/2025 18:12:14

Guest System: Windows 11 Ultimate

File Info

File name: sample-608.eml

File type: RFC 822 mail, ASCII text, with CRLF line terminators

File size: 19.76 KB

SHA256: 33be76f011b8b279bdb5d5c9bfa963b3f4bea69d2d42f12bb80569b098bcc328

SHA1: 391b4d2b718e2db95d6568a9cc46894f5b0d5521

MD5: 382d118f2b1f3c06f6fd8c5c67681ba7

SHA512: 6763b45f07cea9fca05ae0fd2127710a30a34ae044d1ad120ff6c520afdce9edd322b5784e241b10e3c84f903

Entropy: 22c86374f617229c4c96c0e9088bb17f0b1abe6

6.065674809124575

Submission path: C:\Users\User\desktop\

SSDEEP: 384 8CeOEuhuxZze10rayEUJw0c9I7+Azk3DlavSavi8DKU8J0 o1Xi10IEUJw1H+Azk3MavSadk10

Preview: Received: from CO6PR19MB4785.namprd19.prod.outlook.com [] by MN0PR19MB6312.namprd19.prod.outlook.com with HTTPS, Mon, 8 May 2023 03:11:17. +0000. Received: from DM6PR02CA0107.namprd02.prod.outlook.com (2603:10b6:5:1f4:48) by CO6PR19MB4785.namprd1

Indicators

Overview	Indicators
Mitre Attack	
Network Info	
Dropped Info	
Processes Extra Info	
Screenshots	

Indicators	
System Summary (16)	
1.0	Deletes files inside the Windows folder
1.0	Creates files inside the system directory
1.0	Sigma detected: Potential WWlib.DLL Sideloadng
1.0	Sigma detected: Office Macro File Download
0.0	Parts of this applications are using the .NET runtime (Probably coded in C#)
0.0	Uses an in-process (OLE) Automation server
0.0	Sigma detected: Office Autorun Keys Modification
0.0	Creates files inside the user directory
0.0	Creates temporary files
0.0	Classification label
0.0	Sigma detected: Suspicious Office Outbound Connections
0.0	Heads ini files
0.0	Sigma detected: Office Macro File Creation
-1.0	Checks if Microsoft Office is installed
-2.0	Found graphical window changes (likely an installer)
-3.0	Executable creates window controls seldom found in malware
Boot Survival (1)	
1.0	Creates or modifies windows services
Hooking and other Techniques for Hiding and Protection (2)	
1.0	Stores large binary data to the registry
0.0	Disables application error messages (SetErrorMode)
Malware Analysis System Evasion (3)	
1.0	Yara detected Invalid MIME Boundary

Indicators cont...

Overview	Indicators
Indicators	
Mitre Attack	
Network Info	
Dropped Info	
Processes Extra Info	
Screenshots	

Indicators	
Boot Survival (1)	
1.0	Creates or modifies windows services
Hooking and other Techniques for Hiding and Protection (2)	
1.0	Stores large binary data to the registry
0.0	Disables application error messages (SetErrorMode)
Malware Analysis System Evasion (3)	
1.0	Yara detected Invalid MIME Boundary
0.0	Queries a list of all running processes
0.0	Checks the free space of harddrives
Networking (4)	
0.0	Uses HTTPS
0.0	Connects to IPs without corresponding DNS lookups
0.0	Performs DNS lookups
-1.0	Uses secure TLS version for HTTPS connections
Analysis Advice (1)	
0.0	Uses HTTPS for network communication, use the 'Proxy HTTPS (port 443) to read its encrypted data' cookbook for further analysis
Phishing (1)	
2.0	Email provider (Gateway / MTA) detected MSG / EML as spam/phishing/malware
Compliance (1)	
-1.0	Uses secure TLS version for HTTPS connections

Mitre attack

Overview	Mitre Attack
Indicators	Persistence T1543.003 Windows Service confidence: medium
Mitre Attack	Privilege Escalation T1543.003 Windows Service confidence: medium
Network Info	Defense Evasion - T1036 Masquerading confidence: medium - T1112 Modify Registry confidence: medium - T1070.004 File Deletion confidence: medium
Dropped Info	Discovery - T1057 Process Discovery confidence: low - T1083 File and Directory Discovery confidence: low - T1082 System Information Discovery confidence: low
Processes Extra Info	Command and Control - T1573 Encrypted Channel confidence: low - T1095 Non-Application Layer Protocol confidence: low - T1071 Application Layer Protocol confidence: low
Screenshots	

Network Information

Overview

Indicators

Mitre Attack

Network Info

Dropped Info

Processes Extra Info

Screenshots

Network Info

Domain	IP Resolutions	Signatures
In-0007 in-msedge.net active	150.171.22.17	
a726 dscd.akamai.net active	23.32.45.25	• Uses secure TLS version for HTTPS connections
a1666 dscr.akamai.net active	23.64.112.182	
s-0005 dual-s-dc-msedge.net active reputation: high	52.123.131.14	• Sigma detected: Suspicious Office Outbound Connections
osiprod-scus-buff-azsc-000.southcentralus.cloudapp.azure.com active reputation: high	52.109.20.39	
dns.google active reputation: high	8.8.4.4	• Performs DNS lookups
assets.msn.com reputation: high	unknown	• Performs DNS lookups
roaming.svc.cloud.microsoft	unknown	• Performs DNS lookups

IP Info (5)

IP	Country
52.182.143.209	United States
52.111.229.19	United States
52.123.131.14	United States
52.109.20.39	United States
23.32.45.25	United States

The attackers are now leveraging on reputable cloud provider (Google) and CDNs (akamai) and resources to evade detection and utilising unlimited cloud resources such as CPU, memory and network connectivity.


Dropped Files

Overview	Dropped Info
Indicators	Non malicious dropped files (7)
Mitre Attack	C:\Users\user\AppData\Local\Temp\Outlook Logging\firstrun.log File type: ASCII text, with CRLF line terminators 9A138E5D5781882636384FF72ABC76F5D416CF819F28D498C3E3CBEC637E147A
Network Info	C:\Windows\INF\Outlook\outperf.h File type: ASCII text, with CRLF line terminators 48E537982C03A3EEE4798FC97EE872CDDC7C1A90122702D01824308C12A8099A
Dropped Info	C:\Windows\INF\Outlook\outperf.ini File type: Generic INItialization configuration [languages] EE9E288C3495FD548FD490958E88807F215FC0780064E179011098C8C7461A34
Processes Extra Info	C:\Windows\System32\PerfStringBackup.INI File type: data 823282397091873117A1F6AFE5105407482842C1C7276858B685244E6B9F1A61
Screenshots	C:\Windows\System32\PerfStringBackup.TMP File type: data 823282397091873117A1F6AFE5105407482842C1C7276858B685244E6B9F1A61 Deletes files inside the Windows folder
	C:\Windows\System32\perfc009.dat File type: data AF06A1D816027BC419FFEB93F14E68F8008C8CB69F031DFDFC721676674808E0
	C:\Windows\System32\perfh009.dat File type: data 5D3A45A86E182661AE56108721E6CED918C21692DE5668881A1CEF9589114142


Processes Extra Info

Overview	Network Info
Indicators	52.111.229.19United States
Mitre Attack	52.123.131.14United States
Network Info	52.109.20.39United States
Dropped Info	23.32.45.25United States
Processes Extra Info	Dropped Info
Screenshots	Non malicious dropped files (7)
	Processes Extra Info
	Process: OUTLOOK.EXE
	PID: 6112
	Parent PID: 4552
	IPs
	52.109.20.39 52.111.229.19

Screenshots



Screenshots cont...



CAPE Sandbox

Category	Started On		Completed On	Duration	Cuckoo Version
FILE	2025-10-08 18:44:53		2025-10-08 18:48:17	204 seconds	2.4-CAPE
Machine	Label	Manager	Started On		Shutdown On
cape1	win10_2	KVM	2025-10-08 18:44:53		2025-10-08 18:48:16
Signatures					
Checks available memory					
Queries computer hostname					
Connects to crypto currency mining pool					
Attempts to connect to a dead IP:Port (4 unique times)					
A possible heap spray exploit has been detected					
Stack pivoting was detected when using a critical API					
Queries the keyboard layout					
SetUnhandledExceptionFilter detected (possible anti-debug)					
Uses Windows APIs to generate a cryptographic key					
Checks system language via registry key (possible geofencing)					

cape1	win10_2	KVM	2025-10-08 18:44:53	2025-10-08 18:48:16
Signatures				
Checks available memory				
Queries computer hostname				
Connects to crypto currency mining pool				
Attempts to connect to a dead IP:Port (4 unique times)				
A possible heap spray exploit has been detected				
Stack pivoting was detected when using a critical API				
Queries the keyboard layout				
SetUnhandledExceptionFilter detected (possible anti-debug)				
Uses Windows APIs to generate a cryptographic key				
Checks system language via registry key (possible geofencing)				
Anomalous file deletion behavior detected (10+)				
Resumed a thread in another process				
Establishes an encrypted HTTPS connection				
Performs some HTTP requests				

Dropped Files

Dropped Files
Stream_Calendar_2_3A1613C68E74BC4CBC039F77A4B6ED3C.dat
Stream_RssRule_2_9C7AE32E34F6B34F84D285560F3C1754.dat
Stream_ConversationPrefs_2_0F82A20EFA4CFF46BADBC9CBBBF7B99B.dat
Outlook.srs
NormalEmail.dotm
Stream_AvailabilityOptions_2_6F6A3C45A6E2E4F8F5C25419184E666.dat
E8752C7E-4238-4257-9B8E-A745B2D3C64F
E2C6CBAF0AF08CF203BA74BF0D0AB6D5_0FB9553B978E7F00C6B2309507DEB64A
edb.chk
PerfStringBackup.INI
outperf.h
E2C6CBAF0AF08CF203BA74BF0D0AB6D5_0FB9553B978E7F00C6B2309507DEB64A
AEDCC005-AAAA-4D16-AE42-8FD1F2AAB173
Stream_TCPrefs_2_924163B6ECE11A44ABB4CAB057544F11.dat
Stream_TableViewPreviewPrefs_2_70D9DC8B5EFC384D94C85DB88302FD5C.dat
Stream_ContactPrefs_2_7CFAD86464A0854D9BAE5AA1A80EB0C6.dat
~WRS(E23A9CE4-4D06-4A5A-9905-5BC382B58DE0).tmp
outperf.ini
FRMCACHE.DAT
outlook.exe_Rules.xml
Payloads

Behaviour Summary

Behavior Summary
Mutexes
- Local\outlook_mutex - Local\outlook_keepAlive_ - Local\SM0:6276:168:WillStaging_02 - Local\10WJ_ACBPID5_5-1-5-5-0-168577 - Local\10WJ_ACB10_5-1-5-5-0-168577 - Global\552FFA80-3393-423d-8671-7BA8468B5906 - Local\OfficeSharedLocks_SharedHeap_Pages_00_5-1-5-21-4005801669-2598574594-602355426-1001 - Local\OfficeSharedLocks_SharedHeap_BootMutex_00_5-1-5-21-4005801669-2598574594-602355426-1001 - Local\404150494C6F676F6E00708872C47F0710188BEA00AA0038C699_5-1-5-21-4005801669-2598574594-602355426-1001 - Local\OLKCRPC_0B1=SharedMemoryMutex_5-1-5-21-4005801669-2598574594-602355426-1001 - Installing - Local\ZonesCacheCounterMutex - Local\2BF388D5-6F8C-40A0-A7EE-996D005C4E14_Office16 - Local\4F75746C6F6F6890999218FF5E648D0BCE0808A0656F_5-1-5-21-4005801669-2598574594-602355426-1001 - Local\4F75746C6F6F682A6C46E425483D4FAC22684B1A0831D2_5-1-5-21-4005801669-2598574594-602355426-1001 - A08D744700030000000000BC5_CACHEMUTEX - Local\4F75746C6F6F6890999218FF5E648D0BCE0808A0656F02_5-1-5-21-4005801669-2598574594-602355426-1001 - Local\VS_EXCHANGE_FORMSREGISTRY_MUTEX - DefaultTabTip-MainUI - Local\VSCTF.Asm.MutexDefault1 - CicLoadWinStainSta0 - Local\VSCTF.CtfnMonitorInstMutexDefault1 - Local\SM0:6276:64:WillError_03 - Local\4F75746C6F6F682A6C46E425483D4FAC22684B1A0831D202_5-1-5-21-4005801669-2598574594-602355426-1001 - Local\F99C425F-9135-43ed-B07D-396DE488DC53_Office16 - MSSPHTB_MAPIPH_Alive16 - MSSPHTB_MAPIPH_Alive - MSSPHTB_Alive16 - Local\SM0:1948:304:WillStaging_02 - Local\SM0:1948:120:WillError_03
Executed Commands
- C:\Windows\system32\wbem\wmiprvse.exe -secured -Embedding - C:\Windows\System32\svchost.exe -k netsvcs -p "C:\Program Files (x86)\Microsoft\EdgeUpdate\MicrosoftEdgeUpdate.exe" /svc - C:\Windows\System32\svchost.exe -k NetworkService -p - C:\Windows\system32\svchost.exe -k UnistackSvcGroup - C:\Windows\system32\sppsvc.exe

Executed Commands and started services

Executed Commands

- C:\Windows\system32\wbem\wmiprvse.exe -secured -Embedding
- C:\Windows\System32\svchost.exe -k netsvcs -p
- "C:\Program Files (x86)\Microsoft\EdgeUpdate\MicrosoftEdgeUpdate.exe" /svc
- C:\Windows\System32\svchost.exe -k NetworkService -p
- C:\Windows\system32\svchost.exe -k UnistackSvcGroup
- C:\Windows\system32\spoolsv.exe
- C:\Windows\System32\svchost.exe -k LocalSystemNetworkRestricted -p -s StorSvc
- C:\Windows\system32\lsass.exe
- C:\Windows\system32\svchost.exe -k LocalService -s W32Time

Created Services

Nothing to display.

Started Services

- BITS
- WSearch

Investigation use case # 2

Sampel-1092.em

PhishTool

DashboardUploadsIn-trayNotificationsMy AccountUpgradeCommu

UploadsManual Uploads

Manual Uploads

Drag and drop an email here, or **choose a file.**

Please only submit emails that you suspect of being malicious. Submission of files is governed by our [Terms of Service](#) and [Privacy Policy](#).

Search subject line, email address, domain, IP, attachment name, MD5, SHA-1, SHA-256 or URL

Date	Filters (0)
From	To
pontos@bradesco.com.br	phishing@pot
pontos@bradesco.com.br	phishing@pot

File Upload

Downloads

sample-1333.eml

sample-1092.eml

sample-608.eml

New message.eml

map-image.postman_collection

venue-maps.postman_collection

Import Webapp Sample File(1)

File name: sample-1092.eml

OpenCancel

2 results

Clear

Expo

Uploaded by
6:05:53Zpmhiripiri
6:01:24Zpmhiripiri

PhishTool

Uploads > 100% kostenlos & ohne Bedingungen

100% kostenlos & ohne Bedingungen

Details Authentication URLs Attachments Transmission X-headers Rendered HTML Source

From	otto-newsletter@newsletter.otto.de	...
Display name	Amazon	
Sender	otto-newsletter@newsletter.otto.de	...
To	phishing@pot	
Cc	phishing@pot	
In-Reply-To	None	
Timestamp	2023-08-15T21:54:39Z	
Reply-To	reply_to@winner-win.art	...
Message-ID	<mNXVseU.43028.227+=phishing@pot@winner-win.art>	
Return-Path	return@winner-win.art	...
Originating IP	80.96.157.91 (Received-SPF)	...
rDNS	None	

Authentication

No SPF record, no DKIM no DMARC as per screenshot below

PhishTool

Uploads > 100% kostenlos & ohne Bedingungen


100% kostenlos & ohne Bedingungen

Details **Authentication** URLs Attachments Transmission X-headers Rendered HTML Source

SPF		...
Originating IP	80.96.157.91 (Received-SPF)	
rDNS	None	
Return-Path domain	winner-win.art	
SPF record	None	
DKIM		...
Verification(s)	0 Signatures	
Selector	None	
Signing domain	None	
Algorithm	None	
Verification	NONE	
DMARC		...
From domain	newsletter.otto.de	
DMARC record	None	

URLS


Two URLs embedded in the email and a domain name



URL Flagged by six security vendors as per screenshot below

http://bsq2.firiri.shop/Z05qbUpdzBPNIWbzNVbVdaUUVrdlpUY2dWd25NQTgybVVJc0pjk3c0dm1kazBjZm9ENEQxSkM0aTVnOWtJcU1hRllwWUJYcDNsVG5GNDlWbUpIVUE9PQ

bsq2.firiri.shop



Details

Final URL

http://ww12.firiri.shop/Z05qblJpdzBPNfWbWbNfVbVdaUUNfRdpUy2dWd2SNQ7gBfVJc0pJK3cddm1kazBjZm9fENEQcSMdaTvnOWLjCU1hRlVWJYcDNhVGSNDfWbUpVUESPQ____?usid=26&utid=7474230729

Serving IP Address

172.234.222.143

Status Code

200

Body Length

15.01 KB

Body SHA-256

6f2614c3ec828b89359f1ca19cdae0d6f34818d61d5ca093839d71304851c8d

Analyse

Headers

Accept-CH-Lifetime

30

Connection

keep-alive

Content-Encoding

gzip

Content-Type

text/html; charset=UTF-8

Transfer-Encoding

chunked

Vary

Accept-Encoding

Accept-CH

viewport-width dpr device-memory rtt downlink ect ua ua-full-version ua-platform ua-platform-version ua-arch ua-model ua-mobile

Server

nginx

X-AdBlock-Key

MfawwDQVJKoZhvNAQE8BQADSwAwSAJBALquDFETXRn0Hr05fUPfEJT77xvPmRbpMy4v8KYHnkNpednJ0ANUcaXDxcKQJN0nXXZJLTclJD8AqHXK1S8CawEAAQ==_oWNC...

X-Domain

firiri.shop

X-Subdomain

ww12

Date

Sun, 04 Aug 2024 06:06:49 GMT

HTML Info

Title

firiri.shop

Meta Tags

viewport width=device-width, initial-scale=1, shrink-to-fit=no

IP Flagged as malicious

1 / 95

Community Score

-1

1/95 security vendor flagged this IP address as malicious

172.234.222.143 (172.234.0.0/16)

AS 63949 (Akamai Connected Cloud)

US

Last Analysis Date 27 days ago

DETECTION

DETAILS

RELATIONS

COMMUNITY 59

Security vendors' analysis

Do you want to automate checks?

Criminal IP	Malicious	Abusix	Clean
Acronis	Clean	ADMINUSLabs	Clean
AILabs (MONITORAPP)	Clean	AlienVault	Clean
alphaMountain.ai	Clean	Antiy-AVL	Clean
benkow.cc	Clean	BitDefender	Clean
Blueliv	Clean	Certego	Clean
Chong Lua Dao	Clean	CIRIS Army	Clean

From Cisco Talos, sender IP address is Neutral and is not listed by the Block lists

LOCATION DATA

CHICAGO, UNITED STATES

OWNER DETAILS

IP ADDRESS172.234.222.143

FWD/REV DNS MATCHYes

HOSTNAME-

DOMAIN-

NETWORK OWNERAKAMAI TECHNOLOGIES INC.

CONTENT DETAILS

CONTENT CATEGORYNo established content categories

Think these category details are incorrect?

Submit Content Categorization Ticket

ADDITIONAL INFORMATION

IP ADDRESSES

WHOIS

EMAIL VOLUME HISTORY

Top IP Addresses used to send emails in 172.234.222.143 /24

IP ADDRESS	HOSTNAME	FWD/REV DNS MATCH	LAST DAY VOL.	LAST MONTH VOL.	BLOCK LISTS	EMAIL REP.
172.234.222.160	172.234.222.160.ip.linodeusercontent.com	No	0.0	0.7	1	Poor
172.234.222.34	172.234.222.34.ip.linodeusercontent.com	Yes	0.0	0.7	0	Neutral
172.234.222.55	172.234.222.55.ip.linodeusercontent.com	Yes	0.0	0.7	0	Neutral
172.234.222.95	172.234.222.95.ip.linodeusercontent.com	Yes	0.0	0.7	0	Neutral

REPUTATION DETAILS

SENDER IP REPUTATIONNeutral

Submit Sender IP Reputation Ticket

WEB REPUTATIONUnknown

Submit Web Reputation Ticket

EMAIL VOLUME DATA

	LAST DAY	LAST MONTH
EMAIL VOLUME	0.0	0.0
VOLUME CHANGE	0%	

BLOCK LISTS

BL.SPAMCORN.NET	Not Listed
CBL.ABUSEAT.ORG	Not Listed
PBL.SPAMHAUS.ORG	Not Listed
SBL.SPAMHAUS.ORG	Not Listed

TALOS SECURITY INTELLIGENCE BLOCK LIST

ADDED TO THE BLOCK LISTNo

The second URL is flagged by 8 security vendors as per screenshot below

8 / 96

Community Score

8/98 security vendors flagged this URL as malicious

ReanalyzeSearchMore

http://bsq2.firiri.shop/Wm44Q1BBU2x3ZkNmMmRlQjE1ZU6dOZKUeVtVtR0ME41a29CY1lJldTeWJ0UnpQenU1WHcyUUZZYU1SeitwYjNhSkUQnBY...
bsq2.firiri.shop

Last Analysis...
a moment ago

DETECTIONDETAILSCOMMUNITY

Security vendors' analysis

Do you want to automate checks?

alphaMountain.ai	Phishing	BitDefender	Malware
Fortinet	Malware	G-Data	Malware
Kaspersky	Phishing	Lionic	Phishing
Sophos	Phishing	Webroot	Malicious
Trustwave	Suspicious	Abusix	Clean
Acronis	Clean	ADMINUSLabs	Clean
AllLabs (MONITORAPP)	Clean	AlienVault	Clean
Antiy-AVL	Clean	Artists Against 419	Clean
benkow.cc	Clean	BlockList	Clean
Blueliv	Clean	Certego	Clean
Chong Lua Dao	Clean	CINS Army	Clean

Transmission Process and hops

PhishTool

Uploads > 100% kostenlos & ohne Bedingungen

100% kostenlos & ohne Bedingungen

Details

Authentication

URLs

Attachments

Transmission

X-headers

RenderedHTML

Hop 1

Tue, 15 Aug 2023 21:55:33 +0000

Received from qktxzqsjmwfnksijbkjrpnhgadbwa.whskk2 (80.96.157.91)

Received by VI1EUR04FT026.mail.protection.outlook.com (10.152.28.127)

MoreShow raw

Hop 2

Tue, 15 Aug 2023 21:55:34 +0000

Received from VI1EUR04FT026.eop-eur04.prod.protection.outlook.com (2603:10a6:206:14:cafe::5d)

Received by AM5PR0301CA0016.outlook.office365.com (2603:10a6:206:14::29)

MoreShow raw

Hop 3

Tue, 15 Aug 2023 21:55:35 +0000

Received from AM5PR0301CA0016.eurprd03.prod.outlook.com (2603:10a6:206:14::29)

Received by DS7PR19MB7697.namprd19.prod.outlook.com (2603:10b6:8:d8::22)

MoreShow raw

Hop 4

Tue, 15 Aug 2023 21:55:36 +0000

Received from DS7PR19MB7697.namprd19.prod.outlook.com (::1)

Received by MN0PR19MB6312.namprd19.prod.outlook.com

MoreShow raw

Recipient mailbox Tue, 15 Aug 2023 23:54:39 +0200

IP not flagged by AbuseIPDB

AbuseIPDB

Report IP

Bulk Checker

Bulk Reporter

Pricing

Docs

IP Utilities

Contact

More

Login

Sign Up

AbuseIPDB » 80.96.157.91

Check an IP Address, Domain Name, or Subnet
e.g. 185.74.53.28, microsoft.com, or 5.188.10.0/24

80.96.157.91

CHECK

80.96.157.91 was not found in our database

ISP

Virtono Networks SRL

Usage Type

Data Center/Web Hosting/Transit

ASN

Unknown

Domain Name

virtono.ro

Country

United States of America

City

Dallas, Texas

IP info including ISP, Usage Type, and Location provided by IPInfo. Updated biweekly.

REPORT 80.96.157.91


WHOIS 80.96.157.91

IP Abuse Reports for 80.96.157.91:

This IP address has not been reported. [File Report](#)


USECASE #3

Sample-1533.eml



Sign in activity is from Russia, Moscow and From field is non. Details and URLs have been flagged as per screenshot below.

Email standards to not forward emails with Non sender email address which is an issue on the screenshot below.



Also **Reply-To** email is a Gmail account which can be created for malicious purposes and later abandoned.

The email domain does not spf record, neither DKIM

PhishTool

Uploads > Microsoft account unusual sign in activity

Microsoft account unusual sign in activity

Details

Authentication

URLs

Attachments

Transmission

X-headers

SPF

Originating IP

188.93.118.63 (Hop 1)

rDNS

client.thehost.ua

Return-Path domain

tradscumeetynra.com

SPF record

None

DKIM

None

Verification(s)

0 Signatures

Selector

None

Signing domain

None

Algorithm

None

Verification

NONE

DMARC

From domain

None

DMARC record

None

Originating IP is hosted in Ukraine. Adversaries evade detection by infiltrating in other networks and use their resources for malicious activities

Cisco Talos

Intelligence Center

Vulnerability Research

Incident Response

Blog

Support

More

Lookup data results for IP Address

188.93.118.63

IP & Domain Reputation Overview

Email & Spam Trends

LOCATION DATA

UKRAINE

OWNER DETAILS

IP ADDRESS

188.93.118.63

FWD/REV DNS MATCH

No data

HOSTNAME

-

DOMAIN

-

NETWORK OWNER

THEHOST.LLC

CONTENT DETAILS

CONTENT CATEGORY

No established content categories

REPUTATION DETAILS

SENDER IP REPUTATION

Neutral

Submit SENDER IP Reputation Ticket

WEB REPUTATION

Unknown

Submit Web Reputation Ticket

EMAIL VOLUME DATA

LAST DAY

LAST MONTH

EMAIL VOLUME

0.0

0.0

VOLUME CHANGE

0%

BLOCK LISTS

BL_SPAMCOP.NET

Not Listed

CBL_ABUSEAT.ORG

Not Listed

PBL_SPAMHAUS.ORG

Not Listed

The IP(s) will be useful because it will be clean and not listed on any spam Haus systems as show below

MX TOOLBOX

SUPERTOOL

PricingToolsDelivery CenterMoni

SuperToolMX LookupBlacklistsDMARCDiagnosticsEmail HealthDNS LookupAnalyze Headers

SuperToolBeta9

188.93.118.63Blacklist Check

blacklist:188.93.118.63Monitor ThisSolve Email Delivery Problems

blacklist

Blacklist vs Blocklist

Checking 188.93.118.63 against 61 known blacklists...
Listed 0 times with 0 timeouts

	Blacklist	Reason	TTL	ResponseTime
OK	0SPAM			94
OK	0SPAM RBL			94
OK	Abusix Mail Intelligence Blacklist			0
OK	Abusix Mail Intelligence Domain Blacklist			0
OK	Abusix Mail Intelligence Exploit list			0
OK	Anonmails DNSBL			219
OK	BACKSCATTERER			0
OK	BARRACUDA			31
OK	BLOCKLIST.DE			0
OK	CALIVENT			219
OK	CYMRU BOGONS			47
OK	DAN TOR			172
OK	DAN TOREXIT			484
OK	DRMX			453
OK	DRONE BL			31

IP not flagged by Virus Total

188.93.118.63

Did you intend to search across the file corpus instead? Click here

0
Community Score

No security vendor flagged this IP address as malicious

188.93.118.63 (188.93.118.0/24)
AS 56485 (TheHost LLC)
self-signed

UA
Last Analysis Date
14 days ago

REANALYZESIMILARMore

DETECTIONDETAILSRELATIONSCOMMUNITY

Security vendors' analysis

Do you want to automate checks?

0xSI_f33d	Unrated	Abusix	Unrated
Acronis	Unrated	ADMINUSLabs	Unrated
AILabs (MONITORAPPI)	Unrated	AlienVault	Unrated
alphaMountain.ai	Unrated	AlphaSOC	Unrated
Antiy-AVL	Unrated	ArcSight Threat Intelligence	Unrated
AutoShun	Unrated	Asur	Unrated
benkow.cc	Unrated	Bfore AI PreCrime	Unrated
BitDefender	Unrated	Blav	Unrated
Blueliv	Unrated	Certego	Unrated
ChainDetrol	Unrated	Chooz Lys Dan	Unrated

URLs

PhishTool

Uploads > Microsoft account unusual signin activity

Microsoft account unusual signin activity

DetailsAuthenticationURLsAttachmentsTransmissionX-headers

Filters (0)

URL

sign.in

Domain

sign.in

VirusTotal

Configure

Auto Analysis

Auto-analysis

Message URL

Filters (0)

URL Domain Impersonation

The URL domain **sign** may be attempting to impersonate **docusign**.

Context

Domain impersonation is an increasingly common technique used by attackers to convince targets that they are accessing an authentic resource or service provided by a trusted organisation. Attackers achieve this by purchasing a domain that contains words or phrases similar to, or reminiscent of a well-known legitimate domain, which they then use to host malicious content.

Headers

PhishTool

Uploads > Microsoft account unusual signin activity

Microsoft account unusual signin activity

Details Authentication URLs Attachments Transmission X-headers

Search X-headers

39 results Clear

x-incomingtopheadermarker	OriginalChecksum:3989E89E4D9ACF8886D0A4E02DB15AB9D926706397D07DBEB4170BCA08FFC071;UpperCasedChecksum:D985F116E225E44A28BE2EE4A0E594B3DBC4AAB627CCF13A98A3ED56C55CC312;SizeAsReceived:385;Count:12
x-incomingheadercount	12
x-ms-exchange-organization-expirationstarttime	08 Oct 2023 22:03:10.2693 (UTC)
x-ms-exchange-organization-expirationstarttimereason	OriginalSubmit
x-ms-exchange-organization-expirationinterval	1:00:00:00.0000000
x-ms-exchange-organization-expirationintervalreason	OriginalSubmit
x-ms-exchange-organization-network-message-id	37fd1704-5788-4db0-bb13-08dbc84a5c2d
x-eopattributedmessage	0
x-eoptenantattributedmessage	84df9e7f-e9f6-40af-b435-aaaaaaaaaaaa:0
x-ms-exchange-organization-messagedirectionality	Incoming
x-ms-publictraffictype	Email
x-ms-traffictypediagnostic	AM6EUR05FT013:EE_[SA1PR22MB5349:EE_[SJ2PR22MB3824:EE_
x-ms-exchange-organization-authsource	AM6EUR05FT013.eop-eur05.prod.protection.outlook.com
x-ms-exchange-organization-authas	Anonymous
x-ms-userlastlogontime	10/8/2023 9:40:08 PM

6. Conclusion

The *Phishing Email Investigation & IOC Analysis* project serves as a critical exercise in developing real-world investigative and analytical skills within cybersecurity. By dissecting phishing emails and mapping their associated IOCs, the project highlights how adversaries exploit social engineering, weak authentication, and domain spoofing to compromise systems.

Through methodical analysis, the project provides actionable intelligence and pragmatic mitigation strategies—key capabilities for any cybersecurity professional. The findings not only enhance the organization’s defence posture but also deepen understanding of modern phishing tactics and how they can be effectively countered.