Experiment - 1

CLIENT-SERVER COMMUNICATION USING SOCKET PROGRAMMING (TCP)

AUTHOR: EMIL TITUS

(Roll #24)

Compiling the Program

To compile the program:

javac Server.java

javac Client.java

Running the Program

In a terminal, run the Server program. While the Server is running, run the Client program in another terminal with the correct socket address.

In the first terminal:

java Server <port>

In the second terminal, run:

java Client <host address> <port>

The client request and server response have to be typed by the user into the terminal when prompted (i.e., when seeing '>>').

The 'Exit' request from the client is used to terminate the connection. The server has to confirm this to complete the termination process. Only the client can initiate this process.

Screenshots

```
Windows PowerShell
PS D:\emilt> java Server 5000
 .d8888b.
d88P Y88b
Y88b.
 "Y888b.
                    888 888b88
                                  888
                                       . d88b .
                                                888d888
            .d88b.
    "Y88b. d8P Y8b 888P"
                             888
                                  888 d8P Y8b 888P"
                             Y88
      "888 8888888 888
                                  88P 8888888 888
Y88b d88P Y8b.
                    888
                              Y8bd8P
                                      Y8b.
                                                888
"Y8888P"
            "Y8888
                    888
                               Y88P
                                        "Y8888 888
            Created server socket successfully. Listening on port 5000
[18:06:38]
            Established connection with client @ 127.0.0.1:55831
[18:07:01]
[18:07:07] Client Request: Hi
>> Hello
[18:07:49] Server Response: Hello
[18:08:05] Client Request: Exit
Client is waiting for exit confirmation from server...
>> Exit
[18:08:14] Server Response: Exit
Server acknowledges termination request. Server exiting.
[18:08:14] Connection terminated.
                                                                     ø
                                                                          X
PS D:\emilt> java Client localhost 5000
 .d8888b. 888 d8b
                                    888
d88P Y88b 888 Y8P
                                    888
       888 888
                                    888
888
                           88888b.
                                    888888
888
           888 888
                    .d88b.
888
           888 888 d8P Y8b 888 "88b 888
       888 888 888 8888888 888
888
                                888 888
Y88b d88P 888 888 Y8b.
                           888
                                888 Y88b.
 "Y8888P"
          888 888
                   "Y8888
                           888
                                888 "Y888
[18:07:02] Connected to server @ localhost:5000. Using local port 55831.
 >> Hi
[18:07:07]
           Client Request: Hi
[18:07:49] Server Response: Hello
 >> Exit
[18:08:05] Client Request: Exit
Waiting for exit confirmation from server...
[18:08:14] Server Response: Exit
Server confirmation received. Client exiting.
[18:08:14] Connection terminated.
```