

Layout

Table activa

* id INT

* Pk PRIMARY VARCHAR

Indexes

Pk pk_activa PRIMARY

Foreign Keys

activa_ibfk_1 (id) ref playlist (id)

Options

ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci

Table addicio

* id INT

* dataHora DATETIME

* Pk id_usari INT

* id_compartida INT

Indexes

Pk ('id') id_usari

Foreign Keys

addicio_ibfk_1 (id_usari) ref usuari (id)

Options

ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci

Table album

*	id	INT
本	1d	

* titol VARCHAR(50)

* anyPublicacio INT

* imatge VARCHAR(40)

* Pk PRIMARY VARCHAR

Indexes

Pk pk_album PRIMARY

Options

ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci

Table artista

*	id	INT

* nom VARCHAR(40)

Table art	ista	
*	imatge	VARCHAR(40)
* Pk	PRIMARY	VARCHAR
Indexes		
Pk	pk_artista	PRIMARY
Options		
	-InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci	
Table co	ompartida	
*	id	INT
* Pk	PRIMARY	VARCHAR
Indexes		
Pk	pk_compartida	PRIMARY
Foreign Ke	eys	
	compartida_ibfk_1 (id) ref activa (id)	
Options		
ENGINE=	-InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci	
Table eli	minacio	
*	id	INT
*	dataHora	DATE
* Pk	id_usari	INT
*	id_creaciopl	INT
Indexes		
Pk	(`id`)	id_usari
Foreign Ke	eys	
	eliminacio_ibfk_1 (id_usari) ref usuari (id)	
Options		
ENGINE=	-InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci	
Table es	tilomusica	
*	id	INT
*	tipo	VARCHAR(40)
* Pk	id_artista	INT
Indexes		
Pk	(`id`)	id_artista
Pk Foreign Ke		id_artista

Table estilomusica

estilomusica_ibfk_1 (id_artista) ref artista (id)

Options

ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci

Table favorite

*	id	INT
* Pk	id_usari	INT

Indexes

Pk ('id') id_usari

Foreign Keys

favorite_ibfk_1 (id_usari) ref usuari (id)

Options

ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci

Table favoritealbum

*	id_favorite	INT
* Pk	id_album	INT
Indexes		

id_album

Foreign Keys

favoritealbum_ibfk_1 (id_album) ref album (id)

(`id_favorite`, `id_album`)

Options

Pk

ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci

Table favoritecancio

*	id_favorite	INT
* Pk	id_cancio	INT
Indexes		
Pk	(`id_favorite`, `id_cancio`)	id_cancio

Foreign Keys

favoritecancio_ibfk_1 (id_cancio) ref cancio (id)

Options

ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci

Table free

* id INT

Table fr	ee	
* Pk	PRIMARY	VARCHAR
Indexes		
Pk	pk_free	PRIMARY
Foreign K	Teys	
	free_ibfk_1 (id) ref usuari (id)	
Options		
ENGINE:	=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci	
Table pa	agament	
*	id	INT
*	datap	DATE
*	total	DOUBLE
* Pk	id_subscripcio	INT
Indexes		
Pk	(`id`)	id_subscripcio
Foreign K	Teys	
	pagament_ibfk_1 (id_subscripcio) ref subscripcio (id)	
Options		
ENGINE:	=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci	
Table pa	aypal	
*	id_paypal	INT
*	NomLiqueri	VADCHAD(40)

	Ta	<u>ble</u>	payp	al	
Ī	*			:4	_

*	id_paypal	INT		
*	NomUsuari	VARCHAR(40)		
* Pk	PRIMARY	VARCHAR		
Indexes	Indexes			
Pk	pk_paypal	PRIMARY		
Foreign Key	Foreign Keys			
	paypal ibfk 1 (id paypal) ref pagament (id)			

Options

ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci

Table	nlay	listcom	nartidau	sario
1 auto	pray	Hoteom	partidad	sarro

* Pk	id_compartida	INT
*	id_usari	INT
Indexes		

Pk (`id_usari`, `id_compartida`) id_compartida

Table pla	aylistcompartidausario	
Foreign Ke	eys	
	playlistcompartidausario_ibfk_1 (id_usari) ref usuari (id)	
Options		
ENGINE=	InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci	
Table pre	emium	
*	id	INT
* Pk	PRIMARY	VARCHAR
Indexes		
Pk	pk_premium	PRIMARY
Foreign Ke	eys	
	premium_ibfk_1 (id) ref usuari (id)	
Options		
ENGINE=	InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci	
Table su	bscripcio	
*	id	INT
*	dataInici	DATE
*	dataRenovacio	DATE
* Pk	id_premium	INT
Indexes		
Pk	(`id`)	id_premium
Foreign Ke	eys	
	subscripcio_ibfk_1 (id_premium) ref premium (id)	
Options		
ENGINE=	InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci	
Table tar	rgeta	
*	id_targeta	INT
*	Numero	INT
*	caducitat	DATE
*	codiSegeritat	INT
* Pk	PRIMARY	VARCHAR
Indexes		
Pk	pk_targeta	PRIMARY

Table targeta

targeta_ibfk_1 (id_targeta) ref pagament (id)

Options

ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci

Table usuari

*	id	INT
*	email	VARCHAR(80)
*	passwordU	VARCHAR(20)
*	nomUsuari	VARCHAR(20)
*	dataNaxement	DATE
*	sexe	VARCHAR(10)
*	pais	VARCHAR(40)
*	codiPostal	INT
* Pk	PRIMARY	VARCHAR
Indexes		
Pk	pk_usuari	PRIMARY
Options		

ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci