



START HERE

Onboarding Hub · TASK-17: Redbelly DAO Start Here

This is the onboarding hub for Redbelly DAO. Read the scam warning first, then work down the page. Every claim here is either verified against official Redbelly documentation or labelled with the source it came from.

X SCAM WARNING · READ FIRST

Nobody official will ever DM you first.

Redbelly staff, moderators, and official support never send the first direct message. Any DM offering support, announcing a giveaway, or asking for a seed phrase is a scam. Section 01 has the full list of patterns.

Live application	redbellydaotask17-one.vercel.app
Repository	github.com/poundeater/task17hub
Mainnet	Redbelly Network Chain ID 151
Testnet	Redbelly Testnet Chain ID 153
Brand kit	Kinetic Consensus brand kit

LAST VERIFIED 19 AUGUST 2026

Contents

01 Scam warning	2
02 KYC and eligibility	3
03 Network setup	4
04 Wallet reads zero	5
05 Where to buy and trade	6
06 Staking basics	7
07 Testnet faucet	8
Cross-links	9
Sources and verification	10
Where the record is thin	11

Sections 01 through 07 follow the order of the live board page. Every factual claim carries a status: official documentation, cross-checked against two or more independent sources, mod-verified from Discord with no published document, or community-verified. The full list sits in the verification table at the end.

READ FIRST

Section 01 is the scam warning. Nothing else on this page matters if a seed phrase is already gone.

KEEP CURRENT

Exchange listings, staking rates, and chain settings expire. Check the date on the cover before you rely on them.

SECTION 01

Scam warning

Read this before anything else.

X SCAM WARNING • READ FIRST

Nobody official will ever DM you first.

Redbelly staff, moderators, and official support never send the first direct message. There are no exceptions to this rule. Any direct message claiming to be from Redbelly staff, offering support, or announcing a giveaway is a scam.

COMMON PATTERNS TO WATCH FOR

- An unsolicited DM offering help with a wallet problem or a KYC issue.
- A giveaway, airdrop, or reward that requires a wallet connection or a seed phrase to claim.
- Anyone asking for your seed phrase or private key, or asking you to verify your wallet through a link.
- A support agent who contacts you before you asked anyone for help.
- Any link that arrives by DM, including from an account using the Redbelly name, logo, and banner.

Official Redbelly communication happens in public only: this site, the official documentation, and public Discord channels. If you are not sure whether a message is legitimate, do not click the link and do not connect your wallet. Ask in a public channel first.

If you have already shared a seed phrase or connected to a suspicious site

Move your funds to a new wallet now. A seed phrase cannot be revoked or rotated, so the old wallet stays compromised for as long as it holds anything. Create a fresh wallet, transfer out, and report the account in a public channel so others see it.

SECTION 02

KYC and eligibility

Required for native RBNT and mainnet. Not required for wrapped RBNT.

KYC is required for native RBNT and any mainnet activity: transactions, staking, and governance. It is not required to hold or trade wrapped RBNT on another chain.

Redbelly gates its own Layer 1 behind identity verification through the Redbelly Access portal at access.redbelly.network. Wrapped RBNT on Ethereum or any other chain is a standard ERC-20 with no Redbelly-side identity check.

WALLETS PER VERIFIED IDENTITY

Up to 10 wallets

One identity covers every wallet you control.

TYPICAL APPROVAL TIME

3 to 5 minutes

Submissions sent for manual review take longer.

MOD-VERIFIED · DISCORD · NO PUBLISHED DOC

The 10 wallet limit and the 3 to 5 minute approval time. Source: Redbelly Individual Onboarding SDK overview, docs.redbelly.network, raised in Discord. No published document states either figure.

Regional restrictions

Eighteen jurisdictions are currently restricted from accessing the Redbelly Network platform.

Afghanistan

Central African Republic

Democratic Republic of the Congo

Guinea-Bissau

Iran

Iraq

Lebanon

Libya

Myanmar

North Korea

Russia

Somalia

South Sudan

Sudan

Syria

Ukraine

Yemen

Zimbabwe

Anyone outside this list can proceed with KYC and mainnet access. Anyone inside it cannot, regardless of which wallet or exchange they use.

SOURCE

Redbelly Network Terms and Conditions, Clause 15, redbelly.network/terms-and-conditions.

SECTION 03

Network setup

Mainnet is Chain ID 151. Testnet is Chain ID 153.

No field is shared between the two networks. Chain ID, RPC endpoint, and block explorer are each unique to their own network. Adding a network by hand works in any wallet that accepts a custom EVM network.

Field	MAINNET Real RBNT, real value	TESTNET Free RBNT, no value
Chain ID	151	153
Currency symbol	RBNT	RBNT
Decimals	18	18
RPC URL	<code>governors.mainnet.redbelly.network</code>	<code>governors.testnet.redbelly.network</code>
Block explorer	<code>redbelly.routescan.io</code>	<code>redbelly.testnet.routescan.io</code>

Check the chain ID before you sign anything.

A transaction sent on the wrong network is the most common reason a transfer appears to vanish. The funds are not lost. They are on the other chain, and the explorer for that chain will show them.

SOURCE

chainlist.org/chain/151 and chainlist.org/chain/153, plus the [ethereum-lists/chains](https://github.com/ethereum-lists/chains) repository, cross-checked against a live call to the testnet RPC endpoint. Two testnet explorer URLs are in circulation. This document uses `redbelly.testnet.routescan.io`, the more recently updated of the two.

LAST VERIFIED 19 AUGUST 2026

SECTION 04

Wallet reads zero

Almost always wrapped RBNT, not native RBNT.

A zero balance does not mean lost funds. In almost every case the tokens are on chain and visible on the explorer, and the wallet is simply not displaying them yet.

Native RBNT is the network's gas token and needs no contract address to display correctly. Wrapped RBNT does. If a wrapped RBNT balance reads zero, check in this order.

1 Contract address

Confirm the wrapped RBNT contract address is added correctly in your wallet. A missing or wrong contract address is the most common cause of a zero display.

Ethereum	0xb45ffb51984d626ee758b336c61cf20990c6bf13
Base	0x020940df9f5e77338a094d55b5b5914122a804a5

2 Try another wallet

Check the same address in a different wallet extension, for example Rabby. If the balance appears there, the problem is the first wallet's display, not your funds.

3 Check the block explorer

Look the address up directly on Routerscan at redbelly.routerscan.io. If the balance is there, the funds are safe and the discrepancy is on the wallet side only.

4 Check the source transaction

If the balance is not showing anywhere, including the explorer, confirm the original transfer or bridge actually executed. That is a different problem, and the explorer will show which step failed.

MOD-VERIFIED · DISCORD · NO PUBLISHED DOC

This entire explainer. Source: contributor troubleshooting of wrapped RBNT display issues. Not published in official Redbelly documentation.

SECTION 05

Where to buy and trade

Four centralized exchanges, decentralized venues on four networks.

CENTRALIZED EXCHANGES

MEXC

Gate.io

WhiteBit

BYDFi

DECENTRALIZED EXCHANGES

Ethereum	1inch, OKX DEX, Bitget Web3
Base	KyberSwap, 1inch, OKX DEX, Bitget Web3
Solana	Raydium
Redbelly native	Reddex

BRIDGES

Lucid Labs Bridge

Reddex Bridge

Native RBNT and wrapped RBNT are separate assets.

They live on different chains and they are not interchangeable without a bridge. Check which one a venue lists before you trade.

SOURCE

Exchange and DEX listings, plus contract addresses, cross-checked against each venue's own pages.

LAST VERIFIED 19 AUGUST 2026

SECTION 06

Staking basics

A mainnet action, so it needs KYC like any other native transaction.

RBNT can be staked to consensus nodes or storage nodes to help secure the network and earn rewards.

Pools differ by lock period and reward rate. Some carry no lock period. Others lock funds for a fixed term at a higher rate. Rates and total value locked change, so read the current numbers on the staking page rather than trusting a snapshot printed in a document.

Staking venue	reddex.io/stake
Node types	Consensus nodes and storage nodes
KYC	Required. Staking is a native mainnet transaction.
Network	Redbelly Network Chain ID 151

SOURCE

Staking mechanism confirmed against the Redbelly Network whitepaper, which covers consensus node and storage node staking. Live pool terms from reddex.io/stake.

LAST VERIFIED 19 AUGUST 2026

SECTION 07

Testnet faucet

Free testnet RBNT on Chain ID 153.

The faucet pays 500 RBNT per claim. That is enough for a large number of deployments and test transactions, because gas on testnet is effectively zero.

Faucet	vine.redbelly.network/rbnt-faucet
Claim amount	500 RBNT per claim
Powered by	FAUCETME
Network	Redbelly Testnet Chain ID 153
Deployment cost	Effectively zero gas on testnet

Testnet RBNT has no value and cannot be bridged to mainnet. It exists so you can deploy and test without spending anything.

SOURCE

vine.redbelly.network/rbnt-faucet, confirmed live.

LAST VERIFIED 19 AUGUST 2026

Cross-links

Every source referenced in this document, in one place.

Redbelly docs	docs.redbelly.network
Access portal	access.redbelly.network
Terms, Clause 15	redbelly.network/terms-and-conditions
Mainnet explorer	redbelly.routescan.io
Testnet explorer	redbelly.testnet.routescan.io
Chainlist, mainnet	chainlist.org/chain/151
Chainlist, testnet	chainlist.org/chain/153
Faucet	vine.redbelly.network/rbnt-faucet
Staking	reddex.io/stake
Brand kit	Kinetic Consensus brand kit
Repository	github.com/poundeater/task17hub
Live application	redbellydaotask17-one.vercel.app

COLOPHON

Produced for the Redbelly DAO Community Task Board, Cycle 2, **TASK-17**. Set in Be Vietnam Pro, with JetBrains Mono reserved for machine-generated values: chain IDs, contract addresses, RPC endpoints, task IDs, and status labels. Colour, radius, and spacing values are the Kinetic Consensus tokens. Where this document and the brand kit disagree, the brand kit is right.

Repository github.com/poundeater/task17hub. Live application redbellydaotask17-one.vercel.app.

Sources and verification

Every claim in this document, with its status and its source. Anything not listed here is not asserted as fact.

- **OFFICIAL DOCS** stated in Redbelly documentation, the whitepaper, or the terms.
- **CROSS-CHECKED** confirmed against two or more independent sources.
- **MOD-VERIFIED** raised by a moderator in Discord. No published document.
- **COMMUNITY** community-verified or subject to change. Read it at the source.

Confirmed in published sources

Claim	Status	Source
Mainnet chain ID 151, RPC endpoint, and block explorer	● CROSS-CHECKED	chainlist.org/chain/151 and the ethereum-lists/chains repository.
Testnet chain ID 153 and RPC endpoint	● CROSS-CHECKED	chainlist.org/chain/153, confirmed against a live call to the testnet RPC endpoint.
KYC is required for mainnet and native RBNT	● OFFICIAL DOCS	docs.redbelly.network and the Redbelly Access portal at access.redbelly.network.
Eighteen restricted jurisdictions	● OFFICIAL DOCS	Redbelly Network Terms and Conditions, Clause 15, redbelly.network/terms-and-conditions.
Wrapped RBNT contract addresses on Ethereum and Base	● CROSS-CHECKED	Venue listings checked against the contract pages on each network's block explorer.
Staking to consensus nodes and storage nodes	● OFFICIAL DOCS	Redbelly Network whitepaper.
Faucet pays 500 RBNT per claim	● CROSS-CHECKED	vine.redbelly.network/rbnt-faucet, confirmed live.

LAST VERIFIED 19 AUGUST 2026

Where the record is thin

Five claims in this document have no published document behind them. They are included because they are useful and because leaving them out would be less honest than labelling them. Treat each one as accurate at the time of writing, not as documented fact.

Claim	Status	Source
Testnet block explorer URL	● COMMUNITY	Two testnet explorer URLs are in circulation. This document uses redbelly.testnet.routescan.io , the more recently updated of the two.
Up to 10 wallets per verified identity	● MOD-VERIFIED	Redbelly Individual Onboarding SDK overview, raised in Discord. No published document states the limit.
Approval takes 3 to 5 minutes	● MOD-VERIFIED	Discord. No published document states the timing. Submissions sent for manual review take longer.
Zero balance troubleshooting order	● COMMUNITY	Contributor troubleshooting of wrapped RBNT display issues. Not published in official Redbelly documentation.
Live staking pool terms, lock periods, and rates	● COMMUNITY	reddex.io/stake . These change over time, so read them at the source.

If you find a published source for any of these, it belongs in this table.

Open an issue on github.com/poundeater/task17hub with the link and the claim it settles. The table is the part of this document most likely to go stale, so it is the part most worth correcting.

LAST VERIFIED 19 AUGUST 2026