

dev.filechampion.filechampion4j. PluginsHelper.StepConfig

- String name
- String type
- String endpoint
- int timeout
- String on Fail
- String response
- String method
- int httpPassCode
- int httpFailCode
- String credsPath
- boolean runBefore - boolean runAfter
- + boolean isRunBefore()
- + void setRunBefore(boolean runBefore)
- + boolean isRunAfter()
- + void setRunAfter(boolean runAfter)
- + CliPluginHelper getCliPlugin Helper()
- + void setCliPluginHelper (CliPluginHelper cliPluginHelper)
- + String getName()
- + void setName(String
- name)
- + String getType()
- + void setType(String + String getEndpoint()
- + void setEndpoint(String endpoint)
- + int getTimeout()
- + void setTimeout(int timeout)
- + String getOnFail()
- + void setOnFail(String onFail)
- + String getResponse()
- + void setResponse(String response)
- + String getMethod()
- + void setMethod(String method)
- + JSONObject getHeaders()
- + void setHeaders(JSONObject headers)
- + JSONÓbject getBody()
- + void setBody(JSONObject + int getHttpPassCode()
- + void setHttpPassCode
- (int httpPassCode) + int getHttpFailCode()
- + void setHttpFailCode
- (int httpFailCode) + String getCredsPath()
- + void setCredsPath(String credsPath)

-singleStepConfig -cliPluginHelper

CliPluginHelper

-logger

-logger

Logger

- final int timeout
- String endpoint
- final String responseConfig
- final StringBuilder logMessage
- + CliPluginHelper(StepConfig singleStepConfig
- + Map< String, Map< String, String > > execute(String fileExtension, byte[] fileContent, String fileChecksum)
- ~ [static initializer]
- void logFine(String message)
- void logWarn(String message)
- Map< String, String
- > extractResponsePatterns (String results)
- void prepEndpoint(String filePath, byte[] fileContent, String fileChecksum) String timedProcessExecution
- (String command) - Path saveFileToTempDir (String fileExtension,
- byte[] originalFile) Boolean deleteTempDir

(Path tempFilePath)

dev.filechampion.filechampion4j. CliPluginHelper

- final int timeout

-singleStepConfig

- String endpoint
- final String responseConfig
- final StringBuilder logMessage
- + CliPluginHelper(StepConfig singleStepConfig)
- + Map< String, Map< String, String > > execute(String fileExtension, byte[] fileContent, String fileChecksum)
- ~ [static initializer]
- void logFine(String) message)
- void logWarn(String message)
- Map< String, String
- > extractResponsePatterns (String results)
- void prepEndpoint(String filePath, byte[] fileContent.
- String fileChecksum) String timedProcessExecution
- (String command) Path saveFileToTempDir (String fileExtension,
- byte[] originalFile) Boolean deleteTempDir (Path tempFilePath)