## AM 147: Computational Methods and Applications: Winter 2021 Homework #3

Instructor: Abhishek Halder

Due: January 26, 2021

NOTE: Please submit your Homework as a single zip file named YourlastnameYourfirstnameHW3.zip via CANVAS. For example, HalderAbhishekHW3.zip. Please strictly follow the capital and small letters in the filename of the zip file you submit. You may not receive full credit if you do not follow the file-naming conventions. Your zip file should contain all .m files (MATLAB scripts) for the questions below.

Your zip file must be uploaded to CANVAS by 11:59 PM Pacific Time on the due date. The uploads in CANVAS are time-stamped so please don't wal Dill last parcett. Last composers will not be accepted.

## Problem 1

## https://powcoder.com

Bisection method

(15 + 15 = 30 points)

- (a) Write a MATLAB .m function named bisection.m that computes a real root for <u>any</u> non-linear equation of the for G(G) = Wwellin had icaptoeval C C C C C C is continuous in the interval [a,b]. Your MATLAB function should take the inputs:  $a,b,f,\varepsilon$  and return an approximation for the root  $x_{approx}$ . It is a good practice (but not mandatory) to pass an additional input for maximum number of iterations.
- (b) For any positive integer n, the degree n Laguerre polynomial  $L_n(x)$  has the general form

$$L_n(x) = \frac{\exp(x)}{n!} \frac{\mathrm{d}^n}{\mathrm{d}x^n} \left( \exp(-x) x^n \right).$$

For example, when n = 5, we get the degree 5 (quintic) polynomial

$$L_5(x) = \frac{1}{120} \left( -x^5 + 25x^4 - 200x^3 + 600x^2 - 600x + 120 \right).$$

It is well-known that all n roots of  $L_n(x)$  are positive real, and that all of them are located within the interval  $(0, n + (n-1)\sqrt{n}]$ .

Write a MATLAB code YourlastnameYourfirstnameHW3p1.m that plots a graph of the function  $L_5(x)$ . By visually inspecting this plot, call the function bisection.m from part (a) in your code YourlastnameYourfirstnameHW3p1.m to numerically compute all 5 roots of  $L_5(x)$  within

tolerance  $\varepsilon = 10^{-4}$ . In other words, executing your code YourlastnameYourfirstnameHW3p1.m should generate a plot of  $L_5(x)$ , AND print its all 5 roots approximated via bisection method in MATLAB command window.

## Problem 2

Newton's method (20 points)

Write a MATLAB script YourlastnameYourfirstnameHW3p2.m that performs 6 Newton iterations to compute  $5^{1/7}$  starting with  $x_0 = 2$ , that is, the script should compute  $x_1, x_2, x_3, x_4, x_5, x_6$ . In your MATLAB script, declare power(5,1/7) as  $x_{\text{true}}$ , and in the same code, also compute the relative error  $|x_6 - x_{\text{true}}|/|x_{\text{true}}|$ .

Assignment Project Exam Help

https://powcoder.com

Add WeChat powcoder