


COMP 5416 Assignment 2

Due: 16 November 2020, 23:59. Sydney time

Question 1 (TCP, 20%). In the following network, node A transmits packets that pass through B and C, and arrive at the destination D. The bit rate of all links is $R = 1$ Mbit/sec. The maximum packet size in the network is 500 Bytes. Ignore the header size. The one-way propagation delay on each link is 4 msec.

How long does it take to transmit $100 + s$ packets if TCP Reno is used, where s is the last two digits of your student number. At the beginning, `sssthresh` is 8 segment size (4000 bytes). B and C use Store-and-Forward. No packet is lost. There is no bit-error in transmission. The size of ACK packets is negligible. The size of TCP header is negligible.



Assignment Project Exam Help

Assignment Project Exam Help

<https://powcoder.com>

Add WeChat powcoder

Question 2 (Queueing Theorem: Simulation, Analysis, and Application, 20%). In this task, you need to simulate and analyze an $M/M/m/n$ queue with arbitrary m and n . You can reuse the codes in Week 6 Lab to simulate an $M/M/m/n$ queue. Your Python code must be submitted as supplementary material. You also need to theoretically compute the stationary distribution to verify your simulation. Finally, you will understand how queueing theorem will help design and install real-world telephone and cellular networks.

Throughout this question, let the arrival rate be λ . Let the service rate of each server be μ .

(1) Let $\lambda = 2$ and $\mu = 3$. What is the stationary distribution of an $M/M/1/10$ queue. Please figure out this result by both simulation and analysis.

(2) Let $\lambda = 5$ and $\mu = 1$. What is the stationary distribution of an $M/M/5/10$ queue. Please figure out this result by both simulation and analysis.

(3) Use theoretical analysis only. What is the stationary distribution of an $M/M/m/m$ queue (now $n = m$). What is the probability that a new arrival is blocked (dropped) by the system? This probability is defined as p_b .

(4) Follow (3). Let $\mu = 1$ and $m = 10$. If the blocking probability p_b must be limited to 0.001, what is the maximum value of λ ?

(5) Follow (3). Let $\lambda = 10$ and $\mu = 1$. If the blocking probability p_b must be limited to 0.001, what is the minimum value of m , i.e., the number of servers?

(6) Telecom/cellular companies usually use Erlang-B and Erlang-C to design their telephone/cellular networks. In (4), given the required blocking probability p_b and the number of telephone lines m , they want to know the maximum possible traffic intensity λ they can accommodate. In (5), given the required blocking probability p_b and the traffic intensity λ , they want to know how many telephone lines they shall install. The method to compute p_b is also well known as *Erlang Formula*. Google *Erlang Formula* and answer the following questions.

(a) What are Erlang-B and Erlang-C Formulas? When are they used? What is the difference between them?

(b) In (4) and (5), do you use Erlang-B or Erlang-C Formula? Why?

(7) Use the Erlang table provided, and find the solution to the following question. A base station in a cellular network has $50 + s$ channels, where s is the last digit of your student number. Each user uses one channel. On average, each user uses a channel for 0.5 minutes. The blocking probability must be limited to 0.5%, what is the maximum user arrival rate λ (units/minute) that can be supported by the base station? Which row/column in the table do you use to find the result?

Question 3 (Multi-thread Server: Implementation, 20%). You are given the complete code for the client in Lab in Week 8. Your task is to write the TCP server. The client code is in `client.py`. You must not modify this code. (However, you are allowed to change `ServerName` and `ServerPort`). Only Python 3 is allowed.

Different from the server in the lab, the new server must be able to serve multiple clients simultaneously. Please note that the server code in Week 8 can only accept one client! In order to serve multiple clients simultaneously. The server should run multiple threads. The server will establish a new connection socket to communicate with one new client, and each new connection socket will be managed by a new thread. You should self-study the following function: `_thread.start_new_thread()`.

The following figure shows an example of server when two clients are sending images at the same time. The two connections are closed in the end, demonstrating that there are two concurrent transmissions before the first "Connection closed".

```
Python 3.7.4 (tags/v3.7.4:0935912e, Jul 8 2019, 14:54:50)
[Clang 6.0 (clang-600.0.57)] on darwin
Type "help", "copyright", "credits" or "license()" for more information.
>>>
===== RESTART: /Users/weibao/Desktop/server.py =====
Server Started ...
Waiting for other connection ...
Waiting for other connection ... Connection established, receiving data ...
Waiting for other connection ... Connection established, receiving data ...
All data received, Connection closed
All data received, Connection closed
|
```

<https://powcoder.com>

Assignment Project Exam Help

Add WeChat powcoder

<https://powcoder.com>


Add WeChat powcoder

Ln: 6 Col: 0

You also need to capture the concurrent data transmission by Wireshark. In the example in the next page, we can see that the two clients are running at 192.168.0.3, with port numbers 60458 and 60462. The server is running at 192.168.0.4, with port number 12011. The throughputs of the two connections are both positive at around the 4th second.


Tasks and submissions:

- (1) Build up a multi-thread server which can serve multiple clients **at the same time**. Submit your server-side Python code. Submit your server code as `Lastname_Firstname_Server.py`. We will use the client in Week 8 to test against your server.
- (2) Test your server with three clients sending images at the same time. Capture the packets by Wireshark at the server side. You are allowed to run the server and clients in one computer using `localhost`. Submit your Wireshark capture. Your capture file must be smaller than 10MB. Your capture will be ignored and will not be marked if it is greater than 10MB. Submit your capture as `Lastname_Firstname_Capture.pcapng` (or `.pcap`).
- (3) In the main submission file, based on your capture in (2), plot the throughput vs. time of the three connections (similar to the figures in the next page). Show that they are operated in parallel. In the main file, you also need to give the three clients' IP addresses, clients' port numbers, server's IP address, and server's port number.



Assignment Project Exam Help

Add WeChat powcoder



You overall mark will be zero if you do not submit code in (1), no matter if you submit (2) or (3).

You submission in (2) and (3) will be ignored and will not be marked if your submission in (1) does not work.

You overall mark will be zero if your Wireshark capture in (2) does not match the throughput plots in (3).

Question 4 (BER vs SNR with different modulation schemes, 20%). We aim to plot BER vs SNR curves of two modulation schemes in this question.

(1) BPSK. In wireless communication, we can transmit 0 and 1 through signals -1 and 1 respectively. Both -1 and 1 signals have power of 1, so that the mean signal power is 1. This is called Binary Phase Shift Keying (BPSK). Due to the existence of noise, the received signal is $-1+n$ or $1+n$ respectively, where n is the noise term. n follows Gaussian distribution $n \sim N(0, \sigma^2)$. σ^2 is the power of the noise, and thus $\frac{1}{\sigma^2}$ is SNR. If the received signal is ≥ 0 , it is decoded as 1; if the received signal is < 0 , it is decoded as 0. We assume that 0 and 1 are sent with equal probabilities. Compute average BER vs SNR of BPSK when SNR = [0,5,10,15,20,25] dB. Hint: What is dB?

(2) 4PAM. Now we consider another modulation scheme, where each signal can represent two bits. We can transmit 00, 01, 11, 10 through signals -3 , -1 , 1 , and 3 respectively. The mean signal power of the signal is $\frac{3^2+1^2+1^2+3^2}{4} = 5$. This is called 4 pulse-amplitude modulation (4PAM). Still, due to the existence of noise, the received signal is $-3+n$, $-1+n$, $1+n$, or $3+n$ respectively, where n is the noise term. Still, n follows Gaussian distribution $n \sim N(0, \sigma^2)$. σ^2 is the power of the noise, and thus $\frac{5}{\sigma^2}$ is SNR. If the received signal is in $(-\infty, -2]$, $(-2, 0]$, $(0, 2]$ and $(2, \infty)$, it is decoded as 00, 01, 11, and 10 respectively. We assume that 00, 01, 11, and 10 are sent with equal probabilities. Compute average BER vs SNR of 4PAM when SNR = [0,5,10,15,20,25] dB. Note that if 00 is decoded as 01, it is regarded as one bit error; if 00 is decoded as 11, it is regarded as two bit errors.

To compute Q function, you can use Python `math.erfc()` function. `math.erfc()` returns result of erfc function, and $Q(x) = \frac{1}{2}\text{erfc}(\frac{x}{\sqrt{2}})$.

(3) Plot the BER vs SNR curves of BPSK and 4PAM. You should derive a figure like Page 45 in the slides of Week 8. Discuss why improved data rate can cause higher BER.

Assignment Project Exam Help

Add WeChat powcoder

<https://powcoder.com>

Add WeChat powcoder

Question 5 (VoIP, 20%). A VoIP trace is included in A2Q5trace.xlsx. The trace includes VoIP data packets. Each line in the trace shows the sending timestamp, sequence number, and receiving timestamp of a VoIP packet. At the beginning, the delay estimation d_i is 100ms, and the deviation of delay v_i is 10ms. Find the right place in the slides to review how d_i and v_i values are updated. Let $\alpha = 0.1$ and $\beta = 0.1$. The playout time is set as follows.

$$\text{playouttime}_i = t_i + d_i + xv_i, \quad (1)$$

where $x = 2 + s/10$, and s is the last digit of your student number. For example, if your student number is 490123456, $x = 2.6$ in your case. Please answer the following questions.

- (1) What are the playout times of all packets? List all of them in a table.
- (2) How many packets missed the playout time?

<https://powcoder.com>

Assignment Project Exam Help

Assignment Project Exam Help

<https://powcoder.com>

Add WeChat powcoder

Question 6 (Bonus Question, additional 10%). TBD.

<https://powcoder.com>

Assignment Project Exam Help

Assignment Project Exam Help

<https://powcoder.com>

Add WeChat powcoder

Submission Instructions: You should submit one main file and several supplementary files. You should include your answers to Q1–Q6 and explanations of your answers in the main file. You should submit your main file at “main file submission”. The main file is in the format of pdf. For Q2, you *must* submit your queue simulator at “Q2 code submission”. For Q3, you *must* submit your Python code at “Q3 code submission” and Wireshark capture at “Q3 capture submission”. Your code and capture will be examined against your answers in the main file. Penalty would be incurred if your code/capture does not match your answer in the main file. For Q4, you *may* upload Python code to calculate Q-function in “Q4 Q-function claculation”. For Q5, you may use Python or Excel to process the raw data. You *may* upload Python code or excel file in “Q5 data processing”. Please note that, files uploaded in Q4 and Q5 will be marked as intermediate steps. Wrong answers in Q4 and Q5 without file uploads will incur heavier penalties.

File upload	File format	Must upload?
main file submission	pdf	Yes
Q2 code submission	Python 3 code	Yes
Q3 code submission	Python 3 code	Yes
Q3 capture submission	Wireshark capture	Yes
Q4 Q-function claculation	Python 3 code	No
Q5 data processing	Python 3 code or Excel file	No

TABLE I
FILE UPLOAD

All your submissions will be checked by plagiarism examination tools.

This is one assignment with multiple pieces to submit. Your submission time is equal to the submission time of the *last* piece.

Assignment Project Exam Help

Add WeChat powcoder

<https://powcoder.com>

Add WeChat powcoder