

COMP5338 – Advanced Data Models

Week 1: Big Data, NoSQL and the Polyglot Persistence

Assignment Project Exam Help

Dr. Ying Zhou
School of Information Technologies

<https://powcoder.com>

Add WeChat powcoder



THE UNIVERSITY OF
SYDNEY

Outline

- The Value and limitations of SQL
- Typical Scale-Out Options
- NoSQL Storage Systems
- Polyglot Persistence and Data Lake

Assignment Project Exam Help

<https://powcoder.com>

Add WeChat powcoder

COMMONWEALTH OF AUSTRALIA

Copyright Regulations 1969

WARNING

This material has been reproduced and communicated to you by or on behalf of the **University of Sydney** pursuant to Part VB of the Copyright Act 1968 (the Act).

The material in this communication may be subject to copyright under the Act. Any further reproduction or communication of this material by you may be the subject of copyright protection under the Act.

Do not remove this notice


The Relational Model of Data

- Entity-Relationship (ER) Data Model describes data as
 - ▶ Entities – distinct objects in the domain
 - ▶ Relationships – between two or more entities
- Entities – described using a set of attributes
- Relationships – have attributes too
- Used for Conceptual Database Design
 - ▶ Translated to final database implementation

Assignment Project Exam Help

<https://powcoder.com>

Add WeChat powcoder



The Rational RDBMS

- Commercial vendors: Oracle, IBM, Microsoft, ...
- Open source systems: MySQL, PostgreSQL, ...
- Common features
 - ▶ Disk-oriented storage:
 - ▶ Table stored row-by-row on disk
 - ▶ B-trees as indexing mechanism
 - ▶ Dynamic locking as the concurrency-control mechanism
 - ▶ A write-ahead log, or WAL for crash recovery
 - ▶ SQL as the access language
 - ▶ A “row-oriented” query optimizer and executor

Assignment Project Exam Help

<https://powcoder.com>

Add WeChat powcoder



The Value of Relational Databases

- Store persistent data
 - ▶ Storing large amounts of data on disks, while allowing applications to grab the bits they need through queries
- Application Integration
 - ▶ Many applications in an enterprise need to share information, which might happen at the database level
- Concurrency Control
 - ▶ Database provide transactions to ensure consistent interaction when many users access the same information at the same time
- Mostly Standard
 - ▶ Relational model is widely used and understood.
 - ▶ SQL is the standard language.
- Reporting
 - ▶ SQL's simple data model and standardization has made it a foundation for many reporting tools

Assignment Project Exam Help

<https://powcoder.com>

Add WeChat powcoder


<http://martinfowler.com/articles/nosql-intro.pdf>



The Scaling Problem of SQL

Relational databases are designed to run on a single machine, so to scale, you need buy a bigger machine or increase capacity of existing server (**scale up**)

But it's cheaper and more effective to **scale out** by buying lots of machines.



<http://martinfowler.com/articles/nosql-intro.pdf>

The Fixed Schema Problem of SQL

- In a relational database
 - ▶ Table structure are predefined
 - ▶ Tables are related with relationships, which are predefined as well
- Schema evolution in RDBMS has large impact on queries and applications
- Example
 - ▶ MediaWiki had been through 171 schema versions between April 2003 and November 2007
 - MySQL backend
 - ~ 34 tables, ~242 columns, ~700GB in wikipedia (note: 2008 data)
 - ▶ Schema change has big impact on queries
 - Large number of queries could fail due to schema change.

<http://yellowstone.cs.ucla.edu/schema-evolution/documents/curino-schema-evolution.pdf>



World of Big Data

- Big Data are high-**volume**, high-**velocity**, and/or high-**variety** information assets that require new forms of processing to enable enhanced decision making, insight discovery and process optimization.
[Gartner 2012 report]
- Leaders in database research community identified “big data as a defining challenging of our time” in a 2013 meeting.
- Three major trends behind big data
 - “It has become much cheaper to generate a wide variety of data, due to inexpensive storage, sensors, smart devices, social software, multiplayer games and the Internet of Things, ...”
 - “It has become much cheaper to process large amount data, due to advances in multicore CPUs, solid state storage, inexpensive cloud computing, and open source software”
 - “data management has become democratized. The process of generating, processing, and consuming data is no longer just for database professionals. Decision makers, domain scientists, .. and everyday consumers now routinely do it”

D. Abadi, et al. “The Beckman report on database research”. *Commun. ACM* 59, 2 (January 2016), 92-99



Schema Change is Unavoidable

■ News paper site example

- ▶ Early days, for each news article, we may only record the following information
 - Title, author, publishing date and time, actual content
- ▶ Gradually we may want to record more about an article
 - Keywords, views, geotags, comments, who “favoured” it, who emailed it, who twittered it, etc.

■ Evolution of an application is inevitable

- ▶ Accept it, incorporate it in the long-term plan for the system
- ▶ Pick a system that allows schema evolution or have a strategy



Outline

- The Value and limitations of SQL

- Typical Scale Out Options

- NoSQL Storage Systems

<https://powcoder.com>

- Polyglot Persistence and Data Lake

Add WeChat powcoder



When Scalability Becomes an Issue

- “**Scalability** is the capability of a system, network, or process to handle a growing amount of work, or its potential to be enlarged in order to accommodate that growth.”

[wikipedia: <https://en.wikipedia.org/wiki/Scalability>]

- In database context, the need for scaling occurs when the **size of the database** and/or the **traffic against it** grows to the point of crossing an optimal level of performance
 - ▶ Scale up
 - ▶ Scale out

Assignment Project Exam Help

<https://powcoder.com>

Add WeChat powcoder



Scalability Scenario I

■ Persistent Storage Requirements

- ▶ Medium data size (can fit in one server)
- ▶ Typical query workload consists of **large number of read request** and **relatively low number of write request**

■ Example: wikipedia

- ▶ Only article meta data such as article revision history, articles relations, user account and setting are stored in core relational database system (MySQL)
- ▶ Article text and images are stored separately

■ Key challenge

- ▶ Scale to maintain reasonable **read latency**

<http://www.nedworks.org/~mark/presentations/san/Wikimedia%20architecture.pdf>




Scalability Scenario I -- Solution

■ Master-Slave Replication

- ▶ Adopted by many companies
- ▶ Also a typical approach to ensure durability

■ Example: Wikipedia has one Master database and many replicas



<http://www.nedworks.org/~mark/presentations/san/Wikimedia%20architecture.pdf>



Scalability Scenario I -- Implications

- When the master dies
 - ▶ One of the replica can be elected as the new master
- Some read may return old data if the latest value has not been pushed from the master
 - ▶ It is possible to let Master handle read request for data requiring strong consistency
- Relatively easy to setup in most RDBMS

Assignment Project Exam Help

<https://powcoder.com>

Add WeChat powcoder



Scalability Scenario II

■ Persistent Storage Requirements

- ▶ Medium or large data size (cannot fit in one server)
- ▶ Typical query workload consists of **large number of read request** and **large number of write request**

■ Example: flickr.com

- ▶ Heavy write traffic: upload photos, adding tags, adding favourite, ...
- ▶ Over 400,000 photos being added every day. (note: 2007 data)
- ▶ More than 4 billion queries per day. (note: 2007 data)
- ▶ Uses MySQL as backend storage

■ Key challenge

- ▶ Scale to maintain both **read and write latency**

<http://highscalability.com/flickr-architecture>


<http://mysqldb.a.blogspot.com.au/2008/04/mysql-uc-2007-presentation-file.html>



Scalability Scenario II -- Solution


■ Database Sharding

- ▶ The process of slicing a database across multiple machines
- ▶ Most likely horizontally (e.g., store all data related with a particular user in one shard)



Scalability Scenario II – Flickr Example

- User Bob adds User Alice's photo 123 as "favourite"
 - ▶ Pulls the photo (123) owner's account from cache ("Alice"), to get the shard location
 - SHARD-5
 - ▶ Pulls Bob's information from cache, to get Bob's shard location
 - SHARD-13
 - ▶ Start a "distributed transaction"



<http://mysqldb.blogspot.com.au/2008/04/mysql-uc-2007-presentation-file.html>

Scalability Scenario II -- Implications

- Data have to be de-normalized
 - ▶ E.g. in the previous example, the “fav” relation is stored in both Bob and Alice’s record.
 - ▶ Join is too expensive when data are sharded
 - ▶ Sometimes join can’t be avoided, e.g. building friends network
- Re-balancing or Re-Sharding is hard
 - ▶ What to do when data do not fit in one shard
- Deciding on a partition factor/plan is hard
 - ▶ May generate hotspots
 - See the twitter example on next slides
- Sharding is largely managed outside RDBMS
 - ▶ Recent version of RDBMS may provide limited support for sharding

Assignment Project Exam Help

<https://powcoder.com>

Add WeChat powcoder



Scalability Scenario II – Twitter Example

■ Twitter's problem

- ▶ To store 250 million tweets a day using MySQL

■ Twitter's original Tweet Store:

- ▶ Sharding based on time
- ▶ Range partition (timestamp range)
- ▶ The benefits: shards are filled one by one sequentially
- ▶ The downsides: very unbalanced traffic
 - Shards with old tweets do not get any traffic

■ Twitter's new Tweet Store:

- ▶ Sharding based on random partition (id based)
- ▶ A set of in-house systems to manage shards on top of MySQL

<http://highscalability.com/blog/2011/12/19/how-twitter-stores-250-million-tweets-a-day-using-mysql.html>



Outline

- The Value and limitations of SQL

- Handling Scalability

- NoSQL Storage Systems

<https://powcoder.com>

- Polyglot Persistence and Data Lake

Add WeChat powcoder



The Coming of NoSQL Storage Systems

- There is no standard definition of NoSQL, the term came up during a workshop on 2009 with presentations from **Voldemort, Cassandra, Dynomite, HBase, Hypertable, CouchDB and MongoDB**
 - ▶ Means “Not Only SQL”
- Typical features
 - ▶ They don't use the relational data model and thus don't use the SQL language
 - ▶ They don't have fixed schema, allowing you to store any data in any record
 - ▶ Many of them are designed to run on a cluster
 - Manage “sharding”, fault-tolerance, etc. efficiently
 - ▶ Many of them can be integrated with big data processing framework such as MapReduce

Assignment Project Exam Help

<https://powcoder.com>

Add WeChat powcoder

<http://martinfowler.com/articles/nosql-intro.pdf>



NoSQL Ecosystem -- Scalability

■ Distributed NoSQL systems

- ▶ Designed to run on a cluster
- ▶ Support automatically partitioning data across multiple machines
- ▶ Machines can add or leave a *running* cluster
- ▶ Handles failover, fault-tolerance

■ Example Distributed NoSQL systems

- ▶ HBase, Cassandra,...

■ Non-distributed NoSQL systems

- ▶ Designed to run on a single machine
- ▶ Some has limited support for replication and sharding
- ▶ Schema-less and “object” support

■ Example

- ▶ MongoDB, Neo4j, etc..

<http://www.rackspace.com/blog/nosql-ecosystem/>



NoSQL Ecosystem – Data Models

■ Document store

- ▶ Has “table” like concept
- ▶ Each “record” in a “table” is a semi-structured document
- ▶ Examples: MongoDB, CouchDB

■ Column based store

- ▶ Inspired by Google's Bigtable structure
- ▶ Has “table” like concept
- ▶ Storage is organized around column family instead of “row”
- ▶ Examples: Hbase, Cassandra

■ Key Value Store

- ▶ Inspired by Amazon's Dynamo storage
- ▶ The overall storage is structured like a big hash table
- ▶ May or may not have a “table” concept
- ▶ Redis, Memcached, Voldemort, S3, Cassandra, DynamnoDB

■ Graph model

- ▶ Storage is organized as nodes and edges
- ▶ Neo4j

Assignment Project Exam Help

<https://powcoder.com>

Add WeChat powcoder



Outline

- The Value and limitations of SQL

- Handling Scalability

- NoSQL Storage Systems

- Polyglot Persistence and Data Lake

<https://powcoder.com>
Add WeChat powcoder



Polyglot Persistence

■ SQL is still useful in many ways

- ▶ The relational model fits many real world data
- ▶ ACID transactions are desirable in certain cases
 - Most NoSQL systems have no or very limited transactional support
- ▶ Supporting tools
- ▶ Standard query API

■ Polyglot persistence is quite common in large enterprise

- ▶ using multiple data storage technologies, chosen based upon the way data is being used by individual applications.

Assignment Project Exam Help

<https://powcoder.com>

Add WeChat powcoder

<http://martinfowler.com/articles/nosql-intro.pdf>



Data Lake

- Data Lake is a term coined in 2015 referring to a collection of datasets in various formats
 - ▶ Most organizations manage large number of datasets generated or collected from different sources
 - Structured files, databases, spreadsheets, etc
- It also refers to the analytic tools/services build on top of it.
- There are tools for managing data lake in house or in the cloud
 - ▶ Google GOODS, Azure Data Lake Storage, etc
- This is still in early stage, with no standard requirement


Assignment Project Exam Help

<https://powcoder.com>

Add WeChat powcoder




Google's GOODS



Halevy, Alon Y., et al. "Managing Google's data lake: an overview of the Goods system." *IEEE Data Eng. Bull.* 39.3 (2016): 5-14.

Hype Cycle for Data Management, 2017

Figure 1. Hype Cycle for Data Management, 2017



Source: Gartner (September 2017)

© 2017 Gartner, Inc.

<https://www.gartner.com/newsroom/id/3809163>

In Conclusion

- The rise of NoSQL databases marks the end of the era of relational database dominance
- But NoSQL databases will not become the new dominators. Relational will still be popular, and used in the majority of situations. They, however, will no longer be the automatic choice.
- Data lake allows data to be stored in various ways, relational, nonrelational and also raw format as files

Assignment Project Exam Help

<https://powcoder.com>

Add WeChat powcoder

<http://martinfowler.com/nosql.html>



References

- Paramod J. Sadalage and Martin Fowler, “NoSQL Distilled”, Addison-Wesley Professional; 1 edition (August 18, 2012)
 - ▶ Chapter 1
- Daniel Abadi, Rakesh Agrawal, Anastasia Ailamaki, Magdalena Balazinska, Philip A. Bernstein, Michael J. Carey, Surajit Chaudhuri, Surajit Chaudhuri, Jeffrey Dean, AnHai Doan, Michael J. Franklin, Johannes Gehrke, Laura M. Haas, Alon Y. Halevy, Joseph M. Hellerstein, Yannis E. Ioannidis, H. V. Jagadish, Donald Kossmann, Samuel Madden, Sharad Mehrotra, Tova Milo, Jeffrey F. Naughton, Raghu Ramakrishnan, Volker Markl, Christopher Olston, Beng Chin Ooi, Christopher Ré, Dan Suciu, Michael Stonebraker, and Todd Walter, Jennifer Widom. 2016. The Beckman report on database research. *Commun. ACM* 59, 2 (January 2016), 92-99. DOI=<http://dx.doi.org/10.1145/2845915>
- Curino, Carlo A., Hyun J. Moon, Letizia Tanca, and Carlo Zaniolo. "Schema Evolution In Wikipedia." ICEIS, 2008.
 - ▶ <http://yellowstone.cs.ucla.edu/schema-evolution/documents/curing-schema-evolution.pdf>
- High Scalability post: “How Twitter Stores 250 Million Tweets A Day Using MySQL”, 2011
 - ▶ <http://highscalability.com/blog/2011/12/19/how-twitter-stores-250-million-tweets-a-day-using-mysql.html>
- Dathan Pattishall, “Federation at Flickr: Doing Billions of Queries per Day”, 2007
 - ▶ <http://www.scribd.com/doc/2592098/DVPmysqlucFederation-at-Flickr-Doing-Billions-of-Queries-Per-Day>
- Halevy, Alon Y., et al. "Managing Google's data lake: an overview of the Goods system." *IEEE Data Eng. Bull.* 39.3 (2016): 5-14.
- Gartner Reveals the 2017 Hype Cycle for Data Management
 - ▶ <https://www.gartner.com/newsroom/id/3809163>

