## **Assignment 2**

Please make sure that you always use notations consistent with lecture notes. Different notations will not be accepted. The deadline for assignment 2 is:

Fri 16, Apr 5:00 pm

### **Question 1 (16 marks)**

Consider a relation R(A, B, C, D, E, G, H, I, J) and its FD set  $F = \{AB \rightarrow CD, C \rightarrow IJ, J \rightarrow DH, DI \rightarrow AE, DJ \rightarrow GH\}$ .

- 1) Check if  $D \to A \in F^+$ . Justify your answer. (2 mark)
- 2) List all the candidate keys for R. (2 marks)
- 3) How many super keys can be found for R? Compute the total number of super keys and list Assignment Project Exam Help
- 4) Find a minimal cover  $F_m$  for F. (2 marks)
- 5) Determine the lighten from for Of Whith respect F. Gustify Mur answer. (2 marks)
- Regarding F, is the decomposition  $R_1 = \{ACE\}$ ,  $R_2 = \{BCDE\}$ ,  $R_3 = \{DJGHI\}$  of R dependency-prescripting Place in figure 1.5 (a) The decomposition  $R_1 = \{ACE\}$ ,  $R_2 = \{BCDE\}$ ,  $R_3 = \{DJGHI\}$  of R dependency-prescripting Place in figure 1.5 (a) The decomposition  $R_1 = \{ACE\}$ ,  $R_2 = \{BCDE\}$ ,  $R_3 = \{DJGHI\}$  of R dependency-prescripting Place in figure 1.5 (a) The decomposition  $R_1 = \{ACE\}$ ,  $R_2 = \{BCDE\}$ ,  $R_3 = \{DJGHI\}$  of R dependency-prescripting  $R_1 = \{ACE\}$ ,  $R_2 = \{BCDE\}$ ,  $R_3 = \{DJGHI\}$  of R dependency-prescripting  $R_1 = \{ACE\}$ ,  $R_2 = \{BCDE\}$ ,  $R_3 = \{DJGHI\}$  of R dependency-prescripting  $R_1 = \{ACE\}$ ,  $R_2 = \{BCDE\}$ ,  $R_3 = \{DJGHI\}$  of R dependency-prescripting  $R_1 = \{ACE\}$ ,  $R_2 = \{BCDE\}$ ,  $R_3 = \{DJGHI\}$  of R
- 7) Regarding F, is the decomposition  $R_I = \{ACE\}$ ,  $R_2 = \{BCDE\}$ ,  $R_3 = \{DJGHI\}$  of R lossless-join? Please justify your answer. (2 marks)
- 8) Decompose it into a collection of BCNF relations if it is not in BCNF. Make sure your decomposition is lossless-join and briefly justify your answers. (2 marks)

### Question 2 (8 marks)

Consider the schedule below. Here, R(\*) and W(\*) stand for 'Read' and 'Write', respectively.  $T_1$ ,  $T_2$ ,  $T_3$  and  $T_4$  represent four transactions and  $t_i$  represents a time slot.

| Time  | $t_1$ | $t_2$ | $t_3$ | $t_4$ | $t_5$ | $t_6$ | <i>t</i> <sub>7</sub> | $t_8$ | t <sub>9</sub> | $t_{10}$ | $t_{11}$ | $t_{12}$ |
|-------|-------|-------|-------|-------|-------|-------|-----------------------|-------|----------------|----------|----------|----------|
| $T_1$ | R(B)  |       |       |       |       |       | R(A)                  | W(B)  |                | W(A)     |          |          |
| $T_2$ |       | R(B)  | R(A)  | W(B)  |       | R(A)  |                       |       | W(A)           |          |          |          |
| $T_3$ |       |       |       |       |       |       |                       |       |                |          | R(B)     | W(B)     |
| $T_4$ | R(A)  | W(A)  |       |       | R(B)  | W(B)  |                       |       |                |          |          |          |

Each transaction begins at the time slot of its first Read and commits right after its last Write (same time slot).


Regarding the following questions, give and justify your answers.

- 1) Assume a checkpoint is made between  $t_0$  and  $t_7$ , what should be done to the four transactions when the crash happens between  $t_0$  and  $t_{10}$ . (2 marks)
- 2) Is the transaction schedule conflict serializable? Give the precedence graph to justify your answer. (2 marks)
- 3) Give a serial schedule of these four transactions (there can be more than 12 time slots). (2 marks)
- 4) Construct a schedule (which is different from above) of these four transactions which causes deadlock when using two-phase locking protocol. If no such schedule exists, explain why. (2 marks)

# Assignment Project Exam Help

Question 3 (6 marks)

https://powcoder.com



- 1) There are currently 20 records in this tree. How many additional records could be added to this tree without changing its height (give the maximum possible number)? Justify your answers. (2 marks)
- 2) Show the B+ tree after adding the data entry with key 5 into the original tree. (2 marks)
- 3) Show the B+ tree after deleting the data entry with key 80 from the original tree. (2 marks)

### **Assignment Submission**

- Students must submit an electronic copy of their answers to the above questions to the course website in Moodle.
- Only .doc or .pdf file is accepted. The file name should be ass1\_studentID.doc or ass1\_studentID.pdf (e.g., ass2\_z5100000.doc or ass2\_z5100000.pdf).

#### Note:

- 1. For any problems in submissions, please email to <a href="comp9311unsw@gmail.com">comp9311unsw@gmail.com</a>
- 2. All submissions will be checked for plagiarism.
- 3. We do not accept e-mail submissions.

Warning: Before submission, please keep a copy in your university account or other reliable cloud servers (such as dropbox or google drive). If you are not sure how, please have a look at taggi. Usually, the submission should be successful. In case it fails, we do **not** accept backups from your submission should be successful. In case it fails, we do **not** accept backups from your submission should be successful.

The university reparts plagiarism/as a form of academic misconduct and has very strict rules regarding plagiarism. For UNSW policies, penalties, and information to help avoid plagiarism, please see: <a href="https://student.unsw.edu.au/plagiarism">https://student.unsw.edu.au/plagiarism</a> as well as the guidelines in the online ELISE tutorials for althey UNIVEST dehts <a href="https://student.unsw.edu.au/elise">https://student.unsw.edu.au/elise</a> <a href="https://student.unsw.edu.au/elise">https://student.unsw.edu.au/elise</a>

## **Late Submission Penalty**

0 mark.