JavaScript is disabled on your browser.

- Prev Class
- Next Class
- Frames
- No Frames
- All Classes
- Summary:
- Nested |
- Field |
- Constr |
- Method
- Detail:
- Field |
- Constr |
- Method

jminusminus

Class NLIRPhiFunction

· java.lang.Object Project Exam Help

jminusminus.NLIRPhiFunction

https://powcoder.com

class NLIRPHAndron We Chat powcoder extends NLIRINSTRUCTION

LIR instruction representing phi functions.

- Field Summary
- Fields inherited from class jminusminus.NLIRInstruction block, id, lirMnemonic, reads, write
- Constructor Summary

Constructors

Constructor and Description

NLIRPhiFunction(NBasicBlock block, int id, String sType, String lType)

Construct an NLIRPhiFunction instruction.

Method Summary

Methods

Modifier and Type

Method and Description

String

toString()

Return a string representation of this instruction.

- Methods inherited from class jminusminus.NLIRInstruction allocatePhysicalRegisters, toSpim
- Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify,
notifyAll, wait, wait, wait

- Constructor Detail
 - NLIRPhiFunction

Construct an NLIRPhiFunction instruction.

Parameters:

block - enclosing block.

Assignimientifier of the instruction of the phi function.

lType - type (long name) of the phi function.

- · Matters: powcoder.com
 - toString

"A'dd We'Chat powcoder

Description copied from class: NLIRInstruction

Return a string representation of this instruction.

Overrides:

toString in class NLIRInstruction

Returns:

string representation of this instruction.

- Overview
- Package
- Class
- Tree
- Deprecated
- Index
- Help

- Prev Class
- Next Class
- Frames
- No Frames
- All Classes
- Summary:
- Nested |
- Field |
- Constr |
- Method
- Detail:
- Field |
- Constr |
- Method

Assignment Project Exam Help

https://powcoder.com

Add WeChat powcoder