

JavaScript is disabled on your browser.

- [Prev Class](#)
- [Next Class](#)

- [Frames](#)
- [No Frames](#)

- [All Classes](#)

- [Summary:](#)
- [Nested |](#)
- [Field |](#)
- [Constr |](#)
- [Method](#)

- [Detail:](#)
- [Field |](#)
- [Constr |](#)
- [Method](#)

jminusminus

Class CLElementValuePair

- [java.lang.Object](#)
- [jminusminus.CLElementValuePair](#)

.

<https://powcoder.com>

```
class CLElementValuePair
extends Object
```

Add WeChat powcoder

Representation of the element_value_pairs table entry (JVM Spec Section 4.8.15).

- **Field Summary**

Fields

**Modifier and
Type**

Field and Description

int

elementNameIndex

element_value_pairs_table_entry.element_name_index
item.

CLElementValue **value**

element_value_pairs_table_entry.value item.

- **Constructor Summary**

Constructors

Constructor and Description

```
CLElementValuePair(int elementNameIndex,  
CLElementValue value)
```

Construct a CLElementValuePair object.

- **Method Summary**

Methods

Modifier and Type

Method and Description

void	write (CLOutputStream out) Write the contents of this object to the specified output stream.
void	writeToStdOut (PrettyPrinter p) Write the content of this object to STDOUT in a format similar to that of javap.

- **Methods inherited from class [java.lang.Object](#)**

[clone](#), [equals](#), [finalize](#), [getClass](#), [hashCode](#), [notify](#), [notifyAll](#), [toString](#), [wait](#), [wait](#), [wait](#)

- **Field Detail**

- **elementNameIndex**

public int elementNameIndex

[element_value_pairs_table_entry.element_name_index](#) item.

- **value**

public [CLElementValue](#) value

[element_value_pairs_table_entry.value](#) item.

- **Constructor Detail**

- **CLElementValuePair**

public [CLElementValuePair](#)(int [elementNameIndex](#),
[CLElementValue](#) value)

Construct a [CLElementValuePair](#) object.

Parameters:

[elementNameIndex](#) -

[element_value_pairs_table_entry.element_name_index](#) item.

value - [element_value_pairs_table_entry.value](#) item.

- **Method Detail**

- **write**

public void [write](#)([CLOutputStream](#) out)
throws [IOException](#)

Write the contents of this object to the specified output stream.

Parameters:

out - output stream.

Throws:

[IOException](#) - if an error occurs while writing.

- **writeToStdOut**

public void [writeToStdOut](#)([PrettyPrinter](#) p)

Assignment Project Exam Help

<https://powcoder.com>

Add WeChat powcoder

Write the content of this object to STDOUT in a format similar to that of javap.

Parameters:

p - for pretty printing with indentation.

- **Prev Class**
- **Next Class**
- Frames
- No Frames
- All Classes
- Summary:
 - Nested |
 - Field |
 - Constr |
 - Method
- Detail:
 - Field |
 - Constr |
 - Method

Assignment Project Exam Help

<https://powcoder.com>

Add WeChat powcoder