

JavaScript is disabled on your browser.

- [Prev Class](#)
- [Next Class](#)

- [Frames](#)
- [No Frames](#)

- [All Classes](#)

- [Summary:](#)
- [Nested |](#)
- [Field |](#)
- [Constr |](#)
- [Method](#)

- [Detail:](#)
- [Field |](#)
- [Constr |](#)
- [Method](#)

jminusminus

## Class Constructor

- [java.lang.Object](#)
  - [jminusminus.Member](#)
    - [jminusminus.Constructor](#)

.

Assignment Project Exam Help

<https://powcoder.com>

```
class Constructor  
extends Member
```

Add WeChat powcoder

A Constructor knows its JVM descriptor.

### • Field Summary

Fields

Modifier and Type

Field and Description

Modifier and Type	Field and Description
(package private) <a href="#">Constructor</a>	<b>constructor</b> Internal representation of this constructor.

### • Constructor Summary

Constructors

Constructor and Description

<b>Constructor</b> ( <a href="#">Constructor</a> constructor)
Construct a Constructor from its internal representation.

### • Method Summary

Methods

## Modifier and Type

## Method and Description

Type	<b>declaringType()</b> Return the type declaring this constructor.
protected Member	<b>member()</b> Return the member's internal representation.
String	<b>toDescriptor()</b> Return the JVM descriptor for this constructor.

- **Methods inherited from class jminusminus.Member**  
`isAbstract, isFinal, isPrivate, isProtected, isPublic, isStatic, name`
- **Methods inherited from class java.lang.Object**  
`clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait`

### • Field Detail

- **constructor**  
`constructor constructor`

Internal representation of this constructor.

### • Constructor Detail

- **Constructor**  
`public Constructor(Constructor constructor)`

Construct a Constructor from its internal representation.

#### Parameters:

`constructor` - a Java constructor in the reflection API.

### • Method Detail

- **toDescriptor**  
`public String toDescriptor()`

Return the JVM descriptor for this constructor.

#### Returns:

the descriptor.

- **declaringType**  
`public Type declaringType()`

Return the type declaring this constructor.

#### Overrides:

`declaringType` in class `Member`

#### Returns:

the declaring type.

Assignment Project Exam Help

<https://powcoder.com>

Add WeChat powcoder

- **member**

protected **Member** member()

**Description copied from class: **Member****

Return the member's internal representation.

**Specified by:**

**member** in class **Member**

**Returns:**

the internal representation.

- **Prev Class**
- **Next Class**

- **Frames**
- **No Frames**

- **All Classes**

- **Summary:**
- **Nested |**
- **Field |**
- **Constr |**
- **Method**

- **Detail:**
- **Field |**
- **Constr |**
- **Method**

**Assignment Project Exam Help**

**<https://powcoder.com>**

**Add WeChat powcoder**