JavaScript is disabled on your browser.

- Prev Class
- Next Class
- Frames
- No Frames
- All Classes
- Summary:
- Nested |
- Field |
- Constr |
- Method
- Detail:
- Field |
- Constr |
- Method

jminusminus

Class ClassContext

- · java.lang.Object
 Ansignment Project Exam Help
 - jminusminus.ClassContext

https://powcoder.com

class classcated WeChat powcoder

Represents the context (scope, environment, symbol table) for a type, eg a class, in j--. It also keeps track of its surrounding context(s), and the type whose context it represents.

- Field Summary
- Fields inherited from class jminusminus.Context

classContext, compilationUnitContext, entries, surroundingContext

Constructor Summary

Constructors

Constructor and Description

ClassContext(JAST definition, Context surrounding)
Construct a class context.

Method Summary

Methods

Assignment Project Exam Help https://powcoder.com Add WeChat powcoder

definition()

Return the AST node of the type defined by this class.

Methods inherited from class jminusminus.Context

addEntry, addType, classContext, compilationUnitContext,
definingType, lookup, lookupType, methodContext, names,
surroundingContext, writeToStdOut

Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

Constructor Detail

ClassContext

Construct a class context.

Parameters:

definition - the AST node of the type that this class represents.

Assignmenti Project de Mains Help

Method Detail

https://powcoder.com

publicJASTdefinition()

Returns:

the AST of the type defined by this class.

- Prev Class
- Next Class
- Frames
- No Frames
- All Classes
- Summary:
- Nested |
- Field |
- Constr |
- Method
- Detail:
- Field |
- Constr
- Method