

JavaScript is disabled on your browser.

- [Prev Class](#)
- [Next Class](#)

- [Frames](#)
- [No Frames](#)

- [All Classes](#)

- [Summary:](#)
- [Nested |](#)
- [Field |](#)
- [Constr |](#)
- [Method](#)

- [Detail:](#)
- [Field |](#)
- [Constr |](#)
- [Method](#)

jminusminus

## Class CLConstantStringInfo

- [java.lang.Object](#)
  - [jminusminus.CLCPInfo](#)
    - [jminusminus.CLConstantStringInfo](#)

.

<https://powcoder.com>

```
class CLConstantStringInfo  
extends CLCPInfo
```

Add WeChat powcoder

Representation of CONSTANT\_String\_info structure (JVM Spec Section 4.5.3).

### • Field Summary

Modifier and Type	Fields
	Field and Description

int	<b>stringIndex</b> CONSTANT_String_info.string_index item.
-----	--

- **Fields inherited from class jminusminus.CLCPInfo**  
[cpIndex](#), [tag](#)

### • Constructor Summary

Constructors
Constructor and Description

```
CLConstantStringInfo(int stringIndex)  
Construct a CLConstantStringInfo object.
```

- **Method Summary**

Methods	
Modifier and Type	Method and Description
boolean	<b>equals</b> (Object obj)
void	<b>write</b> (CLOutputStream out) Write the contents of this constant pool item to the specified output stream.
void	<b>writeToStdOut</b> (PrettyPrinter p) Write the content of this object to STDOUT in a format similar to that of javap.

- **Methods inherited from class java.lang.Object**

`clone, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait`

- **Field Detail**

- **stringIndex**

`public int stringIndex`

CONSTANT\_String\_info.string\_index item.

- **Constructor Detail**

- **CLConstantStringInfo**

`public CLConstantStringInfo(int stringIndex)`

Construct a CLConstantStringInfo object.

**Parameters:**

stringIndex - CONSTANT\_String\_info.string\_index item.

- **Method Detail**

- **write**

`public void write(CLOutputStream out)  
throws IOException`

**Description copied from class: CLCPInfo**

Write the contents of this constant pool item to the specified output stream.

**Overrides:**

`write` in class `CLCPInfo`

**Parameters:**

out - output stream.

**Throws:**

`IOException` - if an error occurs while writing.

- **equals**

`public boolean equals(Object obj)`

Assignment Project Exam Help

<https://powcoder.com>

Add WeChat powcoder

**Overrides:**

`equals` in class `Object`

- **`writeToStdOut`**

`public void writeToStdOut(PrettyPrinter p)`

**Description copied from class: `CLCPInfo`**

Write the content of this object to STDOUT in a format similar to that of `javap`.

**Overrides:**

`writeToStdOut` in class `CLCPInfo`

**Parameters:**

`p` - for pretty printing with indentation.

- **Prev Class**
- **Next Class**

- Frames
- No Frames

- All Classes

- Summary:
- Nested |
- Field |
- Constr |
- Method

- Detail:
- Field |
- Constr |
- Method

Assignment Project Exam Help

<https://powcoder.com>

Add WeChat powcoder