

JavaScript is disabled on your browser.

- [Prev Class](#)
- [Next Class](#)

- [Frames](#)
- [No Frames](#)

- [All Classes](#)

- [Summary:](#)
- [Nested |](#)
- [Field |](#)
- [Constr |](#)
- [Method](#)

- [Detail:](#)
- [Field |](#)
- [Constr |](#)
- [Method](#)

jminusminus

Class CLEExceptionsAttribute

- [java.lang.Object](#)
- [jminusminus.CLEAttributeInfo](#)
 - [jminusminus.CLEExceptionsAttribute](#)

.

<https://powcoder.com>

```
class CLEExceptionsAttribute  
extends CLEAttributeInfo
```

Add WeChat powcoder

Representation of Exceptions_attribute structure (JVM Spec Section 4.8.4). This is a required method attribute.

• Field Summary

Fields	
Modifier and Type	Field and Description
ArrayList<Integer>	exceptionIndexTable Exceptions_attribute.exception_index_table item.
int	numberOfExceptions Exceptions_attribute.number_of_exceptions item.

- **Fields inherited from class [jminusminus.CLEAttributeInfo](#)**
[attributeLength](#), [attributeNameIndex](#)

• Constructor Summary

Constructors	
Constructor and Description	

```
CLEExceptionsAttribute(int attributeNameIndex,
long attributeLength, int numberOfExceptions,
ArrayList<Integer> exceptionIndexTable)
Construct a CLEExceptionsAttribute object.
```

- **Method Summary**

Methods	
Modifier and Type	Method and Description
void	write (CLOutputStream out) Write the contents of this attribute to the specified output stream.
void	writeToStdOut (PrettyPrinter p) Write the contents of this attribute to STDOUT in a format similar to that of javap.

- **Methods inherited from class java.lang.Object**

`clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait`

- **Field Detail**

<https://powcoder.com>

- **numberOfExceptions**

public int numberOfExceptions

Exceptions_attribute.number_of_exceptions item.

- **exceptionIndexTable**

public ArrayList<Integer> exceptionIndexTable

Exceptions_attribute.exception_index_table item.

- **Constructor Detail**

- **CLEExceptionsAttribute**

```
public CLEExceptionsAttribute(int attributeNameIndex,
                             long attributeLength,
                             int numberOfExceptions,
                             ArrayList<Integer> exceptionIndexTable)
```

Construct a CLEExceptionsAttribute object.

Parameters:

- attributeNameIndex - Exceptions_attribute.attribute_name_index item.
- attributeLength - Exceptions_attribute.attribute_length item.
- numberOfExceptions - Exceptions_attribute.number_of_exceptions item.
- exceptionIndexTable - Exceptions_attribute.exception_index_table item.

Assignment Project Exam Help

Add WeChat powcoder

- **Method Detail**

- **write**

```
public void write(CLOutputStream out)
    throws IOException
```

Description copied from class: `CLAttributeInfo`

Write the contents of this attribute to the specified output stream.

Overrides:

`write` in class `CLAttributeInfo`

Parameters:

out - output stream.

Throws:

`IOException` - if an error occurs while writing.

- **writeToStdOut**

```
public void writeToStdOut(PrettyPrinter p)
```

Description copied from class: `CLAttributeInfo`

Write the contents of this attribute to STDOUT in a format similar to that of javap.

Overrides:

`writeToStdOut` in class `CLAttributeInfo`

Parameters:

p - for pretty printing with indentation.

Assignment Project Exam Help

<https://powcoder.com>

Add WeChat powcoder

- [Prev Class](#)
- [Next Class](#)

- [Frames](#)
- [No Frames](#)

- [All Classes](#)

- [Summary:](#)
- [Nested |](#)
- [Field |](#)
- [Constr |](#)
- [Method](#)

- [Detail:](#)
- [Field |](#)
- [Constr |](#)
- [Method](#)