JavaScript is disabled on your browser.

- Prev Class
- Next Class
- Frames
- No Frames
- All Classes
- Summary:
- Nested |
- Field |
- Constr |
- Method
- Detail:
- Field |
- Constr |
- Method

jminusminus

Class CLObjectInstruction

- · java.lang.Object Project Exam Help
 - jminusminus.CLObjectInstruction

https://powcoder.com

class clobje in the Chat powcoder extends CLINSTRUCTION

Representation for OBJECT instructions.

- Field Summary
- Fields inherited from class jminusminus.CLInstruction instructionInfo, localVariableIndex, mnemonic, opcode, operandCount, pc, stackUnits
- Constructor Summary

Constructors

Constructor and Description

CLObjectInstruction(int opcode, int pc, int index) Construct a CLObjectInstruction object.

Method Summary

Methods

Modifier and Type Method and Description

ArrayList<Integer> toBytes()

Return the bytecode for this instruction.

Methods inherited from class jminusminus.CLInstruction

byteAt, isValid, localVariableIndex, mnemonic, opcode, operandCount, pc, stackUnits

Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

Constructor Detail

• CLObjectInstruction

Construct a CLObjectInstruction object.

Parameters:

opcode - the opcode for this instruction.

pc - index of this instruction within the code array of a method.

Assigningente Projects by 119 it we wish identifies the object.

• Method Detail https://powcoder.com

publicArrayList<Integer>toBytes()

Add We Chat powcodern

Return the bytecode for this instruction.

Specified by:

toBytes in class CLInstruction

Returns:

bytecode.

- Overview
- Package
- Class
- Tree
- Deprecated
- Index
- Help

- Prev Class
- Next Class
- Frames
- No Frames
- All Classes
- Summary:
- Nested |
- Field |
- Constr |
- Method
- Detail:
- Field |
- Constr |
- Method

Assignment Project Exam Help

https://powcoder.com

Add WeChat powcoder