

JavaScript is disabled on your browser.

- [Prev Class](#)
- [Next Class](#)

- [Frames](#)
- [No Frames](#)

- [All Classes](#)

- [Summary:](#)
- [Nested |](#)
- [Field |](#)
- [Constr |](#)
- [Method](#)

- [Detail:](#)
- [Field |](#)
- [Constr |](#)
- [Method](#)

jminusminus

Class CLConstantUtf8Info

- [java.lang.Object](#)
 - [jminusminus.CLCPInfo](#)
 - [jminusminus.CLConstantUtf8Info](#)

.

<https://powcoder.com>

```
class CLConstantUtf8Info  
extends CLCPInfo
```

Add WeChat powcoder

Representation of CONSTANT_Utf8_info structure (JVM Spec Section 4.5.7).

• Field Summary

Modifier and Type	Fields
	Field and Description

byte[]	b CONSTANT_Utf8_info.bytes item.
--------	---

- **Fields inherited from class [jminusminus.CLCPInfo](#)**
[cpIndex](#), [tag](#)

• Constructor Summary

Constructors
Constructor and Description

```
CLConstantUtf8Info(byte[] b)  
Construct a CLConstantUtf8Info
```

object.

- **Method Summary**

Methods

**Modifier and
Type**

Method and Description

boolean **equals**(Object obj)

int **length**()

Return CONSTANT_Utf8_info.length item.

void **write**(CLOutputStream out)

Write the contents of this constant pool item to the specified output stream.

void **writeToStdOut**(PrettyPrinter p)

Write the content of this object to STDOUT in a format similar to that of javap.

- **Methods inherited from class java.lang.Object**

clone, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

Assignment Project Exam Help

- **Field Detail**

<https://powcoder.com>

public byte[] b

CONSTANT_Utf8_info bytes item

Add WeChat powcoder

- **Constructor Detail**

- **CLConstantUtf8Info**

public CLConstantUtf8Info(byte[] b)

Construct a CLConstantUtf8Info object.

Parameters:

b - a constant string value.

- **Method Detail**

- **length**

public int length()

Return CONSTANT_Utf8_info.length item.

Returns:

CONSTANT_Utf8_info.length item.

- **write**

public void write(CLOutputStream out)
throws IOException

Description copied from class: **CLCPInfo**

Write the contents of this constant pool item to the specified output stream.

Overrides:

`write` in class `CLCPInfo`

Parameters:

out - output stream.

Throws:

`IOException` - if an error occurs while writing.

- `equals`

`public boolean equals(Object obj)`

Overrides:

`equals` in class `Object`

- `writeToStdOut`

`public void writeToStdOut(PrettyPrinter p)`

Description copied from class: `CLCPInfo`

Write the content of this object to STDOUT in a format similar to that of javap.

Overrides:

`writeToStdOut` in class `CLCPInfo`

Parameters:

p - for pretty printing with indentation.

Assignment Project Exam Help

- [Prev Class](#)
- [Next Class](#)

- [Frames](#)
- [No Frames](#)

- [All Classes](#)

- [Summary:](#)
- [Nested |](#)
- [Field |](#)
- [Constr |](#)
- [Method](#)

- [Detail:](#)
- [Field |](#)
- [Constr |](#)
- [Method](#)

<https://powcoder.com>

Add WeChat powcoder