

JavaScript is disabled on your browser.

- [Prev Class](#)
- [Next Class](#)

- [Frames](#)
- [No Frames](#)

- [All Classes](#)

- [Summary:](#)
- [Nested |](#)
- [Field |](#)
- [Constr |](#)
- [Method](#)

- [Detail:](#)
- [Field |](#)
- [Constr |](#)
- [Method](#)

jminusminus

Class `CLEnclosingMethodAttribute`

- [java.lang.Object](#)
 - [jminusminus.CLEnclosingMethodAttribute](#)
 - [jminusminus.CLEnclosingMethodAttribute](#)

<https://powcoder.com>

```
class CLEnclosingMethodAttribute
extends CLAttributeInfo
```

Add WeChat powcoder

Representation of `EnclosingMethod_attribute` structure (JVM Spec Section 4.8.6).

- **Field Summary**

Fields	
Modifier and Type	Field and Description
int	<code>classIndex</code> EnclosingMethod_attribute.class_index item.
int	<code>methodIndex</code> EnclosingMethod_attribute.method_index item.

- **Fields inherited from class `jminusminus.CLEnclosingMethodAttribute`**
`attributeLength`, `attributeNameIndex`

- **Constructor Summary**

Constructors
Constructor and Description

```
CLEnclosingMethodAttribute(int attributeNameIndex,  
long attributeLength, int classIndex, int methodIndex)  
Construct a CLEnclosingMethodAttribute object.
```

- **Method Summary**

Methods

**Modifier and
Type**

Method and Description

void	write (CLOutputStream out) Write the contents of this attribute to the specified output stream.
void	writeToStdOut (PrettyPrinter p) Write the contents of this attribute to STDOUT in a format similar to that of javap.

- **Methods inherited from class java.lang.Object**

clone, **equals**, **finalize**, **getClass**, **hashCode**, **notify**,
notifyAll, **toString**, **wait**, **wait**, **wait**

- **Field Detail**

- **classIndex**

public int classIndex

<https://powcoder.com>
EnclosingMethod_attribute.class_index item.

- **methodIndex**

public int methodIndex

[Add WeChat powcoder](https://powcoder.com)

EnclosingMethod_attribute.method_index item.

- **Constructor Detail**

- **CLEnclosingMethodAttribute**

```
public CLEnclosingMethodAttribute(int attributeNameIndex,  
                                long attributeLength,  
                                int classIndex,  
                                int methodIndex)
```

Construct a CLEnclosingMethodAttribute object.

Parameters:

attributeNameIndex -

EnclosingMethod_attribute.attribute_name_index item.

attributeLength - EnclosingMethod_attribute.attribute_length
item.

classIndex - EnclosingMethod_attribute.class_index item.

methodIndex - EnclosingMethod_attribute.method_index item.

- **Method Detail**

- **write**

```
public void write(CLOutputStream out)
```

throws `IOException`

Description copied from class: `CLAttributeInfo`

Write the contents of this attribute to the specified output stream.

Overrides:

`write` in class `CLAttributeInfo`

Parameters:

out - output stream.

Throws:

`IOException` - if an error occurs while writing.

- **`writeToStdOut`**

`public void writeToStdOut(PrettyPrinter p)`

Description copied from class: `CLAttributeInfo`

Write the contents of this attribute to STDOUT in a format similar to that of javap.

Overrides:

`writeToStdOut` in class `CLAttributeInfo`

Parameters:

p - for pretty printing with indentation.

- [Prev Class](#)
- [Next Class](#)

- [Frames](#)
- [No Frames](#)

- [All Classes](#)

- [Summary:](#)
- [Nested |](#)
- [Field |](#)
- [Constr |](#)
- [Method](#)

- [Detail:](#)
- [Field |](#)
- [Constr |](#)
- [Method](#)

Assignment Project Exam Help

<https://powcoder.com>

Add WeChat powcoder