

JavaScript is disabled on your browser.

- [Prev Class](#)
- [Next Class](#)

- [Frames](#)
- [No Frames](#)

- [All Classes](#)

- [Summary:](#)
- [Nested |](#)
- [Field |](#)
- [Constr |](#)
- [Method](#)

- [Detail:](#)
- [Field |](#)
- [Constr |](#)
- [Method](#)

jminusminus

## Class CLLocalVariableInfo

- [java.lang.Object](#)
  - [jminusminus.CLLocalVariableInfo](#)

.

<https://powcoder.com>

```
class CLLocalVariableInfo  
extends Object
```

Add WeChat powcoder

Representation of local\_variable\_table entry structure (JVM Spec Section 4.8.12).

- **Field Summary**

Fields	
Modifier and Type	Field and Description
int	<b>descriptorIndex</b> local_variable_table_entry.descriptor_index item.
int	<b>index</b> local_variable_table_entry.index item.
int	<b>length</b> local_variable_table_entry.length item.
int	<b>nameIndex</b> local_variable_table_entry.name_index item.
int	<b>startPC</b> local_variable_table_entry.start_pc item.

- **Constructor Summary**

Constructors  
**Constructor and Description**

```
CLLocalVariableInfo(int startPC, int length, int nameIndex,  
int descriptorIndex, int index)  
Construct a CLLocalVariableInfo object.
```

- **Method Summary**

Methods

**Modifier and  
Type**

**Method and Description**

void	<b>write</b> ( <b>CLOutputStream</b> out) Write the contents of this object to the specified output stream.
void	<b>writeToStdOut</b> ( <b>PrettyPrinter</b> p) Write the contents of this object to STDOUT in a format similar to that of javap.

- **Methods inherited from class java.lang.Object**

`clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait`

- **Field Detail**

- **startPC**

public int startPC

local\_variable\_table\_entry.start\_pc item.

- **length**

public int length

local\_variable\_table\_entry.length item.

- **nameIndex**

public int nameIndex

local\_variable\_table\_entry.name\_index item.

- **descriptorIndex**

public int descriptorIndex

local\_variable\_table\_entry.descriptor\_index item.

- **index**

public int index

local\_variable\_table\_entry.index item.

Assignment Project Exam Help

<https://powcoder.com>

Add WeChat powcoder

- **Constructor Detail**

- **CLLocalVariableInfo**

```
publicCLLocalVariableInfo(intstartPC,  
                           intlength,  
                           intnameIndex,  
                           intdescriptorIndex,  
                           intindex)
```

Construct a CLLocalVariableInfo object.

**Parameters:**

startPC - local\_variable\_table\_entry.start\_pc item.

length - local\_variable\_table\_entry.length item.

nameIndex - local\_variable\_table\_entry.name\_index item.

descriptorIndex - local\_variable\_table\_entry.descriptor\_index item.

index - local\_variable\_table\_entry.index item.

- **Method Detail**

- **write**

```
publicvoidwrite(CLOutputStreamout)  
               throws IOException
```

Write the contents of this object to the specified output stream.

**Parameters:**

out - output stream.

**Throws:**

IOException - if an error occurs while writing.

- **writeToStdOut**

```
publicvoidwriteToStdOut(PrettyPrinterp)
```

Write the contents of this object to STDOUT in a format similar to that of javap.

**Parameters:**

p - for pretty printing with indentation.

- [Prev Class](#)
- [Next Class](#)

- [Frames](#)
- [No Frames](#)

- [All Classes](#)

- [Summary:](#)
- [Nested |](#)
- [Field |](#)
- [Constr |](#)
- [Method](#)

- [Detail:](#)
- [Field |](#)
- [Constr |](#)
- [Method](#)

Assignment Project Exam Help

<https://powcoder.com>

Add WeChat powcoder