JavaScript is disabled on your browser.

- Prev Class
- Next Class
- Frames
- No Frames
- All Classes
- Summary:
- Nested |
- Field |
- Constr |
- Method
- Detail:
- Field |
- Constr |
- Method

jminusminus

Class JavaCCParser

- · java.lang.Object · Ans sign mentar Project Exam Help
- · All Implemented Interfaces:

JavaCCFarter postally powcoder.com

class Javaco Add WeChat powcoder

extends Object implements JavaCCParserConstants

Parser generated by JavaCC. It parses a j-- compilation unit (program file), taking tokens from the scanner (also generated by JavaCC), and produces an abstract syntax tree (AST) for it.

• Nested Class Summary

Nested Classes

Modifier and Type

Class and Description

(package private) static class JavaCCParser.JJCalls

Field Summary

Fields

Modifier and Type

Field and Description

(package private) SimpleCharStream jj_input_stream

Token jj_nt

boolean lookingAhead

Token token

JavaCCParserTokenManager token_source

• Fields inherited from interface iminusminus.JavaCCParserConstants

ABSTRACT, ASSIGN, BOOLEAN, CHAR, CHAR_LITERAL, CLASS, COMMA, DEC, DEFAULT, DIGIT, DOT, ELSE, EOF, EQUAL, ERROR, ESC, EXTENDS, FALSE, GT, IDENTIFIER, IF, IMPORT, INC, INSTANCEOF, INT, INT_LITERAL, LAND, LBRACK, LCURLY, LE, LETTER, LNOT, LPAREN, MINUS, NEW, NON_ZERO_DIGIT, NULL, PACKAGE, PLUS, PLUS_ASSIGN, PRIVATE, PROTECTED, PUBLIC, RBRACK, RCURLY, RETURN, RPAREN, SEMI, SINGLE_LINE_COMMENT, STAR, STATIC, STRING_LITERAL, SUPER, THIS, tokenImage, TRUE, VOID, WHILE

• Constructor Summary

Constructors

Constructor and Description

Assignment Project Exam Help
Javacce arser (InputStream stream)

Javachttps://powcotder.com encoding)

JavaCCParser(JavaCCParserTokenManager tm)

Add WeChat powcoder

Method Summary

Methods

Modifier and Type

Method and Description

JCompilationUnit	compilationUnit()
void	<pre>disable_tracing()</pre>
void	<pre>enable_tracing()</pre>
boolean	errorHas0ccurred() Has a parser error occurred up to now?
void	<pre>fileName(String fileName) Set the name of the file that is being parsed.</pre>
ParseException	<pre>generateParseException()</pre>
Token	<pre>getNextToken()</pre>

Token	<pre>getToken(int index)</pre>
void	ReInit(InputStream stream)
void	ReInit(InputStream stream, String encoding)
void	ReInit(JavaCCParserTokenManager tm)
void	ReInit(Reader stream)

Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify,
notifyAll, toString, wait, wait, wait

Field Detail

token_source

publicJavaCCParserTokenManager token_source

Assignment Project Exam Help

https://powcoder.com

Add the WeChat powcoder

lookingAhead

publicboolean lookingAhead

Constructor Detail

JavaCCParser

publicJavaCCParser(InputStreamstream)

JavaCCParser

JavaCCParser

publicJavaCCParser(Readerstream)

JavaCCParser

publicJavaCCParser(JavaCCParserTokenManagertm)

Method Detail

fileName

publicvoidfileName(StringfileName)

Set the name of the file that is being parsed.

Parameters:

fileName - name of the file.

errorHasOccurred

publicbooleanerrorHasOccurred()

Has a parser error occurred up to now?

Returns:

true or false.

compilationUnit

Throws:

ParseException

ReInit

Assignment Project Exam Help

PhttpSike/npowt60deFaCom
Stringencoding)

Add We Chat powcoder

publicvoidReInit(Readerstream)

ReInit

publicvoidReInit(JavaCCParserTokenManagertm)

getNextToken

public finalTokengetNextToken()

getToken

public finalTokengetToken(intindex)

generateParseException

publicParseExceptiongenerateParseException()

enable_tracing

public finalvoidenable_tracing()

disable_tracing

public finalvoiddisable_tracing()

- Prev Class
- Next Class
- Frames
- No Frames
- All Classes
- · Summary:
- Nested |
- Field |
- Constr |
- Method
- Detail:
- Field |
- Constr |
- Method

Assignment Project Exam Help

https://powcoder.com

Add WeChat powcoder