

JavaScript is disabled on your browser.

- [Prev Class](#)
- [Next Class](#)

- [Frames](#)
- [No Frames](#)

- [All Classes](#)

- [Summary:](#)
- [Nested |](#)
- [Field |](#)
- [Constr |](#)
- [Method](#)

- [Detail:](#)
- [Field |](#)
- [Constr |](#)
- [Method](#)

jminusminus

## Class CLParameterAnnotationInfo

- [java.lang.Object](#)
- [jminusminus.CLParameterAnnotationInfo](#)

.

<https://powcoder.com>

```
class CLParameterAnnotationInfo
extends Object
```

Add WeChat powcoder

Representation of parameter\_annotations\_table entry structure (JVM Spec Section 4.8.17).

### • Field Summary

Fields	
Modifier and Type	Field and Description
<code>ArrayList&lt;CLAnnotation&gt;</code>	<b>annotations</b> parameter_annotations_table_entry.annotations item.
<code>int</code>	<b>numAnnotations</b> parameter_annotations_table_entry.num_annotations item.

### • Constructor Summary

Constructors  
**Constructor and Description**

```
CLParameterAnnotationInfo(int numAnnotations,
ArrayList<CLAnnotation> annotations)
Construct a ParameterAnnotationInfo object.
```

- **Method Summary**

## Methods

### Modifier and Type

### Method and Description

void	<b>write</b> ( <a href="#">CLOutputStream</a> out) Write the contents of this object to the specified output stream.
void	<b>writeToStdOut</b> ( <a href="#">PrettyPrinter</a> p) Write the content of this object to STDOUT in a format similar to that of javap.

- **Methods inherited from class [java.lang.Object](#)**

[clone](#), [equals](#), [finalize](#), [getClass](#), [hashCode](#), [notify](#), [notifyAll](#), [toString](#), [wait](#), [wait](#), [wait](#)

- **Field Detail**

- **numAnnotations**

public int numAnnotations

parameter\_annotations\_table\_entry.num\_annotations item.

- **annotations**

public [ArrayList](#)<[CLAnnotation](#)> annotations

parameter\_annotations\_table\_entry.annotations item.

- **Constructor Detail**

- **CLParameterAnnotationInfo**

public [CLParameterAnnotationInfo](#)(int numAnnotations, [ArrayList](#)<[CLAnnotation](#)> annotations)

Construct a ParameterAnnotationInfo object.

**Parameters:**

numAnnotations -

parameter\_annotations\_table\_entry.num\_annotations item.

annotations - parameter\_annotations\_table\_entry.annotations item.

- **Method Detail**

- **write**

public void write([CLOutputStream](#) out)  
throws [IOException](#)

Write the contents of this object to the specified output stream.

**Parameters:**

out - output stream.

**Throws:**

[IOException](#) - if an error occurs while writing.

- **writeToStdOut**

public void writeToStdOut([PrettyPrinter](#) p)

Assignment Project Exam Help

<https://powcoder.com>

Add WeChat powcoder

Write the content of this object to STDOUT in a format similar to that of javap.

**Parameters:**

p - for pretty printing with indentation.

- **Prev Class**
- **Next Class**
- Frames
- No Frames
- All Classes
- Summary:
  - Nested |
  - Field |
  - Constr |
  - Method
- Detail:
  - Field |
  - Constr |
  - Method

**Assignment Project Exam Help**

**<https://powcoder.com>**

**Add WeChat powcoder**