

Analysis of Algorithms

V. Adamchik

CSCI 570

Lecture 5

University of Southern California

Assignment Project Exam Help

<https://powcoder.com>
Greedy Algorithms

Add WeChat powcoder

Reading: chapter 4

Homework - 2

We do not have enough time to cover the master theorem this week. Therefore, you do not need to solve the last homework problem #5, it will be a part of the next Hw-3 assignment.

Assignment Project Exam Help

<https://powcoder.com>

Add WeChat powcoder

The Minimum Spanning Tree

Assignment Project Exam Help

Find a spanning tree of the minimum total weight.
<https://powcoder.com>

Add WeChat powcoder

MST is fundamental problem with diverse applications.



Kruskal's Algorithm

algorithm builds a tree one EDGE at a time.

- Sort all edges by their weights.
- Loop:
 - Choose the minimum weight edge and join correspondent vertices (subject to cycles).
 - Go to the next edge.
 - Continue to grow the forest until all vertices are connected.

Assignment Project Exam Help

<https://powcoder.com>

Add WeChat powcoder

Union-Find

O(1)

A.C.

Sorting edges - $O(E \log E)$

Cycle detection - $O(V)$ for each edge

binary heap

Total: $O(V * E + E * \log E)$

Prim's Algorithm

algorithm builds a tree one VERTEX at a time.

- Start with an arbitrary vertex as a sub-tree C .
- Expand C by adding a vertex having the minimum weight edge of the graph having exactly one end point in C .
- Update distances from C to adjacent vertices.
- Continue to grow the tree until C gets all vertices.

deleteMin - $O(V)$, for each vertex

update(decreaseKey) - $O(\log V)$, for each edge

Total: $O(V \log V + E \log V)$

Fib. heap
 $O(1)$
A.C.

Discussion Problem

- ① Assume that an **unsorted array** is used instead of a binary heap. What would the running time of the Prim algorithm?

array : $O(V^2)$

heap : $O(V \log V)$
binary

Add WeChat powcoder

$$E = O(V^2)$$

- ② Assume that we need to find an MST in a **dense** graph using Prim's algorithm. Which implementation (heap or array) shall we use?

array : $O(V^2)$

heap : $O(V^2 \log V)$


MST: Proof of the correctness

A **cut** of a graph is a partition of its vertices into two disjoint sets (blue and green vertices below.)

(a, c) Assignment Project Exam Help *Spanning tree*

A **crossing edge** is an edge that connects a vertex in one set with a vertex in the other.

The smallest crossing edge must be in the MST.



MST: Proof of the correctness

Lemma: Given any cut in a weighted graph, the crossing edge of minimum weight is in the MST of the graph.

By contradiction.

$e \notin \text{MST}, f \in \text{MST}$

Add e to MST

MST will get a cycle


$\text{MST}_1 = \text{MST} - f + e$

$\text{cost}(\text{MST}_1) < \text{cost}(\text{MST})$
contradiction

Assignment Project Exam Help

<https://powcoder.com>

Add WeChat powcoder



Review Questions

find an example


(T/F) The first edge added by Kruskal's algorithm can be the last edge added by Prim's algorithm.

find an example **Assignment Project Exam Help**

(T/F) Suppose we have a graph where each edge weight value appears at most twice. Then, there are at most two minimum spanning trees in this graph.

<https://powcoder.com>

Add WeChat powcoder




$$E = V + 1$$

(T/F) If a connected undirected graph $G = (V, E)$ has $V + 100$ edges, we can find the minimum spanning tree of G in $O(V)$ runtime.

$$V = 5$$

$$E = 6$$



$$O((E+V) \log V)$$

size of the heap

Prim's

heap size = 2

$$|\log V| < \text{const}$$

A*

The Shortest Path Problem

Assignment Project Exam Help

<https://powcoder.com>

Add WeChat powcoder



Edsger Dijkstra
(1930-2002)



SSSP

The Shortest Path Problem


Given a positively weighted graph G with a source vertex s , find the shortest path from s to all other vertices in the graph.

$e \in \mathbb{R}^+$

Assignment Project Exam Help


<https://powcoder.com>

Add WeChat powcoder



The Shortest Path Problem

What is the shortest distance from s to 4?



Prim's

Greedy Approach

When algorithm proceeds all vertices are divided into two groups

- vertices whose shortest path from the source is known
- vertices whose shortest path from the source is NOT discovered yet

Assignment Project Exam Help

<https://powcoder.com>

Add WeChat powcoder


Move vertices one at a time from the undiscovered set of vertices to the known set of the shortest distances, based on the shortest distance from the source.

$$f = A + B$$





solution tree = s

heap = {1, 2, 3, 4, 5, 6, 7}




solution tree = { s }


heap = { 1, 2, 3, 4, 5, 6, 7 }




solution tree = { s }
heap = { 1, 2, 3, 4, 5, 6, 7 }




solution tree = { s, 1 }
heap = { 2, 3, 4, 5, 6, 7 }



solution tree = { s, 1 }
heap = { 2, 3, 4, 5, 6, 7 }




```
solution tree = { s, 1 }
heap = { 2, 3, 4, 5, 6, 7 }
```




solution tree = { s, 1, 5 }

heap = { 2, 3, 4, 6, 7 }




solution tree = { s, 1, 5 }

heap = { 2, 3, 4, 6, 7 }



solution tree = { s, 1, 5, 6 }

heap = {2, 3, 4, 7}



solution tree = { s, 1, 5, 6, 2, 4, 3, 7 }


heap = {}



Spanning tree \neq MST

Prim's: heap of vert./edge

Dijkstra's:
heap of
vert./dist.



Complexity

Let $D(v)$ denote a length from the source s to vertex v .
We store distances $D(v)$ in a binary heap.

INIT: $D(s) = 0, D(v) = \infty$ for $\forall v \neq s$

LOOP: ~~deleteMin~~, $O(\log V)$ for each vertex
update distances, $O(\log V)$ for each edge
in the heap, $O(\log V)$
for all u in $\text{adj}(v)$
 $\min(D(u), D(v) + \text{weight}(u, v))$



Runtime: $O(V \log V + E \log V)$, same as Prim's

Fibonacci: $O(V \log V + E \cdot 1)$ amortized

Discussion Problem

Assume that an **unsorted array** is used instead of a binary heap. What would the running time of the Dijkstra algorithm?

$$O(V \cdot V + E \cdot 1)$$

Assignment Project Exam Help

dense graph, $E = O(V^2)$

<https://powcoder.com>

$$O(V^2)$$

Add WeChat powcoder

Fibonacci
dense graph

$O(V \log V + E)$, use a heap

Proof of Correctness

Lemma. For each node $u \in S$ (solution tree), $d(u)$ is the shortest s - u path.

Induction on $|S|$


Base case: $|S|=1, d(s)=0$

IH: $|S|=k$ vertices

IS: prove it for $(k+1)$ vertices

<https://powcoder.com>
Add WeChat powcoder

$$\pi(x) = \min(d(v), d(v) + w(v, x))$$



$$\pi(v) \geq d(v)$$

weight $s \in \mathbb{R}^+$

Proof of Correctness

$d(u)$ is the shortest

$$\pi(v) = d(u) + \text{edge}(u, v)$$

Assume $\pi(v) \neq d(v)$

Case 1.


distance through x cannot be shorter

Case 2. path $s \rightarrow x \rightarrow v$

is it the shortest?

our ALG would choose edge (x, y)


but (u, v) is



Discussion Problem 1

You are given a graph representing the several career paths available in industry. Each node represents a position and there is an edge from node v to node u if and only if v is a pre-requisite for u . Top positions are the ones which are not pre-requisites for any positions. Start positions are the ones which have no pre-requisites. The cost of an edge (v, u) is the effort required to go from one position v to position u . Salma wants to start a career and achieve a top position with minimum effort. Using the given graph can you provide an algorithm with the same run time complexity as Dijkstra's algorithm?

SSSP



Discussion Problem 2

No Dijkstra

Design a linear time algorithm to find shortest distances in a DAG.




a) traversal, BFS
b) topological sort

How topological sort help as to solve the problem?


Assignment Project Exam Help

<https://powcoder.com>

Add WeChat powcoder



DAG



Runtime $O(E)$

s	a	b	c	d	e	
0	3	-	5	-	-	s
	3	5+6	5	-	-	s, c
	3	10	5	5	7	s, c, a
	3	10	5	5	7	s, c, a, b
6	3	10	5	4	7	s, c, a, b, e

Assignment Project Exam Help

<https://powcoder.com>

Add WeChat powcoder


Assignment Project Exam Help

<https://powcoder.com>

Add WeChat powcoder


Review Questions

(T/F) If all edges in a connected undirected graph have distinct positive weights, the shortest path between any two vertices is unique. *example*



(T/F) Suppose we have calculated the shortest paths from a source to all other vertices. If we modify the original graph, G , such that weights of all edges are increased by 2 then the shortest path tree of G is also the shortest path tree of the modified graph.

$s-x-y$, $s-y$



(T/F) Suppose we have calculated the shortest paths from a source to all other vertices. If we modify the original graph G such that weights of all edges are doubled, then the shortest path tree of G is also the shortest path tree of the modified graph.

$$x+y+z < a+b$$

$$2(x+y+z) < 2(a+b)$$

Discussion Problem 3

Why Dijkstra's greedy algorithm does not work on graphs with negative weights?

Run Dijkstra

$d(s) = 0$, $d(a) = 3$

$d(A) = 5$, $d(B) = 10$

STOP


OPT: $d(c) = 1$

$S-A-B-C$

How to fix Dijkstra?

a) Re-weight
add 9

it does not work!
b) DP




Run Dijkstra
 $d(c) = 12$

Discussion Problem 4

In this problem you are to find the most efficient way to deliver power to a network of n cities. It costs p_i to open up a power plant at city i . It costs $c_{ij} \geq 0$ to put a cable between cities i and j . A city is said to have power if either it has a power plant, or it is connected by a series of cables to some other city with a power plant. Devise an efficient algorithm for finding the minimum cost to power all the cities.

MST



Run MST algo.

Assignment Project Exam Help

<https://powcoder.com>

Add WeChat powcoder

Why our solution will have at least
one power plant?
The solution must have at least
one red edge...


Two ways to solve (in general)

① change the input

② change the algorithm

Discussion Problem 5


Hardy decides to start running to work in San Francisco to get in shape. He prefers a route to work that goes first entirely uphill and then entirely downhill. To guide his run, he prints out a detailed map of the roads between home and work. Each road segment has a positive length, and each intersection has a distinct elevation. Assuming that every road segment is either fully uphill or fully downhill, give an efficient algorithm to find the shortest path that meets Hardy's specifications.




Dijkstra

Uphill graph

home



work



Assignment Project Exam Help

give

Run Dijkstra
from home

<https://powcoder.com>

Run Dijkstra
from work

Add WeChat powcoder

Complexity: 1. construction G_1, G_2
2. run Dijkstra (+ twice)
3. find common vertices

Discussion Problem 6

$V \rightarrow \infty, E \rightarrow \infty$


Given a graph $G=(V,E)$ whose edge weights are integers in the range $[0, W]$, where W is a relatively small integer number compare to the number of vertices, $W = O(1)$ we could run Dijkstra's algorithm to find the shortest distances from the start vertex to all other vertices. Design a new linear time algorithm that will outperform Dijkstra's algorithm.

<https://powcoder.com>


traversal
BFS

Add WeChat powcoder


change the input !!



$w = 3$, worst-case



Solution



Run BFS!

Assignment Project Exam Help

Runtime,

<https://powcoder.com>

Add WeChat powcoder

$$G = (V, E) \leftarrow \text{input}$$

$$G_1 = (V_1, E_1)$$

$$\text{BFS}(G_1) = O(V_1 + E_1)$$

DIY verify

verify!

$$V_1 = E + w \cdot V$$

$$E_1 = w \cdot E$$

$$\text{BFS}(G_1) = O(\underbrace{w \cdot V}_{\text{if } w = \omega(1)} + \underbrace{w \cdot E}_{\text{if } w = \omega(1)}) = O(V + E)$$