
Quiz 3 - statistics

of participants: 87 / 100

average: 7.03 / 10



The cyber-intelligence team of a software development company named MBI has learned from/on a dark-web forum that one of the most popular MBI's software products has a vulnerability that is not known to the company and the wider public. The team has also discovered that several weeks ago a hacking group named BlackHatsXYZ used this vulnerability to conduct a smaller-scale cyber-attack on a small non-profit organization.

Which of the below 5 options would be the prost appropriate part-step by MBI company?

- do nothing, as this vulnerability was exploited only once in a small-scale attack https://powcoder.com
 lower the price of the vulnerable software in all future sales
- 3) try to get in touch with Black Ast XYZ to lear h Prove and this vulnerability
- inform the public about this vulnerability
- 5) inform only the current users of the vulnerable software about this vulnerability



Several weeks ago, a software development company named Boogle had identified a vulnerability in its staple product called Bhrome. The vulnerability CVE number is CVE-2020xyz. Two days ago, Boogle released a 'software advisory' and an appropriate 'workaround' for CVE-2020-xyz. A full patch for CVE-2020-xyz is still not available.

This morning, a third-party company named ABC, which deploys Bhrome on most of its workstations, has experienced a cyber attack involving CVE-2020-xyz.

Assignment Project Exam Help
Which of the following would be an appropriate term for this morning's attack on ABC?


1) zero-day attack

https://powcoder.com

post-patch attack

Add WeChat powcoder


- 3) third-party attack
- follow-on attack



Which of the below sentences are NOT correct?

- 1) It is possible to conduct a DoS attack without the use of malware.
- 2) Every botnet-based DDoS attack involves the use of malware.
- 3) DDoS attacks always involve the use of malware.
- 4) In terms of its intensity, a DoS attack can be as powerful as a DDoS attack. Assignment Project Exam Help

https://powcoder.com




Which of the following types of 'spoofing' is used by hackers to make their web-bots more likely to enter web-sites strictly intended for human users/visitors?

- 1) IP spoofing
- 2) email spoofing
- 3) referrer spoofing
- 4) user-agent spoofing

Assignment Project Exam Help

https://powcoder.com



Which of the following is <u>not</u> correct about 'wireless sniffing'.

- 1) relatively easy to set-up / conduct
- 2) very difficult to detect
- 3) impossible to defend against
- 4) all of the above is correct about wireless sniffing


WiFi Signal

Can be defended against:

- 1) physical security (only authorized users allowed within signal's reach and/or limit the signal's reach)
- bout wireless sniffing
 Assignment Project Exam Help

 2) encryption signal/data can be captured but impossible to extract the content/information

https://interline.pl/Information-and-Tips/FRESNEL-ZONE-LOSS



Stealth wallpaper

From Wikipedia, the free encyclopedia



WIFI PRIVACY –

Anti-WiFi wallpaper lets cellular and radio through

Assignment Project Exam Help



https://powcoder.com

Add WeChat powcode

Copper Mesh – Electromagnetic Shielding & Electromagnetic Radiation Protection





The WiFi-blocking wallpaper uses a triangular snowflake-patterned mesh to filter out selected frequencies.

https://www.copper-mesh.com/coppermesh/copper-shielding-mesh.html